

A woman with dark hair tied back, wearing a light blue one-piece swimsuit, is relaxing in a white portable hot tub. She is leaning back against a blue inflatable headrest, with her right arm extended towards the water jets. The hot tub is filled with bubbling water, and the background is a soft, out-of-focus blue. The HotSpring logo is visible in the top left corner of the tub's interior.

Relaxation has found  
its ultimate expression.



**HotSpring**<sup>®</sup>  
*Portable Spas*

Built for a lifetime of relaxation.<sup>®</sup>

## HotSpring® Jets

No other spa has the same wide variety of unique jets, intelligently and exclusively designed and engineered to optimize your enjoyment.

### Soothing Seven® Jets

Each jet's seven outlets broadcast a large volume of water. Positioned side by side, these hot tub jets provide gentle treatment to your shoulders and upper back. A Hot Spring spa exclusive.

### Quartet® Jet System

Stress and tension melt away as four Precision® jets, located above each Moto-Massage DX jet in our hot tubs, work like an extra set of hands to massage and relax your neck and shoulders.

### HydroSteam® Jet

HydroSteam jets provide a strong flow of water and air that quickly soothes away tension.

### Moto-Massage® DX Jets

Imagine two warm streams of water sweeping up and down the entire length of your back, soothing overworked muscles and loosening all the little knots of tension. With just a slight shift of your body, the warm stream glides easily over the muscles on either side of your spine. Another Hot Spring Spa exclusive.

### Jet Stream® Jet

Aching lower back pain needs the extra power of a JetStream jet. An invigorating, directional whirlpool jet-far more powerful than a Hydromassage jet. Offers fast relief.

### Jet-Cluster™ System

For a full back massage, our exclusive Jet-Cluster hydromassage systems target specific muscle groups by directing various jets to work each part of the back.

### Hydromassage Jets

Powerful but not punishing, this spa jet offers an interchangeable nozzle. Select the flow-enhanced directional nozzle for maximum performance, or the dual-port rotary nozzle for a V-shaped pulsating massage.

### Precision® Jet

Focusing attention on your back, neck, calves and wrists, the Precision jet's directional and rotary nozzles perform like the fingers of a professional masseuse.

### FootWell® System

After a long day on your feet, nothing feels better than the invigorating jets of our FootWell system. While other spas typically use only standard hydromassage or mini-jets, the Footwell system uses the power of our JetStream jets to provide a maximum-strength foot massage.

COMBINATION OF JETS VARY BY SPA MODEL

HotSpring jets : 9 kinds

Quartet® Jet System, Soothing Seven® Jets, Moto-Massage® DX Jets, Hydromassage Jets, Jet-Cluster™ System  
Jet Stream® Jets, Precision® Jet, HydroSteam® Jet, FootWell® System





	<b>SOLANA TZ-Triangle</b>	<b>SOLANA SZ-Square</b>	<b>SOLANA Samoa</b>
<b>Seating Capacity</b>	2	4	4
<b>Dimensions (L x W x H)</b>	1.62 X 1.62 X .74 meters	1.8 x 1.8 x .31 meters	1.98 X 1.98 X .91 meters
<b>Water Capacity</b>	492 liters / 130 gallons	1078 liters / 285 gallons	1060 liters / 280 gallons
<b>Weight</b>	121 kg dry, 731 kg filled	199 kg dry, 1630 kg filled	250 kg dry, 1630 kg filled
<b>Spa Shell</b>	Pearl	Pearl	Blue
<b>Spa Cabinet</b>	Everwood : Redwood	Surewood	Surewood : Coastal Grey or Red
<b>Light</b>	Luminescence Blue LED lighting system	Luminescence Blue LED lighting system	Luminescence Blue LED lighting system
<b>Light Option-Interior</b>	NA	NA	NA
<b>Light Option-Exterior</b>	NA	NA	NA
<b>Jets</b>	<b>Total 10</b> 1 Moto-Massage Jet 1 Rotary Hydromassage Jet 8 Precision Jets	<b>Total 17</b> 1 Moto Massage 16 Precision Jets	<b>Total 19</b> 2 Hydro Stream Jets 2 Rotary Hydromassage jets 5 Directional Hydromassage Jets 10 Precision Jets
<b>Control System</b>	Smart Spa Intuitive Intelligent Control Centre	Smart Spa Intuitive Intelligent Control Centre	Smart Spa Intuitive Intelligent Control Centre
<b>Control Panel</b>	Exterior Solid State Digital Temperature Readout	Exterior Solid State Digital Temperature Readout	Exterior Solid State Digital Temperature Readout
<b>Heater</b>	No Fault® 1500w / 230v	No Fault® 1500w / 230v	No Fault® 1500w / 230v
<b>Thermostat Sensitivity</b>	± 1° Celcius	± 1° Celcius	± 1° Celcius
<b>Jet Pump</b>	Wavemaster 6000 2.00 HP Continuous Duty 3.90 HP Breakdown Torque two-speed motor	Wavemaster 6000 2.00 HP Continuous Duty 3.90 HP Breakdown Torque two-speed motor	Wavemaster 6000 2 00 HP Continuous Duty 3.90 HP Breakdown Torque two-speed motor
<b>Electrical Safety</b>	ELCB protected power cord	ELCB protected power cord	ELCB protected power cord
<b>Effective Filter Area</b>	NA	NA	NA
<b>Floor Drain</b>	Included	Included	Included
<b>Vinyl Cover</b>	Lockable, complies with ASTM Safety Standards 75 mm to 65mm tapered	Lockable, complies with ASTM Safety Standards 95 mm to 65 mm tapered	Lockable, complies with ASTM Safety Standards 90 mm to 65mm tapered
<b>Ozone System (optional)</b>	FreshWater III Corona Discharge	FreshWater III Corona Discharge	FreshWater III Corona Discharge
<b>Water Care Options</b>	Silver Ion Cartridge System	Silver Ion Cartridge System	Silver Ion Cartridge System
<b>Circulation Pump</b>	NA	NA	NA





	<b>TIGER RIVER Sumatran</b>	<b>TIGER RIVER Bengal</b>	<b>JETSETTER</b>
<b>Seating Capacity</b>	4	5	3
<b>Dimensions (L x W x H)</b>	1.98 x 1.98 x .84 meters	2.2 x 2.01 x .84 meters	2.13 x 1.65 x .74 meters
<b>Water Capacity</b>	1178 liters / 311 gallons	1249 liters / 330 gallons	852 liters/ gallons
<b>Weight</b>	278 kg dry, 1720 kg filled	312 kg dry, 1907 kg filled	204 kg dry, 1283 kg filled
<b>Spa Shell</b>	Sandstone	Sandstone	Graphite Grey
<b>Spa Cabinet</b>	Everwood : Coastal Grey	Everwood : Coastal Grey	Everwood : Coastal Grey
<b>Light</b>	Luminescence multi-color LED lighting system	Luminescence multi-color LED lighting system-ready	Luminescence multi-color LED lighting system-ready
<b>Light Option-Interior</b>	NA	Included	Included
<b>Light Option-Exterior</b>	NA	NA	NA
<b>Jets</b>	Total 16 1 JetStream Jets 2 Rotary Hydromassage Jets 3 Directional Hydromassage Jets 10 Precision Jets	Total 26 1 JetStream Jet 2 Rotary Hydromassage Jets 5 Directional Hydromassage Jets 18 Precision Jets	Total 13 1 Moto-Massage DX Jet (2) 1 JetStream Jets 1 Directional Hydromassage Jets 2 Rotary Hydromassage Jets 4 Directional Precision Jets 4 HydroStream Jets
<b>Control System</b>	IQ 2020 230 v / 50 amp / 60 Hz	IQ 2020 230 v / 50 amp / 60 Hz	IQ 2020 230 v / 10 amp
<b>Control Panel</b>	Exterior Solid State Digital Temperature Readout	Exterior Solid State Digital Temperature Readout	Exterior Solid State Digital Temperature Readout
<b>Heater</b>	No Fault® 1500w / 230v	No Fault® 6000w / 230v / 60 Hz	No Fault® 1500w / 230v
<b>Thermostat Sensitivity</b>	± 1° Celcius	± 1° Celcius	± 1° Celcius
<b>Jet Pump</b>	Wavemaster 7000 1.65 HP Continuous Duty 3.50 HP Breakdown Torque one-speed motor	Wavemaster 9000 4.80 HP Continuous Duty 3.50 HP Breakdown Torque one-speed motor	Wavemaster 7000 1.65 HP Continuous Duty 3.5 HP Breakdown Torque one-speed motor
<b>Electrical Safety</b>	ETL and CE Listed	ETL and CE Listed	ELCB protected power cord
<b>Effective Filter Area</b>	NA	NA	90 sq. ft. Top Loading Easy Access 100% no-bypass filtration
<b>Floor Drain</b>	Included	Included	Included
<b>Vinyl Cover</b>	Lockable, complies with ASTM Safety Standards 3.5" to 2.5" tapered 1.5 lb. Density foam core	Lockable, complies with ASTM Safety Standards 3.5" to 2.5" tapered 1.5 lb. Density foam core	Lockable, complies with ASTM Safety Standards 3.5" to 2.5" tapered 1.5 lb. Density foam core
<b>Ozone System (optional)</b>	FreshWater III Corona Discharge	FreshWater III Corona Discharge	FreshWater III Corona Discharge
<b>Water Care Options</b>	EverFresh System	Everfresh System	EverFresh System
<b>Circulation Pump</b>	SilentFlo 5000	SilentFlo 5000	SilentFlo 5000



	PRODIGY	SOVEREIGN II	VANGUARD
<b>Seating Capacity</b>	5	6	6
<b>Dimensions (L x W x H)</b>	1.88 x 2.21 x .84 meters	2.03 X 2.36 X .84 meters	2.2 x 2.2 x .91 meters
<b>Water Capacity (LITERS)</b>	1230 liters / 325 gallons	1344 liters / 355 gallons	1514 liters / 400 gallons
<b>Weight</b>	278 kg dry, 1854 kg filled	323 kg dry , 2088 kg filled	358 kg dry, 2286 kg filled
<b>Spa Shell</b>	Pearl	Sterling Marble	Sterling Marble
<b>Spa Cabinet</b>	Everwood : Wenge	Everwood : Coastal Grey	Everwood : Wenge
<b>Light</b>	Luminescence multi-color LED lighting system-ready	Luminescence multi-color LED lighting system-read	Luminescence multi-color LED lighting system-read
<b>Light Option-Interior</b>	Included	Included	Included
<b>Light Option-Exterior</b>	NA	NA	NA
<b>Jets</b>	Total 19 1 JetStream Jets 2 Rotary Hydromassage Jets 2 Soothing Seven Jets 4 Directional Hydromassage Jets 10 Directional Precision Jets	Total 23 1 Moto-Massage DX Jet (2) 1 JetStream Jets 2 Rotary Hydromassage Jets 5 Directional Hydromassage Jets 14 Directional Precision Jets w/ Soothing Stream (water feature)	Total 31 1 Moto-massage DX Jet (2) 1 Moto-massage Jet 1 Directional Hydromassage Jets 2 Soothing Seven Jets 2 JetStream Jets 2 Rotary Hydromassage Jets 22 Directional Precision Jets w/ Soothing Stream (water feature)
<b>Control System</b>	IQ 2020 230 v / 10 amp	IQ 2020 230 v / 50 amp, 50 Hz	IQ 2020 230 v / 50 amp, 50 Hz
<b>Control Panel</b>	Exterior Solid State Digital Temperature Readout w/ Interior Controls	Exterior Solid State Digital Temperature Readout w/ Interior Controls	Exterior Solid State Digital Temperature Readout w/ Interior Controls
<b>Heater</b>	No Fault® 1500w / 230v	No Fault® 1500w / 230v	No Fault® 1500w / 230v, 50 Hz
<b>Thermostat Sensitivity</b>	± 1° Celcius	± 1° Celcius	± 1° Celcius
<b>Jet Pump</b>	Wavemaster 7000 1.65 HP Continuous Duty 3.50 HP Breakdown Torque one-speed motor	Wavemaster 9000 2.5 HP Continuous Duty 4.8 HP Breakdown Torque one-speed	Wavemaster 7000 Jet 1 1.65 HP Continuous Duty 4.80 HP Breakdown Torque Jet 2 1.65 HP Continuous Duty 4.80 HP Breakdown Torque
<b>Electrical Safety</b>	ELCB protected power cord	ELCB protected power cord	ELCB protected power cord
<b>Effective Filter Area</b>	90 sq. ft. Top Loading Easy Access 100% no-bypass filtration	120 sq. ft. Top Loading Easy Access 100% no-bypass filtration	150 sq. ft. Top Loading Easy Access 100% no-bypass filtration
<b>Floor Drain</b>	Included	Included	Included
<b>Vinyl Cover</b>	Lockable, complies with ASTM Safety Standards 3.5" to 2.5" tapered 1.5 lb. Density foam core	Lockable, complies with ASTM Safety Standards 3.5" to 2.5" tapered 1.5 lb. Density foam core	Lockable, complies with ASTM Safety Standards 3.5" to 2.5" tapered 1.5 lb. Density foam core
<b>Ozone System (optional)</b>	FreshWater III Corona Discharge	FreshWater III Corona Discharge	FreshWater III Corona Discharge
<b>Water Care Options</b>	EverFresh System	EverFresh System	EverFresh System

Recommended by:



Inspiring creativity...delivering solutions.

236 E. Rodriguez Senior Avenue, Brgy. Don Manuel, Quezon City  
Tels.: (+632) 740 7509 Fax: (+632) 749 5363  
Unit FS010B MC Home Depot, Fort Bonifacio Global City Telefax: (+632) 815 6057  
G/F Unit 102 First Midland, 109 Gamboa St., Legaspi Village, Makati City Telefax: (+632) 751 0687  
info@kuysen.com

[www.kuysen.com](http://www.kuysen.com)