




# Vero Air Toilet wall mounted Duravit Rimless for SensoWash® # 252559..00 / 252559..00


| < 370 mm > |



Toilet wall mounted Duravit Rimless for SensoWash®	Dimension	Weight	Order number
rimless, washdown model, Durafix included, UWL class 1, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included			
<b>Colors</b>			
00 White Alpin 20 HygieneGlaze (an antibacterial ceramic glaze that provides almost indefinite effectiveness)			
<b>Variant</b>			
4,5 l	370 x 570 mm	25.300 kilogram	252559..00
4,5 l	370 x 570 mm	25.300 kilogram	252559..00
Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number.			
<b>Accessory for ceramics</b>			
Fixing for wall mounted bidet and wall mounted toilet	Ø 12 x 180 mm	0.200 kilogram	006500
<b>Accessory</b>			
Noise reduction gasket			Schallschutz-Set 005090
Connecting set in combination with SensoWash shower toilet seat, for Geberit Monolith sanitary modules for WCs			100692
Connecting set in combination with SensoWash shower toilet seat, for in-wall carriers H=82-100 cm, with conduit pipe for connection inside the tank			100730
Connecting set in combination with SensoWash shower toilet seat, for in-wall carriers H=112-115 cm, with conduit pipe for connection inside the tank			100691
Pre-installation kit in combination with SensoWash, for in-wall carrier with horizontal support without shower toilet pre-installation/conduit pipe			005072
<b>Suitable products</b>			

## SensoWash® Slim SensoWash® Slim shower toilet seat for Vero Air\* # 611500002304300

| < 376 mm > |



SensoWash® Slim shower toilet seat for Vero Air*	Dimension	Weight	Order number
Rear-, Lady- and Comfortwash, Individual adjustment of water temperature as well as spray wand position and water spray intensity, with soft closure, Night light, Remote control included, Locking function via remote control, Self-cleaning spray wand, on / off-button, with concealed connections, Seat and lid easy removable one-handed, Automatic drainage in periods of prologed disuse			
<b>Colors</b>			
00 White Alpin			
<b>Variant</b>			
220-240V 50/60Hz, Protection device according EN 1717 integrated, Descaling function and taps inclusive	376 x 538 mm	5.500 kilogram	611500002304300
<b>Infobox</b>			
Install a water softener with water hardness $\geq 2.4$ mmol/l ( $\geq 14^\circ$ dH or $24^\circ$ fH).			
<b>Suitable products</b>			
Toilet wall mounted Duravit Rimless for SensoWash® rimless, washdown model, Durafix included, UWL class 1, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included, 370 x 570 mm	370 x 570 mm		252559

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.

**Vero Air Toilet wall mounted Duravit Rimless for SensoWash® #**  
**252559..00 / 252559..00**

|< 370 mm >|

<p>SensoWash® Slim shower toilet seat for Vero Air* Rear-, Lady- and Comfortwash, Individual adjustment of water temperature as well as spray wand position and water spray intensity, with soft closure, Night light, Remote control included, Locking function via remote control, Self-cleaning spray wand, on / off-button, with concealed connections, Seat and lid easy removable one-handed, Automatic drainage in periods of prologed disuse, 376 x 538 mm</p>	376 x 538 mm	611500
--	--------------	--------

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.*