



Sinks

Taps

Index by kitchen cabinet	10
Inset	12
Frame	14
Expression	22
iSink	
Glass	34
Premium	38
Stage	44
Cuadro	50
Bahia	54
Stena	58
Cosmos	64
Eurora	70
Mega	74
Classic	78
Esfera	
Horizon	
Noble	102
Industry	108
Stylo	114
Universo & Basico	120
America	126
Granite	
Universal	144
Undermount	150
D-bowl	152
Double bowl	
Radea undermount	
R15 & R10 & RØ	
Linea	4.00
Expression	
Single bowl	194
Integrated	202
Frame integrated	204
Radea integrated	
Linea integrated	
Cosmos integrated	
Lay-on	226
Frame working centres	228
Atlantic working centres	232
Lay-on	240
Compact units	252
Tekaways	254
Tonumayo	254

264

Teka Group, a wide range of solutions in all divisions

Teka is a European industrial group founded in Germany in 1924.

With over 90 years of experience, the Group is a company committed to the production and manufacture of home kitchen appliances, professional kitchen products, taps and faucets, bathroom products, vitrified and industrial containers.

Continuous investment has led the Group to become one of Europe's leading companies in its sector and the world's leading manufacturer in stainless steel beer kegs and industrial containers. With headquarters and a centralized logistics platform in Europe, Teka is present in more than 110 countries worldwide, offering a complete product range under different brands through its 3 divisions (Kitchen and Bath, Professional Kitchen and Container).

Kitchen and Bath

The Kitchen & Bath Division is Teka Group's largest business unit. With 17 factories in Europe, America and Asia-Pacific, the division is the leading European manufacturer of stainless steel sinks and built-in kitchen appliances: ovens, hobs, hoods, etc. As a technology manufacturer offering fully integrated and diversified product ranges, Teka Group provides integrated kitchen and bathroom solutions and powerful trade appliances to complement to its production offer.

Professional Kitchen

The Professional Kitchen Division designs, manufactures, markets and services a broad line of standard modular and tailor- made kitchen and catering equipment for hotel chains, restaurants, educational centers, hospitals, airports and sports clubs, among others. Its high-quality technology and European design have earned it prestigious recognition within Europe, such as the Küche Award in 2013. Products are manufactured to customer specifications, but can be grouped into 5 main categories:

- · Modular cooking units
- · Stainless steel furniture
- · Convection and steam ovens
- · Mobile kitchens
- · Server and catering equipment


Container

This division is specialized in the manufacturing of high-quality stainless steel containers. One out of three beer kegs in the world is produced by Teka, which makes us the global leader in this sector with an approximate 35% market share. Among the container division's clients are the world's most important breweries, in addition to chemical, pharmaceutical and food-service companies.

The Container Division produces and markets containers ranging from 5-liter pressure vessels with a maximum capacity of 3,000 liters to 10,000 liters storage tanks.

Other products manufactured are; container systems for storage, transportation, blending and packaging of bulk solids or appliances with high-grade alloy components.





Teka, a worldwide company

With a worldwide presence, including **27 factories in 3 continents** and **subsidiaries in 33 countries**, the Group trades in **over 110 countries**, **5 continents**.

We strive to reach and maintain the highest quality certifications in compliance with the strictest environmental standards.

20 factories in Europe:

Spain (6)

Germany (5)

Turkey (2)

Hungary (1)

Italy (1)

Netherlands (1)

Norway (1)

Portugal (1)

Sweden (1)

United Kingdom (1)

4 factories in Asia/Pacific:

China (3)

Indonesia (1)

3 factories in America:


Mexico (2)

Venezuela (1)

Teka spots

Factory

"Wherever a customer needs us, we deliver solutions"







Teka Brand

One of Teka's main commitments is towards the enhancement of brand awareness, as an intangible added value, hence our active involvement in promotional events and sports sponsorship for over two decades. In recent years, Teka has supported teams in a range of sports such as cycling, handball and soccer. Probably our largest and most successful sponsorship deal was with Real Madrid FC. So close was the partnership between these two international names that it is almost impossible to recall a Real Madrid championship win without the Teka logo on the players' shirts.

"A brand with a great history and a bright future"

Teka, our values are our advantages

As a solid and reliable brand, Teka has achieved an outstanding prestige among customers worldwide. A perfect choice backed up by the following key points:

- **Experience:** Over 90 years of experience, becoming a renowned brand with strong values such as the Teka direct warranty, an effective after sales service and our European design.
- Broad offer: The Group provides a full range of products such as sinks (stainless steel, granite, and synthetic), kitchen appliances, bathroom solutions, tailor-made containers, faucets and taps or stainless steel sanitary systems.
- Quality: An extraordinary quality backed up by a large number of certifications such as the ISO and international awards. Sample testing and random inspections are carried out on deliveries to assure complete product and process quality. This search of perfection has led us to receive recognition, for example the 9 international awards we won in 2013-2013.
- Solutions: The Group is a comprehensive supplier of comprehensive solutions and covers broad segments to attend to any customer's needs. We have a global reach with a local presence, always with stainless steel as our core business.
- Innovation: A business development philosophy and a guarantee
 of total client satisfaction. The Hydroclean® oven-cleaning system
 and the revolutionary Ihood® are clear examples of the result of our
 constant innovation and training programs.





Teka index _

_ by kitchen cabinet

30/40 cm



America 15.15 (381.381) p. 128



America 17.21 (432.533)



America 730.510 1B 1D



Radea 180.400



Radea 200.400



Radea 183.183

0

Linea 200.400



Linea 240.470 (TU 11.20.10)



BEX 18.27



BEF 15.38



BEF 34.38 p. 193



BE 13.26

45 cm



Expression 1B p. 24



Expression 1B 1D 86 p. 24



Premium 1B p. 40



Premium 1B 1D p. 41



Stage 45 B p. 47



Cuadro 45 B p. 52



Stena 45 E p. 60



Stena 45 B 1B 1D



Stena 45 OB 1B 1D p. 61



Cosmos 1B 1D





Cosmos 45 E p. 67

0

Centroval 45 p. 91

DR 77 1B 1D p. 91

DR 78 1B 1D

DR 80 1B 1D

Nerissa 1B 1D

Deva OD p. 110

Deva OB

0



Classic 1B 1D 86 (34)



Infant OB

Infant OD



Stylo 1B p. 116



Stylo 1B 1D p. 116



Stylo 1B 1D 86 p. 117



Universo 1B 1D 79



Basico 1B 1D 79



Universo 1B 1D 86 p. 123



America 800.510 1B 1D



R15 340.400

50 cm

Lux 1B 1D 78

Lux 1B 1D 86

Expression Lux 1B 1D 86 p. 37

0

Premium 1B Max

Stena 50 B 1B 1D

Cosmos 50 B p. 67

Classic 1B 1D 86 (40)

0

Classic 1B 1D 86 (45) Max

0



RØ 200.400



0

Universo 45 GT p. 136

Zeno 45 B TG

Astral 45 B TG

Centroval 45 TG p. 140

Cara 45 B TG

Cascad 45 B TG

Texina 45 E TG

0

0

R15 180.400

0

R15 270.400

0

Radea/Linea 340.400

0

RØ 340.400



Linea 340.400



Linea 340.470 (TU 15.20.10)



BE 28.40 (180)

0

BE 34.37





BE 34.40.20



BE 34.45





Expression 1B 1D 86 Max Horizon HZ 815 SR



BE 42.46 B iSink Expression Lux 1B 1D 86



Radea 400.400



R15 400.400 p. 175



Linea R10 400.400 p. 179

0

0

BEX 40.34

0

BEX 40.40

0

BE 40.40 (18)



iSink 95 DX



Premium 1½B 1D





Stage 60 E p. 46

Stage 60 B

Cuadro 60 B

Ö 0

0



BE 40.40 (20) p. 199



60 cm



Frame 1B Plus

0

Frame 1½B

Frame 1B 1D Plus

Frame 1½B 1D p. 19

0

0

0

0



Stena 60 B 1½B 1D

Cosmos 60 B



Eurora EU 60



Eurora EUP 60 p. 72





Drainer p. 90



Duetta 1B 1D



Horizon HZ 615 SH



Horizon HZ 815 SH p. 99



Princess 1½B ½D





Nerissa 1½B 1D

COND 920 L/R

Universo 1½B

Universo 1½B 1 D p. 124

America 20.21 1B p. 129

0

America 21.21 1B

0

America 25.22 1B

America 950.510 1B 1D

00

00



Cara 60B TG





Radea 500.400



Radea 550.400 p. 170



Radea 340.400/180.400



R15 450.400



R15 500.400



Linea 440.470

0



Linea 470.340 p. 186 Universo 60 GT p. 136



0

Zeno 60B TG





Linea 340.400/180.400

0

70 cm



Classic 1½B 1D p. 84

0

0



BEF 52.38

BE 45.40 p. 200 **Astral 70 E TG** p. 140



BE 1½B 625 p. 160 **BE 50.40** p. 200



Linea 550.400 p. 187 BE 50.40 Plus p. 201

80 cm



Frame 1½B 78 p. 17





Frame 1½B ½D Plus p. 20



Frame 2B ½D p. 21





Expression 2B 80 p. 25



Expression 2B 86 p. 26



Expression 2B 1D p. 28



iSink Expression Lux 2B 86 p. 33



Expression Lux 2B 86 p. 37



Premium 2B p. 41



Premium 2B 1D



Stage 80 P p. 49

Cuadro 2B 1D p. 53



Horizon HZ 815 D p. 99





0 0

Cosmos 2B 1D p. 69



Eurora EUP 80 p. 73



Mega IME 80 p. 76



Mega IMPE 80 p. 76



Classic 2B 80 Plus p. 81



Classic 2B 1D (34) Plus p. 86



Classic 2B 1D (45) Max p. 86



DR 78 2B p. 92



DR 80 2B



Linea R10 550.400 p. 179



Horizon HZD 1120 D p. 100



Stylo 2B p. 117



Stylo 2B 1D p. 118



Universo 2B 1D p. 125



Basico 2B 1D p. 125



America 33.19 2B p. 130



America 33.22 2B p. 131



Universo 2B 1D GT p. 137



BE 2B 765 p. 160



Radea 700.400

90 cm



Expression 2B 86 Max



Stage 90 D p. 47



Cuadro E p. 52



Bahia 1B Plus p. 56



Classic 2B 86 (34) p. 83



Classic 2B 86 (40) Plus p. 83



Classic 2B 86 (45) Max



Classic Angular 2B p. 85



Duetta 2B p. 94





Universo 90 GT p. 137



BE 74.43 (TU 31.19)

BE 2B D 800 (TU 31.20 D)



BE 2B 780 (TU 30.18 8)

0



TU 30.20 p. 161

0



TU 30.20 R-L p. 162



BE 2B 785 R (TU 30.18) p. 162



BE 2B 840 R-L (TU 33.18 8) p. 163



BE 2B 845 R (TU 33.18)



BE 2B 880 R-L (TU 34.18 R-L)



R15 710.400 p. 177



Linea R10 720.400 p. 180



Linea 700.470 (250/200) (TU Linea 29.20.10/8)

100 cm



Classic 2½B p. 85



Classic 2½B 1D p. 87



BE 2B D 860 R-L (TU 33.20 D R-L) p. 155



BE 2B D 940 (TU 37.20) p. 156



Linea 770.540 (TU Linea 32.19.10) p. 189



Linea 800.470 (TU Linea 33.20.10)












Frame your kitchen



Frame is an entirely new generation of kitchen sinks.

It is a timeless design which emphasizes form and function rather than simply a dazzling exterior.

Designed and engineered with the customer's needs in mind, the Frame series of innovative kitchen sinks brings both practicality and beauty into the kitchen. Most common bowl configurations and all installation systems are available under the same constructive platform.







⊕ [W x H] **595 x 510 mm**

[W x H x D] **520 x 380 x 180 mm**

[radius] 15 mm bottom, 25 mm lateral

Product installation**

Flat inset

■ Undermount ■ Integrated

Base width > 60 cm

L±」 Pop-up

Product definition

₩ x H] **595 x 510 mm**

└ [W x H x D] **340 x 380 x 160 mm**

__ 반 [W x H x D] 155 x 380 x 120 mm

[radius] 15 mm bottom, 25 mm lateral

Product installation**

Flat inset ■ Undermount ■ Integrated


Base width > 60 cm


L±」 Pop-up




Frame 1B plus














Delivery information: Carton box (0.094 m³ - 4.2 kg)

Delivery information: Carton box (0.094 m³ - 5.0 kg)

Frame 1½B 78 · 15/25 mm bowl radius. · Maxi-area bowl. Stainless steel Suggested tap Polished INX 914 REF. 74.914.02.00 Included accessories Remote pop-up wastes 3 ½ with



Product definition

₩ X H] **780 x 510 mm**

나니 [W x H x D] **520 x 380 x 180 mm**

__ 면 [W x H x D] **155 x 380 x 120 mm**

[radius] 15 mm bottom, 25 mm lateral

Product installation*

Inset

Flat inset

■ Undermount ■ Integrated

Base width > 80 cm

L±_ Pop-up

Product definition

₩ X H] **780 x 510 mm**

[W x H x D] **340 x 380 x 160 mm**

[radius] 15 mm bottom, 25 mm lateral

Product installation*

Inset Flat inset


■ Undermount ■ Integrated

Base width > 80 cm


L±_ Pop-up











Delivery information: Carton box (0.118 m³ - 9.3 kg)

Delivery information: Carton box (0.118 m³ - 8.8 kg)



₩ x H] **970 x 510 mm**

_ [W x H x D] 520 x 380 x 180 mm

[radius] 15 mm bottom, 25 mm lateral

Product installation*


■ Undermount ■ Integrated

ightharpoonup Base width > 60 cm

L:_ Pop-up







Delivery information: Carton box (0.147 m³ - 7.2 kg)



| [W x H] 970 x 510 mm | L□ [W x H x D] 340 x 380 x 160 mm | L□ [W x H x D] 155 x 380 x 120 mm

[radius] 15 mm bottom, 25 mm lateral

Product installation*


Inset Flat inset
Undermount Integrated


Base width > 60 cm

L±_ Pop-up









Delivery information: Carton box (0.147 m^3 - 8 kg)



(W x H] **970 x 510 mm**

└ [W x H x D] **520 x 380 x 180 mm**

[radius] 15 mm bottom, 25 mm lateral

Product installation*


■ Undermount ■ Integrated


Base width > 80 cm

L±_ Pop-up









Delivery information: Carton box (0.147 m³ - 7.7 kg)



[radius] 15 mm bottom, 25 mm lateral

Product installation*


■ Undermount ■ Integrated


Base width > 80 cm

L±_ Pop-up









Delivery information: Carton box (0.174 m^3 - 7.3 kg)





Expression The language of stainless steel



Stainless steel speaks for itself. No other material has its individual properties and no other material is able to create the richness of the shadows and shapes it can offer. Angles and curves combine in a continuous line of beauty, in perfect harmony with a new kitchen concept.





waste 3 1/2 with

₩ [W x H] **465 x 440 mm**

_ [W x H x D] 400 x 340 x 200 mm

[radius] 25 mm

Product installation

Inse

Base width > 45 cm

L± Pop-up

Product definition

₩ X H] **860 x 500 mm**

_ [W x H x D] 340 x 400 x 200 mm

[radius] **25 mm**

Product installation


Inset


Reversible

Base width > 45 cm


Lt Pop-up


















₩ X H] **860 x 500 mm**

[W x H x D] 400 x 400 x 200 mm

[radius] **25 mm**

Product installation

Inset

Reversible

ightharpoonup Base width > 50 cm

L± Pop-up

Product definition

1 [W x H x D] **340 x 400 x 200 mm**

[radius] **25 mm**

Product installation


inset


Reversible

Base width > 80 cm


L±_ Pop-up


















[W x H] **860 x 500 mm**

[W x H x D] **340 x 400 x 200 mm**

[radius] 25 mm

Product installation

Inset

Code: 40199230

Reversible

Base width > 80 cm

L±_ Pop-up

Product definition

₩ x H] **860 x 500 mm**

└ [W x H x D] **400** x **400** x **200** mm

__**|**± [W x H x D] **340 x 400 x 200 mm**

[radius] 25 mm

Product installation


Inset


Reversible

Base width > 90 cm


L±」 Pop-up
















[₩ x H] **1000 x 500 mm**

____ [W x H x D] **340 x 400 x 200 mm**

[radius] **25 mm**

Product installation


inset


Reversible

Base width > 60 cm

L±_ Pop-up









1+1+ [W x H x D] 340 x 400 x 200 mm

[radius] **25 mm**

Product installation


Inset


Reversible

Base width > 80 cm

L±_ Pop-up









Minimalism at its best

Belief in every minute detail

With the Expression premium series, we are proud to present even more geometric and minimal lines than ever. The unique design surpasses time and fashion, showing the way to a new concept where adaptability will reign. Enjoy being amazed by the essential.

The essence of Expression is transmitted through resilient materials such as stainless steel and glass, materials capable of conveying subtle sensations to our senses without distraction, enabling us to go on creating unhindered.

Pure minimalism stripped down to its very essence, embodied in a brand new sink series. For us, every curve, every angle has a meaning, a representation of our belief in the *Expression 'evolution'*.

Express yourself

We believe most of the acknowledgements of this product will be for the outstanding design of the drainer and its clearly identifiable X as a representative pattern of the word *Expression*. However, what is even more remarkable is the cutting-edge technology that has been specially developed to create a new series of deep bowls that configure the entire Expression series. Creating the 25 mm chamfered bowl and making it aesthetically pleasing is a technical wonder.

The Expression series also comes with accessories. The dark black glass table fits perfectly on the draining and bowl areas, enhancing the sink's functions.

The collection of taps and faucets relies not only on its inner values, but also captivates through its forms. Pure geometry and carefully-selected materials, and the result is an authentic and unique collection for today, tomorrow and every day. The kitchen sink would not be complete without a faucet. Both products are strongly linked as they must work individually and together. New tap models have been designed to fit the Expression concept, as we consider our products not as sinks and taps, but as cleaning centers.

For further information about Teka's premium Expression series, visit the website or ask for a detailed catalogue.





When water meets technology





When it is time to take a step further, the iSink's powerful combination of glass and stainless steel gives a hint of what human inspiration can achieve. Just like other great creations, its interior hides the essence of bringing together water and usability.

Take a break and enjoy the moment when a sink meets technology.

iSink 95 DX

- · Tempered glass top.
- · Touch control.



Included accessories







Product installation

Base width > 60 cm

iSink Expression Lux 1B 1D 86

- · Tempered glass top.
- · Touch control.

EXPRESSION



Included accessories







High spout tap

Product definition

(W x H] **950 x 520 mm** [W x D] Ø 390 x 180 mm Flat inset

L±」 Pop-up

Product definition

₩ [W x H] **860 x 510 mm**


[W x H x D] 340 x 400 x 200 mm


[radius] 25 mm

Product installation


■ Inset


Base width > 50 cm















[W x H] **860 x 510 mm**[*][*] [W x H x D] **340 x 400 x 200 mm**

[radius] 25 mm

Product installation

Inset


Reversible


Base width > 80 cm

The first touch control sink

Innovation is finally at home







Bringing functional innovation into the world of sinks is a real challenge. For decades it seemed that the road to technical improvements was muddy and inaccessible. But with passion and dedication, Teka has come up with a new sink that is controlled by a touch control system.

As with ovens, hobs and other home appliances, sinks can now be easily managed with the simple touch of a finger. 17 temperature and 5 water volume levels are accessible through the touch control thanks to the electronic tap.

The tap and touch control are included with all iSink models, so there is no need to worry about anything. This is life made simple. This is Teka.





...and they whispered: "I do"





Lux 1B 1D 86



Expression Lux 1B 1D 86



Expression Lux 2B 86





From the very beginning we knew they were meant for one another. The perfect couple, but it was time to break the rules and go further, leaving behind old clichés stuck in the mud of time. We introduced them, and as their bond grew stronger, they both committed to give their best.

After their beauty it was resistance, after their toughness it was wisdom.





₩ X H] **780 x 510 mm**

_ [W x H x D] 340 x 400 x 200 mm

[radius] 15 mm

Product installation

Inset

Base width > 50 cm

L±_ Pop-up

Product definition

[₩ x H] **860 x 510 mm**

[radius] **15 mm**

Product installation


Inset


Reversible

Base width > 50 cm


L±_ Pop-up














Delivery information: Carton box (0.14 \mbox{m}^{3} - 10.2 kg)

Delivery information: Carton box (0.15 m^3 - 11.1 kg)





₩ x H] **860 x 510 mm**

[W x H x D] **340 x 400 x 200 mm**

[radius] **25 mm**

Product installation

Inset

Reversible

ightharpoonup Base width > 50 cm

L± Pop-up

Product definition

[₩ x H] **860 x 510 mm**

[W x H x D] **340 x 400 x 200 mm**

[radius] **25 mm**


Product installation


inset

Reversible


ightharpoonup Base width > 80 cm


















Premium

Quality for life



Powerful lines and generous bowl depths are the features of these superb sinks. The chamfer-shaped bowl maximizes the industrial look, which, with the bowl depth, ends up forming a single unit.







with overflow

⊕ [W x H] **465 x 440 mm**

[W x H x D] 400 x 340 x 185 mm

Wooden chopping

board with stainless

steel colander bowl Code: 40199230

[radius] **25 mm**

Product installation

■ Inset

Code: 61001097

Base width > 45 cm

Product definition

⊕ [W x H] **500 x 510 mm**

[W x H x D] 400 x 400 x 200 mm


[radius] 25 mm


Product installation

■ Inset


Base width > 50 cm




















Pop-up basket

waste 3 ½ with overflow

₩ x H] **860 x 500 mm**

_ [W x H x D] 340 x 400 x 200 mm

White glass

chopping board

[radius] **25 mm**

Product installation

Inset

Reversible

Base width > 45 cm

Product definition

[W x H x D] **340 x 400 x 190 mm**

[radius] **25 mm**


Product installation


inset

Reversible


ightharpoonup Base width > 80 cm

















(W x H] **1000 x 500 mm**

____ [W x H x D] **340 x 400 x 190 mm**

[radius] **25 mm**


Product installation


Inset

Reversible

ightharpoonup Base width > 60 cm







Delivery information: Carton box (0.150 \mbox{m}^{3} - 7.7 kg)



── [W x H] **1160 x 500 mm 1160 x 500 mm**

[radius] **25 mm**


Product installation


inset

Reversible

Base width > 80 cm
















Going through creative processes is a thrilling task. Concepts, ideas and sketches are developed and settled upon before coming up with novelties. The new Stage range is proof that effort and creativity are solid ways to achieve goals. Now it is time to enjoy the new creation, time to enjoy Stage.

Stage 60 S 35 mm bowl radius. STAGE Stainless steel Polished Suggested tap



Product definition

with overflow

Included

accessory

→ [W x H] 650 x 500 mm └── [W x H x D] 340 x 400 x 180 mm └── [W x H x D] 185 x 270 x 120 mm

Optional

accessories

Glass chopping board Code: 99112506

[radius] 35 mm

238

Product installation

auxiliary bowl Code: 99112505

colander for

Inset

Base width > 60 cm
Left or right version available

F0 915 REF. 62.915.02.00

Product definition

[radius] 35 mm


Product installation

Inset

Base width > 60 cm









colander Code: 99112504







Delivery information: Carton box ((0.08 \mbox{m}^{3} - 7.4 kg)

Delivery information: Carton box (0.12 m³ - 8.3 kg)



₩ x H] **860 x 500 mm**

[W x H x D] **340 x 400 x 180 mm**

[radius] 35 mm

■ Inset

Base width > 45 cm

₩ [W x H] **860 x 500 mm**

└ [W x H x D] **340 x 400 x 180 mm**


__발 [W x H x D] **400 x 340 x 180 mm**


[radius] 35 mm

■ Inset

Base width > 90 cm Left or right version available




















[W x H] **1000 x 500 mm**[W x H x D] **340 x 400 x 180 mm**

[radius] 35 mm


Product installation


Inset

Base width > 60 cm
Left or right version available









Delivery information: Carton box (0.12 m³ - 8.5 kg)



[₩ x H] **1160 x 500 mm** [***J** [₩ x H x D] **340 x 400 x 180 mm**

[radius] 35 mm


Product installation


■ Inset

Base width > 80 cm
Left or right version available













Cuadro


Four sides and a thousand advantages



"Cuadro" is Teka's line of stainless steel sinks with four key ingredients. A new kind of working area, a new collection, a unique design and a partner vocation.

The style of the "Cuadro" is boldly innovative: Cuadro sinks give a sense of order that sits perfectly with modern as well as classic kitchens.

Reversibility is 100%. Change to Cuadro and see life from a different perspective.







Pop-up basket

wastes 3 1/2 with

₩ x H] **816 x 565 mm └** [W x H x D] **340 x 400 x 184 mm** <u></u> [W x H x D] **181 x 269 x 145 mm**

colander

Product installation

■ Inset Base width > 60 cm

Corner width > 90 cm

L±_ Pop-up

Stainless steel dish

basket Code: 40199037

Product definition

₩ x H] **860 x 500 mm**

[W x H x D] 340 x 400 x 190 mm


Product installation

■ Inset


Reversible


Base width > 45 cm

L±_ Pop-up










Delivery information: Carton box (0.160 m^3 - 11 kg)

Delivery information: Carton box (0.110 m³ - 8.5 kg)



(W x H] **980 x 500 mm**

└└└ [W x H x D] **340** x **400** x **186** mm

Product installation

■ Inset

Reversible

ightharpoonup Base width > 60 cm

L±_ Pop-up

Product definition

[₩ x H] **1160 x 500 mm**

L+L+ [W x H x D] 340 x 400 x 200 mm


Product installation


Inset

Reversible


ightharpoonup Base width > 80 cm


















Bahia

When "space" means "luxury"

Bahia 1B Plus



You do not need to be an expert to notice that this is a unique product. While most of the sinks look for rational proportions, others take a stand and send a clear message: space.

With an immense bowl that finds no obstacles, the Bahia sink guarantees a capacity like no other. As much space as you could ask for.



⊕ [W x H] **860 x 500 mm**

___ [W x H x D] **736 x 431 x 200 mm**


Product installation

inse

Base width > 90 cm

L±_ Pop-up





Delivery information: Carton box (0.12 m^3 - 9.2 kg)



How to keep your Teka sink in perfect condition

Make it timeless

Timeless. Elegant. Like fine silver, its beautiful finish enhances with age and use. But this does not mean you can neglect the care of this essential kitchen item. As a rule, stainless steel's best friend is cold, clean water or a mild detergent solution, applied with a soft sponge, rinsed well and wiped dry.

Here are some products or elements that can damage your sink:

Chlorides

Chlorides are found in almost all soaps, detergents and cleaning products and can damage stainless steel. They are water soluble, however, so if you rinse away the residue after each use, a weekly scouring is all that is needed to keep your sink looking bright and shiny.

Scratches

Like most metallic surfaces, your stainless steel sink will scratch. Don't worry; these are simply usage marks which will eventually blend into the overall finish of the sink.

Knives

Your sink is designed to serve as many things but one of these is not a chopping board. This type of use will cause deep scratches in its surface, and will also blunt your knives. For additional work space, choose from our wide range of chopping boards.

Water Quality

The quality of your water can affect the appearance of your sink. When water has a high iron content, a brown surface stain can form on the sink giving the appearance of rust. Also, in areas with a high concentration of minerals or over-softened water, a white film may develop on the sink. To combat these problems, we suggest you wipe the sink dry after each use and give it a more thorough clean each week using a recommended abrasive product.

Foods

Foods containing high levels of salt should not be allowed to dry on the sink surface. Rinse your sink thoroughly after use.









The virtues of the Stena range lie in straight, thin lines and clear draining space. No interference is allowed on the spectacular drainer, which hides a special secret in some models: the bowl overflow, an extra feature that complements this minimalist and modern range.







waste 3 1/2 with

₩ [W x H] **800 x 500 mm**

[W x H x D] **340 x 418 x 162 mm**

colander

Product installation

Inse

Code: 40199061

Base width > 45 cm

L±_ Pop-up

Product definition

₩ X H] **860 x 500 mm**

_ [W x H x D] 340 x 400 x 162 mm

Product installation


Inset


Reversible

ightharpoonup Base width > 45 cm


L±_ Pop-up














Delivery information: Carton box (0.08 m³ - 4 kg)

Delivery information: Carton box (0.092 m³ - 4.2 kg)







waste 3 1/2 with

₩ X H] **860 x 500 mm**

_ [W x H x D] 340 x 400 x 162 mm

Code: 40199061

Product installation

Inset

Reversible

ightharpoonup Base width > 45 cm

<u>L</u>±_ Pop-up

Product definition

[₩ x H] **860 x 500 mm**

LT [W x H x D] **340 x 418 x 162 mm**

_____ [W x H x D] **95 x 270 x 42 mm**


Product installation


Inset

Reversible


ightharpoonup Base width > 50 cm
















(W x H] **980 x 500 mm**

└ [W x H x D] **340** x **400** x **169** mm

Product installation


Inset


Reversible

Base width > 60 cm

L<u>±</u> Pop-up







Delivery information: Carton box (0.1 \mbox{m}^3 - 6 kg)

Teka offers all the options you can think of

Explore all possibilities

In the master catalogue, most products are shown in their most complete version. Each model offers several alternatives depending on the customer's requirements: from fully equipped models to basic ones. There are no sink product codes in this catalogue due to the fact that there are more than 50 versions available for some of the products.

See below the Universo 1½B 1D model options according to the most relevant features.

Reversibility









as the s

This refers to the possibility of it being installed in either right or left versions, as the sink is totally symmetrical. The presence of tap holes or pop-up system indicates the lack of reversibility.

No (light version)





Thickness

This relates to the characteristics of the raw materials. It usually varies from 1 mm to 0.6 mm depending on the quality of the sink and the depth of the bowl. The measurement can also vary from the drainer to the bowl due to the manufacturing process.

Finish



There are several stainless steel finishes available, according to the customer's preference. The mechanical characteristics of the materials remain the same, but it differs from an aesthetic point of view in the polishing: gloss, matte or textured finishes are available.

Overflow





Teka, as a global supplier, produces sinks for markets where overflow is unnecessary; therefore there are codes with and without this security system to avoid home flooding.

Pop-up





This practical system takes care of drainage via a button on the drainer surface, allowing users to empty the bowl without the unpleasant contact with hot water, detergent or small food residues. The pop-up also makes it easy to close the drain or fill the bowl with water.

Packaging







Practical and protective, the packaging is also a key factor affecting price when delivering goods from factories. The possibility of sending bundles or pallets reduces the overall cost when individual packaging is not an issue.

Waste





Standard $3\,\%$ or $1\,\%$ wastes or the practical $3\,\%$ basket waste traps the food particles left from washing up or cleaning vegetable or fruits so that they do not enter the sewage system.

Fittings

Teka sinks provide all the fittings needed to install the sink. It is also possible to order less complete sinks as some plumbers and installers have their own suppliers for such elements.





Huge possibilities – as the name suggests





A new Teka sink line based on a minimal and functional design but without leaving out small details that emphasize concepts like perfection and beauty.

Two pathways defined by an exceptional drainer that brings the power and coolness of high quality stainless steel crafted with imagination and control.

Paint the ideal sink in your mind. Can you see the Cosmos?

Cosmos 1B 1D



Stainless steel

Polished or microtextured



Included accessory

Optional



with overflow

accessory



Code: 0819

Suggested tap



AUK 913 REF. 50.913.02.00

Cosmos 45 B



Stainless steel

Polished or microtextured



Included accessories



Pop-up basket waste 3 1/2 with

Optional accessory



Code: 08196

Suggested tap



AUK 913 REF. 50.913.02.00

Product definition

₩ x H] **860 x 500 mm**

_ [W x H x D] 340 x 400 x 200 mm

Product installation

■ Inset

Base width > 45 cm

Product definition

₩ x H] **860 x 500 mm**

[W x H x D] 340 x 418 x 160 mm


Product installation


■ Inset

Flat inset


Base width > 45 cm




















(W x H] **860 x 500 mm └** [W x H x D] **340 x 418 x 160 mm**

Product installation

■ Inset Flat inset

Base width > 50 cm

L±」 Pop-up

Product definition


₩ x H] **880 x 500 mm** [W x H x D] **340 x 418 x 160 mm**


Product installation

■ Inset Flat inset Base width > 45 cm


Corner width > 90 cm













(W x H] **980 x 500 mm**

└ [W x H x D] **340** x **418** x **160** mm

__[*** F** [W x H x D] **172** x **262** x **83** mm

Product installation


Inset


Reversible

ightharpoonup Base width > 60 cm

L±_ Pop-up







Delivery information: Carton box (0.150 \mbox{m}^{3} - 11.2 kg)




Product installation


Inset

Reversible

ightharpoonup Base width > 80 cm









EuroraBeyond the standard





Practical, pure in style and more than just a little different. These principles are necessary to take some products beyond the standard.

The Eurora series revolutionizes the kitchen sink industry by combining the traditional rectangular shape with a modern subtlety and organic expression of form. The result is a range of sinks taking user-friendly form to a whole new dimension.

The Eurora range has been awarded the prestigious Award for Design Excellence by the Norwegian Design Council.







<u>∟</u>**ш** [W x H x D] **150 x 344 x 120 mm**

Product installation*

■ Inset ■ Integrated

■ Undermounted

ightharpoonup Base width > 60 cm

L±_ Pop-up

Product definition

(₩ x H] **900 x 510 mm**

Product installation*


■ Inset ■ Integrated


■ Undermounted

ightharpoonup Base width > 60 cm

L**±** Pop-up














Delivery information: Carton box (0.065 m³ - 7 kg)

Delivery information: Carton box (0.097 m^3 - 10 kg)



[W x H] **900 x 510 mm** ☐ [W x H x D] **344 x 410 x 175 mm**

Product installation*

■ Inset ■ Integrated


Undermount


ightharpoonup Base width > 80 cm

L±_ Pop-up









Delivery information: Carton box (0.097 $\mbox{m}^{\mbox{\scriptsize 3}}$ - 10 kg)









Mega series improves the sink's performance thanks to a large and generous bowl with elegant contours.

A spacious drainer and two large bowls provide all the working space you could need. Mega is bigger than most and more functional than most.







Product installation

■ Inset ■ Integrated

Undermount

ightharpoonup Base width > 80 cm

Li Pop-up (both bowls)

Product definition

[W x H] **1100 x 500 mm**

L+L+ [W x H x D] 344 x 410 x 175 mm


Product installation


Inset Integrated

■ Undermount
Base width > 80 cm

L: Pop-up (both bowls)









(W x H) **804 x 500 mm**[** [W x H x D] **344 x 410 x 175 mm**







Delivery information: Carton box (0.110 m³ - 10 kg)

Delivery information: Carton box (0.149 m³ - 12 kg)

Not all stainless steels are the same

Teka only picks the best quality




Brush polished finishing


Polished finishing



Microtextured finishing



Bright polished



The most popular material for kitchen sinks today is stainless steel. Note, however, that not all stainless steel sinks are the same. The first thing to look at is the chrome-to-nickel ratio. Chrome increases hardness and wear resistance, and provides the stainless steel with luster and durability. Nickel increases strength and improves shock resistance.

Stainless steel is non-porous, superbly hygienic, rust-free, heat resistant and extremely durable. Only well-known brands use this premium quality stainless steel as standard in their production process, giving a lifetime guarantee that your stainless steel sink will not chip, flake or, of course, crack or break.

The chrome-nickel grade is not only important for durability. Some stainless steel sinks look bright and shiny at first, but soon rust and corrode because the combination of chrome and nickel is not exactly right.

Stainless steel technology

As a leading stainless steel sink manufacturer, Teka uses the latest technology to offer the best finish.

For instance, most Teka sinks incorporate pressed installation rails or pressed bowls, so we eliminate the welding and sanding operations that can damage the appearance of sinks and cause their prices to be higher.

Stainless steel thickness

The thickness of the stainless steel is probably the main point to check when buying a sink. The thicker the steel, the less susceptible it is to denting, bowing, noise, temperature changes and damage from hard knocks of pots and pans. Teka sinks are available in several stainless steel thicknesses depending on the model.

Stainless steel finishes

Most Teka stainless steel sinks have what is called a polished finish. This elegant finish creates an enduring, easy-to-clean luster that is impervious to water stains and calcium deposits. The polished finish requires numerous hand and machine buffing operations which produce a beautiful luster design.

For those who prefer a brushed appearance, another option is the normal satin finish. Abrasive grinding produces a uniform pattern of satin finish lines on the metal surface.

Teka stainless steel sinks are also available in linen or micro-textured finishing, which offers an attractive high relief pattern on the sink's surface. This exclusive finish is also made from 'surgical' stainless steel, i.e. with all the stainless characteristics.

The stainless steel hard-plus finishing achieves better results than standard stainless steel thanks to the special treatment applied to the surface that improves its hardness and resistance against scratches, making it an everlasting perfect piece of design in the kitchen.








The classics are still in fashion







₩ x H] **650 x 500 mm**

[W x H x D] 406 x 406 x 196 mm

Product installation

Inset

Reversible

Base width > 50 cm

Product definition

₩ x H] **650 x 500 mm**

└ [W x H x D] **340 x 400 x 196 mm**

__ 반 [W x H x D] **185 x 280 x 136 mm**


Product installation


Inset

Reversible


ightharpoonup Base width > 60 cm











Delivery information: Carton box (0.020 m³ - 4.9 kg)

Delivery information: Carton box (0.080 $\mbox{m}^{\mbox{\scriptsize 3}}$ - 4.9 kg)

Classic 2B 80 PLUS Classic 2B 80 Stainless steel Suggested tap Polished or microtextured* ARK 938 REF. 23.938.12.00 Included **Optional** accessories accessory Wood chopping with overflow basket Code: 61001104



Classic 1B 1D 86 (34)

Product definition

(W x H] **800 x 500 mm**

| W x H x D | 406 x 406 x 250 mm | PLUS

Code: 40199037

[W x H x D] 406 x 406 x 190 mm

Product installation

Inse

Base width > 80 cm

Product definition

₩ x H] **860 x 500 mm**

[W x H x D] **340 x 400 x 180 mm**


Product installation

Inset


Reversible

ightharpoonup Base width > 45 cm









Delivery information: Carton box (0.105 m³ - 6 kg)

Delivery information: Carton box (0.100 m³ - 6.6 kg)



₩ x H] **860 x 500 mm**

_ [W x H x D] 406 x 406 x 190 mm

Product installation

Inset

Reversible

Base width > 50 cm

Product definition

₩ x H] **860 x 500 mm**


<u></u> [W x H x D] **450 x 400 x 200 mm**

Product installation


Inset

Base width > 50 cm









Suggested tap Stainless steel

Classic 2B 86 (40) PLUS Classic 2B 86 (40)



Polished or microtextured

Classic 2B 86 (34)



Included accessory



accessories

Optional

with overflow



basket Code: 40199037



Wood chopping



ARK 939 REF. 23.939.12.00





Included accessory



Optional

accessories

with overflow



basket



Wood chopping



Code: 40197001



ARK 939 REF. 23.939.12.00

Code: 61001104

Product definition

₩ X H] **860 x 500 mm**

[W x H x D] **340 x 400 x 193 mm**

Product installation

Code: 61001104



Base width > 90 cm

Product definition

₩ X H] **860 x 500 mm**

[W x H x D] 406 x 406 x 250 mm PLUS

[W x H x D] **340 x 400 x 200 mm** PLUS

[W x H x D] **406 x 406 x 190 mm**


□ [W x H x D] **340** x **400** x **190** mm


Product installation

■ Inset


Base width > 90 cm














Delivery information: Carton box (0.110 m³ - 7.2 kg)

Delivery information: Carton box (0.110 m³ - 10 kg)







with overflow

₩ x H] **860 x 500 mm**

[W x H x D] 450 x 400 x 200 mm

basket Code: 40199037

[W x H x D] **280 x 400 x 190 mm**

Product installation

Code: 61001104

Wood chopping

Code: 40199222

Base width > 90 cm

Product definition

[W x H] **1000 x 500 mm**

└ [W x H x D] **406** x **406** x **193** mm

___ [W x H x D] **185 x 225 x 138 mm**


Product installation


■ Inset

Code: 40199222


Base width > 70 cm


















with overflow

Included

accessory

[W x H] **830 x 830 mm**[*][*] [W x H x D] **340 x 400 x 187 mm**

Optional

accessories

basket Code: 40199037

Product installation

Code: 40197001

inse

Wood chopping

board Code: 40199222

Corner width > 90 cm

Product definition

→ [W x H] **1000 x 500 mm** → [W x H x D] **340 x 400 x 196 mm**

__ш__ [W x H x D] **185 x 280 x 136 mm**


Product installation

Inset


Reversible

ightharpoonup Base width > 100 cm









Delivery information: Carton box (0.110 m³ - 8.1 kg)



(W x H] **1160 x 500 mm**

L+L+ [W x H x D] 340 x 400 x 200 mm PLUS

1+1+ [W x H x D] 340 x 400 x 193 mm

■ Inset

Base width > 80 cm


(W x H) **1160 x 500 mm**


____ [W x H x D] 280 x 400 x 190 mm

Inset


Base width > 80 cm














Delivery information: Carton box (0.140 m³ - 6.6 kg)

Delivery information: Carton box (0.150 m³ - 7.5 kg)



(W x H) **1400 x 500 mm**

└-└- [W x H x D] **340 x 400 x 199 mm**

__迪__ [W x H x D] **185 x 280 x 139 mm**


Product installation

■ Inset

Reversible

ightharpoonup Base width > 100 cm












The Esfera series widens the scope with rounded, pleasant shapes. Kitchens focused on creating a warm environment are the perfect partner for the various options in the Esfera series.



Drainer

- · Round drainer
- · Suggested model for ERC.



Polished or microtextured



Included **Optional** accessories accessory



with overflow



board Code: 40199203



Stainless steel dish **basket** Code: 40199038





ARK 915 REF. 23.915.12.00





Included accessory

Optional accessory



without overflow



Wood chopping **board** Code: 40199203

Product definition

⊕ [Ø] **450** mm

[W x D] Ø 385 x 175 mm PLUS

<u></u> [W x D] Ø 385 x 160 mm

Product installation

Code: 40197001

■ Inset

Base width > 45 cm

Product definition

⊕ [Ø] **450 mm**

[W x D] Ø 385 x 28 mm

Product installation*

■ Inset


Base width > 60 cm














Delivery information: Carton box (0.057 m³ - 3.7 kg)

Delivery information: Carton box (0.007 m^3 - 3.3 kg)

Centroval 45 PLUS Centroval 45 Suggested tap Stainless steel Polished or microtextured



Included accessory

accessories

Optional

with overflow

board Code: 40199203



Stainless steel dish basket Code: 40199038



SP 995 REF. 55.995.02.00

Code: 40197001

DR 77 1B 1D



Stainless steel

Polished or microtextured



Included accessorv



Pop-up basket waste 3 ½ with

Optional accessory



basket Code: 40199038

Suggested tap



FRAME REF. 50.915.02.00

Product definition

ಈ [Ø] **510 mm**

[W x D] Ø 385 x 180 mm PLUS

<u></u> [W x D] Ø 385 x 160 mm

Product installation

Inset

Base width > 45 cm

Product definition

₩ X H] **770 x 500 mm**

_ [W x D] Ø 410 x 175 mm

Product installation


■ Inset

Reversible

Base width > 45 cm


L±_ Pop-up





















with overflow

(W x H] **780 x 440 mm**

_ [W x H x D] 335 x 365 x 150 mm

basket Code: 40199038

Product installation

Inset

Code: 61001097

Reversible

Base width > 45 cm

Product definition

with overflow

----- [₩ x H] **780 x 440 mm**

L+[L+] [W x H x D] 335 x 365 x 150 mm

basket


Product installation


Inset

Code: 61001104


Base width > 80 cm














Delivery information: Carton box (0.065 m^3 - 3.9 kg)

Delivery information: Carton box (0.065 m³ - 4.3 kg)

Stainless steel Polished or microtextured ARK 915 REF. 23.915.12.00





with overflow

accessorv

accessories

basket Code: 40199039

₩ x H] **840 x 440 mm** [W x D] **Ø 360 x 160 mm**

Product installation

Inset

Space saving kit

Code: 61001097

Reversible

Base width > 45 cm

Product definition

[W x H] 840 x 440 mm
□ [W x D] ø 360 x 160 mm


DR 80 2B


Product installation

inset


Base width > 80 cm











Delivery information: Carton box (0.065 m³ - 3.9 kg)

Delivery information: Carton box (0.065 $\mbox{m}^{\mbox{\tiny 3}}$ - 4.3 kg)

420

Duetta 1B 1D



Stainless steel

Polished



Included accessory



Pop-up basket waste 3½ and waste 1½ with overflow





board Code: 40199203



Stainless steel dish **basket** Code: 40199038

Code: 40197001

Duetta 2B



Stainless steel



VTK 919 REF. 24.919.02.00

Polished



Included accessory



with overflow

Optional accessories



Wood chopping board



basket Code: 40199038



Code: 40197001





Code: 61001104

Product definition

₩ x H] **915 x 482 mm**

└ [W x D] **Ø 385 x 155 mm**

<u>∟</u><u>⊯</u> [W x D] **Ø 385 x 38 mm**

Product installation

■ Inset

Base width > 60 cm

L±_ Pop-up

Product definition

₩ x H] **915 x 482 mm**


[W x D] Ø 385 x 155 mm


Product installation

■ Inset


Base width > 90 cm














Delivery information: Carton box (0.079 m³ - 5.4 kg)

Delivery information: Carton box (0.079 m³ - 6.3 kg)

Installation systems: which one suits you best?

Easier, faster and much more efficient

When choosing the model and colour of your sink, you must also decide which type of installation you would prefer:



Lay-On

Teka lay-on sinks come in a wide range of measurements, so you can find the best fit for your cabinet size. Select between different configurations of drainers, bowls, reversible or back-stand models, overflows, tap holes, wooden frames, etc. The options are as varied as your needs.

Lay-on sinks can be delivered with wood supports at the sides (below the rim) to aid installation while providing structural reinforcement.



Inset (Drop In)

Kitchen sinks were traditionally 'drop-in'-style, that is, with the rim of the sink sitting on the work surface. Teka drop-in sinks can be mounted on virtually any worktop using Teka clip-and-bolt fasteners, which adjust to the thickness of the surface for a tight, non-slip fit. The sink is fastened to the worktop from underneath, with no screws or bolts show.


The drop-in design has a small rim to stop water spilling onto the work surface. Some drop-in sinks can also be undermounted using special undermount clips.



Undermounted

With solid marble, granite and modern composite materials counter tops, undermounting the sink has become a popular option. The Teka undermount sink is mounted and caulked from underneath using the special clips provided. Undermounting gives the sink and surrounding area a much sleeker appearance. It prevents dirt from getting trapped around or below the rim and it is absolutely waterproof when installed correctly.

Teka sinks come with cutting templates and easy-to-follow fitting instructions.





Integrated (Flush)

Probably the most perfect installation system, providing a totally seamless working area which is also aesthetically pleasing. The sink and work surfaces become one solid unit, free of awkward edges and corners.

Some undermounted models can also be installed this way.









Horizon was created as an excellent quality range but at a low cost. The result is available in five different models to suit every kitchen. They are designed to give you the same quality but at a lower price.

Stainless steel Polished

Horizon HZ 615 SH



Included accessorv



with overflow

Suggested tap





Horizon HZ 815 SR



Stainless steel Polished



Included accessory



with overflow







Product definition

₩ x H] **615 x 510 mm**

나나 [W x H x D] 345 x 415 x 160 mm

__반 [W x H x D] **160 x 415 x 120 mm**

Product installation

■ Inset

■ Integrated

Undermount

Reversible

Base width > 60 cm

L±」 Pop-up

Product definition

₩ [W x H] **815 x 510 mm**

_ [W x H x D] 345 x 415 x 160 mm

Product installation


i Inset Undermount ■ Integrated


Reversible

Base width > 50 cm


L±」 Pop-up














Delivery information: Carton box (0.065 m³ - 6 kg)

Delivery information: Carton box (0.084 m³ - 7 kg)

Horizon HZ 815 SH



Stainless steel Polished



Included accessory



with overflow

Suggested tap



ARK 938 REF. 23.938.12.00

Horizon HZ 815 D



Stainless steel

Polished



Included accessorv



with overflow

Suggested tap



ARK 937 REF. 23.937.12.00

Product definition

(W x H] **815 x 510 mm**

└ [W x H x D] **345 x 415 x 160 mm**

<u>∟</u><u>⊫</u> [W x H x D] **160 x 415 x 120 mm**

Product installation

Inset Undermount ■ Integrated

Reversible

Base width > 60 cm

L±」 Pop-up

Product definition

₩ [W x H] **815 x 510 mm**

[W x H x D] **345 x 415 x 160 mm**

Product installation

i Inset

■ Integrated


Undermount


Reversible

Base width > 80 cm


L±」 Pop-up














Delivery information: Carton box (0.084 m³ - 7 kg)

Delivery information: Carton box (0.084 m³ - 7 kg)



─── [W x H] **1120 x 510 mm 111** [W x H x D] **345 x 415 x 160 mm**

Product installation*

Inset Integrated


Undermount


Reversible

Base width > 80 cm

L±」 Pop-up







Delivery information: Carton box (0.115 m³ - 9 kg)



Need help choosing the right sink?

Issues to bear in mind when buying a sink

Sink configuration

Even though the bowl (number, size, depth, shape) is the main feature of the sink, it is not the only thing to bear in mind. There are other options that can make your sink more user-friendly and provide you with a nicer working area.

Drainers extend your working area and allow for easy clean-up as well as food preparation. They will also keep the work surface clean and dry.

Teka colander bowls are available in either half or quarter bowl sizes. They can be used for rinsing, draining, straining and clean-up. Whatever your sink space, a colander bowl will give you another functioning utensil.

Relationship between sink size and capacity

- · Bowl depth, taper and radius are the three basic measurements for comparing sink sizes. Depth, of course, is the distance from the top of the rim to the bottom of the sink at the point nearest the drain.
- Bowl taper is the inward slope of each side of the sink from the rim to the bottom. Radius is the measurement of the bowl's corners and bottom where the sides and bottom meet.
- · One point to remember: The deeper the bowl, the straighter the slope, the smaller the radius, the bigger the capacity.

Accessories

Teka's optional accessories let you make the most of your sink, as they have been especially designed for each individual model. Crockery baskets, plate racks, colander bowls, chopping boards, waste disposal units etc. will quickly become an indispensable part of your kitchen routine.

The correct care of your accessories will extend their lifespan. Teka colanders, drain trays and vinyl-covered rinsing baskets should be hand washed, rinsed thoroughly and hand dried. Wooden chopping boards should never be soaked in water – rinse after each use and dry thoroughly.

Pop-up basket strainer

Teka top sinks are known around the world for their variety of accessories. Aesthetically pleasing and, more importantly still, they enhance sink functionality for the user. One such feature is the pop-up basket strainer, a practical accessory which can be opened and closed to fill and empty the bowl without direct contact with its contents (hot water, detergent...).

Stainless steel basket strainer

Most of our sinks incorporate 3 ½ basket strainers.

The basket traps the food particles left from washing up, or from cleaning vegetables or fruits, so they do not enter the sewage system. It can also be easily removed for cleaning. Teka has not neglected the appearance of this accessory, incorporating unique design features like three stamped logos.

Under-protection for stainless steel models

There are several systems available but the most common are sound-absorbing pads and undercoating. The main advantages of this special feature are that it absorbs sound, protects against condensation build-up inside kitchen furniture and helps to maintain sink water temperature. Most Teka sinks offer sound-absorbing pads as standard.





NobleThe best for your kitchen

Princess 1½B ½D

COND 920

Princess 1½B 1D

Nerissa 1½B 1D

Nobility not only in its materials but also in its conception. The "Noble" range of sinks by Teka stands as a perfect union of conceptual, production and presentation values.

In this range you will find the right sink for your needs, whatever your needs may be.



→ [W x H] 800 x 500 mm 1-1 → [W x H x D] 340 x 420 x 162 mm

_____ [W x H x D] 185 x 280 x 133 mm

Product installation

Inset

Reversible

Base width > 60 cm

Product definition

(W x H] **1000 x 500 mm**

___ [₩ x H x D] **185 x 280 x 133 mm**


Product installation


Inset

Reversible


Base width > 60 cm














Delivery information: Carton box (0.150 $\mbox{m}^{\mbox{\scriptsize 3}}$ - 4.9 kg)

Delivery information: Carton box (0.150 $\mbox{m}^{\mbox{\scriptsize 3}}$ - 9.3 kg)





with overflow

(W x H] **860 x 500 mm**

basket Code: 40199037

Product installation

Inset

Reversible

Base width > 45 cm

Product definition

[₩ x H] **1000 x 500 mm**

___™ [W x H x D] **185 x 280 x 133 mm**

Product installation


inset


Reversible

ightharpoonup Base width > 60 cm


L±_ Pop-up













[W x H] **920 x 510 mm 11** □ [W x H x D] **340 x 385 x 150 mm**

_____ [W x H x D] 150 x 344 x 120 mm

Product installation

■ Inset


Undermount


ightharpoonup Base width > 60 cm

L±_ Pop-up









Delivery information: Carton box (0.099 $\mbox{m}^{\mbox{\tiny 3}}$ - 8 kg)



Teka overflow cover

The difference is in the small elements

When it seems that we cannot go further into creating a more depurated product, there is always a brilliant idea that arrives thanks to the effort and spirit we put into every single detail, into every single idea. The Teka overflow cover is made of AISI 304 stainless steel and includes the embossed Teka logo to make the undermount sinks a full Teka experience.





Industry Either you have it, or you don't



Each sink is made from the highest quality stainless steel in order to create a unique product in keeping with commercial needs. The Industry line provides the same features as other series, but its adaptability in terms of measurements and features makes it stand out in terms of the price-quality ratio.

Infant OB

Good taste is not a matter of money.

Stainless steel Polished or linen MITP 913 REF. 46.913.02.00





Pop-up basket waste

1 1/2 with overflow

(W x H) **780 x 435 mm**

board Code: 40199209

Product installation

Inset

Reversible

ightharpoonup Base width > 45 cm

L±_ Pop-up

Product definition

₩ x H] **780 x 435 mm**

<u></u> [W x H x D] **368 x 338 x 150 mm**

Product installation


Inset


Reversible

Base width > 45 cm


L±_ Pop-up











Delivery information: Carton box (0.060 m³ - 2.4 kg)

Delivery information: Carton box (0.060 m³ - 2.4 kg)



₩ X H] **860 x 435 mm**

<u></u> [W x H x D] **370 x 340 x 150 mm**

Product installation

Inset

Reversible

ightharpoonup Base width > 45 cm

L±_ Pop-up

Product definition

₩ x H] **860 x 435 mm**

<u></u> [W x H x D] **370 x 340 x 150 mm**


Product installation


inset

Reversible


Base width > 45 cm




















overflow

[W x H] **860 x 440 mm**

_ [W x H x D] 365 x 335 x 150 mm

Product installation

Inset

Reversible

Base width > 45 cm

Product definition

₩ x H] **860 x 440 mm**


Product installation


Inset

Reversible


Base width > 45 cm














Delivery information: Carton box (0.080 \mbox{m}^{3} - 5.5 kg)

Delivery information: Carton box (0.080 m³ - 5.5 kg)



An overflow in the drainer

Design to the last detail

There are many decisions to be made when choosing a sink. Some of them are taken at immediately, such as size, configuration, bowl depth and others, but other small choices can add personality and functionality to a sink. The overflow is usually placed at the top of the bowl.

Overflow drainer

At Teka we have developed the overflow drainer (OD) in some models. With importance from an aesthetic perspective, it is a possibility worth exploring.











Beauty is defined as the harmony of form. And the form of the Stylo range of sinks combines harmony with design neutrality.

The Stylo series comprises three models which are adaptable to any space and to the strictest performance requirements.

The Stylo series by Teka adds more style to your kitchen.



⊕ [W x H] **465 x 485 mm**

└ [W x H x D] **400** x **360** x **165** mm

Product installation

Inset

Base width > 45 cm

Product definition

₩ x H] **830 x 485 mm**


Product installation

Inset

Reversible


Base width > 45 cm















₩ x H] **860 x 500 mm**

[W x H x D] **340 x 400 x 193 mm**

Product installation

■ Inset

Base width > 45 cm

Product definition

₩ X H] **828 x 485 mm**


[W x H x D] **360 x 417 x 170 mm**


Product installation

■ Inset


Base width > 80 cm













[W x H] **1160 x 500 mm**

L+L+ [W x H x D] 340 x 400 x 193 mm


Product installation


Inset

Reversible

ightharpoonup Base width > 80 cm







Delivery information: Carton box (0.140 m³ - 7.920 kg)

Packaging options: Making sure the sinks get home spotless

Which of the four options is the right for you?



Individual cardboard box

Teka sinks are usually presented in individual cardboard boxes. All boxes are stamped with the Teka logo and a sticker showing the name of the product and the code number. Inside the box, the sink and accessories, such as basket drainer, fixing clips and sealing strip for its installation, are included.

This packaging system is highly recommended for individual sales.



Five cardboard boxes

Carton box packs include five sinks and their accessories, basket drainers, fixing clips and sealing strip. This packaging system is especially designed for large quantities, and the accessories are included in the packaging.



Carboard protection

It is a comfortable and secure way of packing the sinks for sale in big stores. The accessories are sold separately. Although the sink is not inside a cardboard box, the protection around the sink perimeter is sufficient.

Five pieces bundle

Conceived especially for sinks that have a long distance to travel for delivery and when saving space is essential, this method of packaging makes the loading of goods easier and provides more space. The sinks are covered in a plastic bag and the corners are also protected with cardboard. The sink accessories are sold separately.





Universo & Basico

Follow the path



Intricate strokes, fancy lines and the most perfect balance between shapes and volume. With these exceptional features, Teka introduces this brand new sink line: the Universo series.

A sink full of qualities, where symmetry and balance come together in perfect harmony. Follow its path through the shapes like a flowing drop of water.

Universo 1½B Suggested tap Stainless steel Polished or microtextured



Universo 1B 1D 79



Included



Optional

accessories

Code: 40199061



Code: 61001104



ARK 915 REF. 23.915.12.00

Polished or microtextured



Included **Optional** accessory accessories



Pop-up basket waste 3 1/2 with







board Code: 40199223

Suggested tap



AUK 913 REF. 50.913.02.00

Product definition

with overflow

₩ x H] **650 x 500 mm** 나나 [W x H x D] 340 x 400 x 160 mm

<u>∟</u><u>⊯</u> [W x H x D] **170 x 320 x 95 mm**

Product installation

■ Inset

Base width > 60 cm

Product definition

₩ x H] **790 x 500 mm**


[W x H x D] 340 x 400 x 170 mm


Product installation

■ Inset


Base width > 45 cm














Basico 1B 1D 79

Stainless steel

Polished or microtextured



Included accessory

ac ac

Pop-up basket waste 3 ½ with





White colander Code: 40199061



White chopping board

Universo 1B 1D 86



Suggested tap Stainless steel

AUK 913 REF. 50.913.02.00 Polished or microtextured



Included



Basket waste 3 with overflow





White colander Code: 40199061



Food waste dispo Code: 40197001



97001 **board**





AUK 978 REF. 50.978.02.00





Space saving kit Code: 61001097

Product definition

₩ x H] **790 x 500 mm**

_ [W x H x D] 340 x 400 x 170 mm

Product installation

Inset

Reversible

Base width > 45 cm

Product definition

₩ X H] **860 x 500 mm**

_ [W x H x D] 340 x 400 x 170 mm


Product installation


Inset

Reversible


ightharpoonup Base width > 45 cm














Universo 1½B 1D Suggested tap Stainless steel Polished or microtextured AUK 978 REF. 50.978.02.00 **Optional** Included accessory accessories







Pop-up basket

wastes 3 1/2 with

[W x H] **1000 x 500 mm └** [W x H x D] **340 x 400 x 160 mm**

Code: 40199061

Product installation

Code: 40197001

■ Inset

White chopping

Code: 40199223

Base width > 60 cm

Product definition

₩ x H] **790 x 500 mm**


[W x H x D] 340 x 400 x 170 mm


Product installation

■ Inset


Base width > 80 cm














Stainless steel Polished or microtextured ARK 939 REF. 23.939.12.00 Included accessory ARK 939 REF. 23.939.12.00





wastes 3 1/2 with

[W x H] **1160 x 500 mm**[W x H x D] **340 x 400 x 170 mm**

Product installation

Inset

White chopping

Code: 40199223

Reversible

Base width > 80 cm

Product definition

L*L* [W x H x D] 340 x 400 x 170 mm

Product installation


inset


Reversible

ightharpoonup Base width > 80 cm





Code: 40199061















America

Simplicity at the service of practicality

381 432 508 533 635 730 730 825 840 940

America 15.15 1B

America 17.21 1B



America 20.21 1B



America 21.21 1B



America 25.22 1B



America 730.510 1B 1D



America 800.510 1B 1D



America Esquinero



America 33.19 2B



America 33.22 2B



America 940.480 1B 1D



America 950.510 1B 1D



America 15.15 1B America 17.21 1B Stainless steel Suggested tap Stainless steel Polished or bright polished Polished or bright polished IN 995 REF. 53.995.12 Included Included accessory accessory

Product definition

with overflow

🖶 [W x H] **381 x 381 mm (15" x 15")**

[W x H x D] **300 x 258 x 153 mm**

Product installation

Inset

Base width > 40 cm 1 or 2 tap holes

Product definition

with overflow

⊕ [W x H] **432 x 533 mm (17" x 21")**

1 [W x H x D] **340** x **400** x **146** mm

Product installation

Suggested tap

IN 995 REF. 53.995.12

Inset


Base width > 40 cm 1 or 2 tap holes
















Product installation

Inset

Base width > 60 cm 1, 2 or 3 tap holes

Product definition

Product installation

Inset


Base width > 60 cm 1 or 3 tap holes














America 25.22 1B Suggested tap Stainless steel Polished or bright polished MH REF. 40.915.02 Included accessory



Product definition

with overflow

⊕ [W x H] **635 x 560 mm (25" x 22")**

L*I [WxHxD] 500 x 400 x 153 mm (6", if gauge 23)
L*I [WxHxD] 500 x 400 x 178 mm (7", if gauge 22)

Product installation

Inset

Base width > 60 cm 1, 2, 3 or 4 tap holes

Product definition

[₩ x H] **840 x 483 mm (33" x 19")**


L*_L*_I [WxHxD] 360 x 350 x 153 mm (6", if gauge 23)
L*_L*_I [WxHxD] 360 x 350 x 178 mm (7", if gauge 22)


Product installation

Inset


Base width > 80 cm 1, 2, 3 or 4 tap holes














America 33.22 2B America 730.510 1B 1D Stainless steel Suggested tap Stainless steel Suggested tap Polished or bright polished Polished or bright polished MNT 978 REF. 42.978.02 IN 995 REF. 53.995.12 Included Included accessorv accessorv with overflow with overflow

Product definition

[WxHxD] 360 x 417 x 153 mm (6", if gauge 23)

L*[I*] [WxHxD] 360 x 417 x 178 mm (7", if gauge 22)

L*[I*] [WxHxD] 360 x 417 x 204 mm (8", if gauge 21)

Product installation

Inset

L→ Base width > 80 cm


1, 2, 3 or 4 tap holes


Product definition

Product installation


☐ Inset
☐ Base width > 40 cm
1 or 3 tap holes
Left or right versions available
















America 800.510 1B 1D Suggested tap Stainless steel Polished or bright polished ARK 915 REF. 23.915.12.00 Included accessory





with overflow

 \longrightarrow [W x H] **800** x **510** mm (31 $^{1}/_{5}$ " x 19 $^{8}/_{9}$ ") $^{1}/_{1}$ [W x H x D] **400** x **340** x **150** mm

Product installation

Base width > 45 cm 1 or 3 tap holes Left or right versions available

Product definition

[W x H] 940 x 480 mm (37" x 19")
[W x H x D] 400 x 340 x 146 mm

Product installation

Inset


Base width > 45 cm

or 3 tap holes





400











Delivery information: Plastic bag with protections (0.130 m^3 - 2.7 kg)

Delivery information: Carton box 5 unit (0.0925 m³ - 16.53 kg)



with overflow

[W x H] 825 x 825 mm (32 1/8" x 32 1/8")

₩ X H X D] **400 x 355 x 146 mm**

Product installation

Inse

Corner width > 90 cm 1 or 3 tap holes

Product definition

with overflow


[W x H x D] **500 x 340 x 150 mm**

Product installation


Inset

Base width > 60 cm
1 or 3 tap holes
Left or right versions available









Delivery information: Plastic bag with protections (0.130 m³ - 4 kg)





Granite

The beauty and the beast

510 650 795 860 1002 Centroval 45 TG Astral 45 B TG Astral 60 B TG Cara 45 B TG Universo 45 GT Cascad 45B TG Texina 45E TG Zeno 45 B TG Universo 90 GT Zeno 60 B TG Universo 60 GT Cara 60 B TG Astral 70 E TG

Universo 2B 1D GT

Quartz stone composite material 6 optional colours

Universo 45 GT



Optional Included accessory



Pop-up basket waste 3 1/2 with

accessory



board Code: 40199223

Suggested tap



IN 995 REF. 53.995.12.0Q

Universo 60 GT



Quartz stone composite material

6 optional colours



Included accessorv



wastes 3 1/2 with

Optional accessories



White chopping **board** Code: 40199223

Code: 08196

Suggested tap



Product definition

₩ x H] **780 x 475 mm**

[W x H x D] 350 x 394 x 200 mm

Product installation

■ Inset

Base width > 45 cm

L±_ Pop-up

Product definition

[W x H] **1000 x 500 mm**

└ [W x H x D] **349** x **394** x **200** mm

___ [W x H x D] **152 x 307 x 122 mm**

Product installation


■ Inset


Reversible

Base width > 60 cm


L±_ Pop-up














Delivery information: Carton box (0.18 m³ - 14.30 kg)

Delivery information: Carton box (0.21 m³ - 15 kg)

Universo 90 GT

Quartz stone composite material 6 optional colours



Included **Optional** accessory accessory



wastes 3 1/2 with

Code: 08196

Suggested tap



AUK 978 REF. 50.978.02.07

Universo 2B 1D GT



Quartz stone composite material

6 optional colours



Included accessorv

Optional accessory



wastes 3 1/2 with

Code: 08196

Suggested tap



MY1 REF. 18.160.02

Product definition

₩ x H] **900 x 500 mm**

[W x H x D] **350 x 394 x 220 mm**

□ [W x H x D] **409 x 394 x 220 mm**

Product installation

■ Inset

Reversible

Base width > 90 cm

L±」 Pop-up

Product definition

₩ x H] **1160 x 500 mm**

[W x H x D] **350 x 394 x 200 mm**


Product installation


■ Inset

Reversible


Base width > 80 cm














Zeno 45 B TG



Quartz stone composite material

7 optional colours



Included accessory



Pop-up basket waste 3 1/2 and 1 1/2 with

Suggested tap



AUK 913 REF. 50.913.02.07



Zeno 60 B TG



Quartz stone composite material

7 optional colours



Included accessory



3 1/2 and 1 1/2 with

Suggested tap



AUK 978 REF. 50.978.02.07

Product definition

₩ x H] **860 x 500 mm**

[W x D] Ø 385 x 185 mm

Product installation

■ Inset

Base width > 45 cm

L±_ Pop-up

Product definition

(W x H] **980 x 500 mm**

└ [W x H x D] Ø 385 x 185 mm

___ [W x H x D] **132 x 262 x 141 mm**


Product installation


■ Inset

Base width > 60 cm


L±_ Pop-up














Delivery information: Carton box (0.130 m^3 - 12 kg)

Delivery information: Carton box (0.170 m³ - 14.5 kg)

Astral 45 B TG Quartz stone composite material Suggested tap 7 optional colours **AUK 913** REF. 50.913.02.07 Included **Optional** accessory accessory Pop-up basket waste 3 ½ with overflow Code: 08196



Product definition

₩ X H] **650 x 500 mm**

_ [W x H x D] 345 x 430 x 200 mm

Product installation

Inset

Reversible

ightharpoonup Base width > 45 mm

L±_ Pop-up

Product definition

(W x H) **780 x 500 mm**

__**|**₾୮ [W x H x D] **166 x 285 x 145 mm**


Product installation


inset

Reversible


ightharpoonup Base width > 60 mm
















· Corner sink.



Quartz stone composite material

7 optional colours



Included accessory

Optional accessory



Pop-up basket wastes 3 1/2 with

Code: 08196

Suggested tap



MTP 978 REF. 46.978.02.00

Centroval 45 TG



Quartz stone composite material

7 optional colours



Included accessory



Pop-up basket waste 3 1/2 with

Optional accessories



White chopping **board** Code: 40199203



basket Code: 40199038



Product definition

(W x H) **1002 x 500 mm**

└ [W x H x D] **340** x **430** x **205** mm

___ [W x H x D] **220 x 220 x 120 mm**

Product installation

■ Inset

Base width > 70 mm

Corner width > 90 mm

L±_ Pop-up

Product definition


ಈ [Ø] **510 mm**


[W x H x D] Ø 385 x 369,5 x 184 mm

Product installation


Base width > 45 cm















₩ X H] **795 x 500 mm**

□ [W x H x D] **342** x **435** x **180** mm

Product installation

Inset

Reversible

ightharpoonup Base width > 45 cm

L± Pop-up

Product definition

(W x H] **1000 x 500 mm**

___반 [W x H x D] **159 x 298 x 125 mm**


Product installation


Inset

Reversible


ightharpoonup Base width > 60 cm




















waste 3 1/2 with

accessory

₩ x H] **800 x 500 mm**

_ [W x H x D] 370 x 432 x 170 mm

Code: 86847

basket

Product installation

■ Inset

Base width > 45 cm

L±_ Pop-up

Product definition

₩ x H] **800 x 500 mm**

[W x H x D] **340 x 418 x 163 mm**

Product installation


■ Inset

Base width > 45 cm


Corner width > 90 cm

L±_ Pop-up









Delivery information: Carton box (0.160 m^3 - 13 kg)

Delivery information: Carton box (0.150 m³ - 11.9 kg)

	White	Sand Beige	Topaz Beige	Jacaranda Brown	Alu Grey metallic effect	Black metallic effect	Brown metallic effect
Centroval 45 TG	•	•	•				
Astral 45 B TG	.0	0				©	· o
Astral 60 B TG	00	00	90	9 0	200	• •	9 9
Cara 45 B TG							
Universo 45 GT	0	0	0				
Cascad 45B TG	0	0	io		0		0
Texina 45E TG	0						
Zeno 45 B TG							
Universo 90 GT	00	2 2	00		0	0	
Zeno 60 B TG		0.5	0.				000
Universo 60 GT	0	00	0 0		0 0		
Cara 60 B TG	60	00	00		00		00
Astral 70 ETG	0.0	100				00	
Universo 2B 1D GT	70.07	00					





Universal

As versatile as its name suggests



For all existing measures see the following pages.

Universal because it can meet the needs of any user. Its quality and design augur a long and bright future for the most versatile of all Teka inset sink ranges.

The options on offer range from the standard single bowl sink up to king-size units equipped with 2 bowls and 2 drainers.

Universal, the safe bet.



Universal 1B

E/280.405 1B

- ⊕ [W x H] **280 x 405 mm**
- [D] **150 mm**
- Base width > 30 cm

E/465.440 1B

- ₩ x H] **465 x 440 mm**
- [D] **150 mm**
- Base width > 40 cm

E/465.465 1B

- ₩ X H] **465 x 465 mm**
- [D] **150 mm**
- Base width > 40 cm

E/500.510 1B

- ₩ X H] **500 x 510 mm**
- [D] **140 mm**
- Base width > 50 cm

E/600.510 1B

- ⊕ [W x H] **600 x 510 mm**
- [D] **150 mm**
- Base width > 60 cm





















Universal 1B ½D

E/580.500 1B ½D

- ₩ [W x H] **580 x 500 mm**
- [D] **150 mm**
- Base width > 60 cm





Universal 1½B

E/580.500 1½B

- ₩ X H] **580 x 500 mm**
- [D] **150 mm**
- Base width > 60 cm





Universal 1B 1D

E/800.440 1B 1D

- ₩ [W x H] **800 x 440 mm**
- [D] **146 mm**
- Base width > 45 cm



E/800.510 1B 1D Rev

- ₩ [W x H] **800 x 510 mm**
- Base width > 45 cm



- ₩ X H] **800 x 510 mm**
- [D] **145 mm**
- Base width > 45 cm



E/800.510 1B 1D L

- ₩ X H] **800 x 510 mm**
- [D] **145 mm**
- Base width > 45 cm



E/950.510 1B 1D R

- ₩ X H] **950 x 510 mm**
- [D] **145 mm**
- Base width > 45 cm



E/950.510 1B 1D L

- ₩ X H] **950 x 510 mm**
- [D] **145 mm**
- Base width > 45 cm
































Universal 1B 2D

E/1400.510 1B 2D

- ₩ [W x H] **1400 x 510 mm**
- [D] **155 mm**
- Base width > 45 cm





Universal 2B


E/800.510 2B

₩ X H] **800 x 510 mm**

[D] **143 mm**

Base width > 80 cm





Universal 2B 1D

E/1235.510 2B 1D Rev

₩ X H] **1235 x 510 mm**

Base width > 80 cm



E/1235.510 2B 1D R

₩ X H] **1235 x 510 mm**

[D] **155 mm**

Base width > 80 cm



E/1235.510 2B 1D L

₩ [W x H] **1235 x 510 mm**

[D] **155 mm**

Base width > 80 cm



E/1400.510 2B 1D R

₩ [W x H] **1400 x 510 mm**

[D] **155 mm**

Base width > 90 cm




E/1400.510 2B 1D L


₩ [W x H] **1400 x 510 mm**


[D] **155 mm**

Base width > 90 cm













Universal 2B 2D

E/1600.510 2B 2D

₩ [W x H] **1600 x 510 mm**

[D] **155 mm**

ightharpoonup Base width > 90 cm















D-bowl

Shape up your kitchen



The D-bowl series takes its name from the shape of the bowl. The D-shaped sink creates a stylish space and gives a warm touch to modern kitchens. The bowl, which has superb depth, is the solution for handling oversized food or kitchen items in the sink.





ಈ [W x H] **448 x 493 mm (19" x 20")**

[W x H x D] **421 x 466 x 250 mm**

Product installation

Undermount

Code: 40199510

Base width > 50 cm

Product definition

 \bigoplus [W x H] 584 x 530 mm (23" x 20")


1 [W x H x D] **520** x **466** x **250** mm

Product installation

Undermount


Base width > 60 cm














Delivery information: Carton box (0.06 m³ - 4.8 kg)

Delivery information: Carton box (0.072 m³ - 5.2 kg)



(W x H] 800 x 530 mm (31" x 20") 나나 [W x H x D] **421 x 466 x 250 mm**

__世 [W x H x D] 280 x 406 x 180 mm

Product installation

Undermount Base width > 90 cm


Left or right versions available


Product definition

(W x H] **860 x 530 mm (33" x 20")** 나나 [W x H x D] **520 x 466 x 250 mm** __발 [W x H x D] **240 x 370 x 150 mm**

Undermount Base width > 100 cm Left or right versions available

Product installation





Delivery information: Carton box (0.161 m³ - 8.6 kg)

Delivery information: Carton box (0.17 m³ - 9.3 kg)




[W x H] **941** x **530** mm (**37**" x **20**") L*L*J [W x H x D] **421** x **466** x **250** mm


Product installation

Undermount

Base width > 100 cm







Delivery information: Carton box (0.189 \mbox{m}^{3} - 10.9 kg)



Teka undermount installation, you will love it

The secret of the hidden

The popularity of undermount sinks is growing because of what they offer in terms of kitchen design. Get the best out of your luxury countertop and the desired kitchen design with no obstacles for cleaning. Teka's undermount series offers a huge collection of shapes, sizes and configurations that can be easily customized, adding more single units or accessories.





Double bowl

Make it double



Why settle for one bowl when you can have two?

It is as simple as that. Two bowls offer more versatility; while one bowl is being used for cleaning vegetables or any other cooking duty, the other one remains untouched, ready to receive used kitchen crockery.



→ [W x H] 624 x 464 mm (24" x 18")

└── [W x H x D] 340 x 400 x 200 mm

└── [W x H x D] 185 x 280 x 120 mm

Product installation

■ Undermount
□□ Base width > 70 cm
Left or right versions available

Product definition


Product installation

■ Undermount


Base width > 80 cm











Delivery information: Carton box (0.121 m³ - 6.5 kg)

Delivery information: Carton box (0.121 m³ - 8.3 kg)



[* [* [W x H x D] **340 x 400 x 180 mm**

Product installation

Undermount

Base width > 90 cm

Product definition

[W x H] **780 x 520 mm (30" x 20")**[*] * [W x H x D] **340 x 457 x 250 mm**

Product installation

Undermount


Base width > 90 cm


Suggested tap

REF. 18.160.02


Code: 61001104














Delivery information: Carton box (0.121 \mbox{m}^{3} - 8.3 kg)

Delivery information: Carton box (0.101 m³ - 6 kg)







(W x H) **780 x 520 mm**[W x H x D] **340 x 457 x 250 mm**

____ [W x H x D] **340 x 400 x 200 mm**

basket Code: 40199037

Product installation

Undermount

Soap dispenser

Code: 40197001

Code: 40199330

Base width > 90 cm
Left or right versions available

Space saving kit

Code: 61001104

Product definition

← [W x H] **785 x 470 mm**

[W x H x D] **406 x 406 x 250 mm**

[W x H x D] **280 x 406 x 180 mm**


Product installation


Undermount

Base width > 90 cm














Delivery information: Carton box (0.101 m³ - 6 kg)

Delivery information: Carton box (0.179 m³ - 9.4 kg)





(W x H] **840 x 464 mm**

[W x H x D] **340 x 400 x 200 mm**

____ [W x H x D] **400 x 340 x 200 mm**

Product installation

Undermount

Base width > 90 cm

Left or right versions available

Product definition

₩ x H] **845 x 470 mm**

[W x H x D] 406 x 406 x 250 mm PLUS

______ [W x H x D] **340 x 406 x 200 mm** PLUS

[W x H x D] **340 x 406 x 180 mm**

Product installation

Suggested tap

MY Compact REF. 38.937.02

Code: 61001104

Undermount


Reversible


ightharpoonup Base width > 90 cm

















Delivery information: Carton box (0.128 m³ - 9.5 kg)

Delivery information: Carton box (0.179 m^3 - 9.9 kg)



(W x H] **880 x 470 mm (34" x 18")**

[W x H x D] 406 x 406 x 250 mm PLUS ____* [W x H x D] 400 x 340 x 200 mm PLUS


[W x H x D] **406 x 406 x 180 mm**

Product installation

Undermount

Base width > 90 cm

Left or right versions available



Delivery information: Carton box (0.179 m³ - 10 kg)



Get extra space with the double bowl series

A wise choice

Choosing a sinks is a much more complicated process than it seems at first glance.

Stainless steel or granite; one, two or even one and a half bowls, etc. Although it might seem an easy decision, it is not that simple. Many factors need to be taken into account. A basic aspect is the installation.

The undermount installation system is gaining supporters as it shows its ample ability to integrate sinks into the kitchen as no other installation system can. Moreover, being mounted under the countertop enhances the hygienic conditions of the kitchen and the usability of the countertop. And if undermounted sinks are a wise bet, two bowls is the perfect partner for this style. In single bowl sinks, the working space is filled quickly with dishes and other kitchen items. On the other hand, two bowls assure one bowl for storage and another as a work station for cleaning, peeling and preparing delicious meals.





Radea undermount

At the end of every straight line, there is a turn



A world without curves would simply not be the same. The curve changes our direction, it offers freedom, an escape from monotony, and it breaks the rigid rules that govern straight lines.

But straight lines are necessary as well. They offer security and confidence. We may like straight lines... but we need curves. That's why they're so important.

Because they are an alternative.

Radea 180.400

· 10 mm bowl radius.



Stainless steelBright or brush polished



Included accessory



Pop-up basket waste 3 ½ with concealed overflow

Radea 200.400

- · 10 mm bowl radius.
- · Drainer for Radea models.



Stainless steelBright or brush polished



Included accessory



Basket waste 3 ½ with overflow



Stainless steelBright or brush polished

Radea 183.183

· 10 mm bowl radius.



Included accessories



Basket waste 3 ½ with concealed overflow



Stainless steel colander and cover

Product definition

₩ [W x H] **220 x 440 mm**

[radius] 10 mm

Product installation

Undermount

Base width > 30 cm

Li_ Pop-up

Product definition

⊕ [W x H] **240 x 440 mm**

[radius] 10 mm

Product installation*

Undermount

Base width > 30 cm

Product definition

⊕ [W x H] **227 x 227 mm**

[radius] 10 mm


Product installation


Undermount

Base width > 30 cm






















Delivery information: Carton box (0.031 m³ - 2.5 kg)



⊕ [W x H] **380 x 440 mm**

_ [W x H x D] 340 x 400 x 184 mm

[radius] 10 mm

Product installation

Undermount

Base width > 45 cm

Li_ Pop-up

Product definition

₩ [W x H] **440 x 440 mm**

[W x H x D] 400 x 400 x 184 mm

[radius] 10 mm

Product installation


Undermount

Base width > 50 cm


Li_ Pop-up


















⊕ [W x H] **540 x 440 mm**

□ [W x H x D] **500** x **400** x **16** mm

[radius] 10 mm

Product installation*

Undermount

Base width > 60 cm

Product definition

₩ [W x H] **590 x 440 mm**

[W x H x D] 550 x 400 x 184 mm

[radius] 10 mm


Product installation


Undermount

Base width > 60 cm


L<u>±</u>_ Pop-up












Delivery information: Carton box (0.088 m^3 - 4.2 kg)

Delivery information: Carton box (0.088 m³ - 6.9 kg)



₩ x H] **592 x 440 mm**

1 [W x H x D] **340 x 400 x 184 mm**

__ மு (W x H x D) **180 x 400 x 184 mm**

[radius] 10 mm

Product installation

Undermount

Base width > 60 cm

<u>L</u>±_ Pop-up

Product definition

₩ [W x H] **740 x 440 mm**

_ [W x H x D] 700 x 400 x 184 mm

[radius] 10 mm


Product installation


Undermount

Base width > 80 cm


Li_ Pop-up


















R15 & R10 & RØ


One more step



The R15 & R10 & R0 series maintains sink cleanliness as a key issue with the constant radius featured in all unions.

Another advantage of this series is the embossed cross in the bowl, which makes water drainage easier while providing a distinctive look.

Its appearance is enhanced thanks to the high-polish stainless steel.



[W x H x D] **180 x 400 x 140 mm**

[radius] **15 mm**

Base width > 45 cm

[W x H x D] 270 x 400 x 200 mm

[radius] 15 mm


Base width > 45 cm













⊕ [W x H] **380 x 440 mm**

_ [W x H x D] 340 x 400 x 200 mm

[radius] 15 mm

Product installation

Undermount

Base width > 45 cm

Product definition

₩ [W x H] **440 x 440 mm**

[W x H x D] 400 x 400 x 200 mm


[radius] 15 mm

Product installation


Undermount

Base width > 50 cm











₩ [W x H] **490 x 440 mm**

_ [W x H x D] 450 x 400 x 200 mm

[radius] **15 mm**

Product installation

Undermount

Base width > 60 cm

Product definition

₩ [W x H] **540 x 440 mm**

[W x H x D] 500 x 400 x 200 mm


[radius] 15 mm

Product installation

Undermount


Base width > 60 cm
















⊕ [W x H] **747 x 437 mm**

[W x H x D] **710 x 400 x 200 mm**


[radius] 15 mm


Product installation


Undermount

Base width > 90 cm









⊕ [W x H] **240 x 440 mm**

_ [W x H x D] 200 x 400 x 48 mm

[radius] 0 mm

Product installation

Undermount

Base width > 45 cm

Product definition

₩ [W x H] **380 x 440 mm**

[radius] 0 mm


Product installation

Undermount


Base width > 45 cm


















⊕ [W x H] **440 x 440 mm**

[W x H x D] 400 x 400 x 184 mm

[radius] 10 mm (R10)

[radius] 0 mm (RØ)

Base width > 50 cm

Product installation

Undermount

Product definition

₩ [W x H] **590 x 440 mm**

[W x H x D] 550 x 400 x 184 mm

[radius] 10 mm (R10)

[radius] 0 mm (RØ)


Product installation

Undermount


Base width > 80 cm
















₩ [W x H] **760 x 440 mm**

[W x H x D] **720 x 400 x 184 mm**

[radius] 10 mm (R10)


[radius] 0 mm (RØ)


Product installation

Undermount

Base width > 90 cm







Delivery information: Carton box (0.114 \mbox{m}^{3} - 7.4 kg)



The difference is in the colours

Choose between six amazing LED colours for your sink

The Teka LED system available for most of the Linea and Radea undermount sinks will change the mood in your kitchen.

This innovative illumination system is set in an acrylic glass frame that incorporates an LED system inside. Operated via remote control, the frame is illuminated and the colour ranges through the whole chromatic spectrum thanks to the selectable intensity and basic colour combinations.

This surprising effect becomes even more intense when the colour is reflected off the bowls and the stainless steel panels.



The installation of this device is very easy. The frame must be firmly placed between the rim of the bowl and the worktop and connected using the provided electrical pack. It's recommended to respect a minimum distance of 25 mm from the niche hole to the tap hole.







Linea

Trend setters

2240 280 3880 4440 4440 4483 4483 5552 8813 8413

Linea 200.400

0

Linea 240.470 TU Linea 11.20 (10)



Linea 340.400



Linea 340.470 TU Linea 15.20 (10)



Linea 400.400



Linea 440.470 TU Linea 19.20 (10)



Linea 470.340 TU Linea 20.15 (10)



Linea 500.400



Linea 340.400/180.400



Linea 550.400



Linea 700.470 (250/200) TU Linea 29.20 (10/8)



Linea 700.470 (250) TU Linea 29.20 (10)



Linea 770.440 TU Linea 32.19 (10)



Linea 800.470 TU Linea 33.20 (10)



Linea 200.400 · 0 mm radius drainer. · Drainer for Linea models. Stainless steel Brush polished



Included accessorv



Basket waste 3 1/2 with

Linea 240.470 TU Linea 11.20 (10)*

- · 0 mm radius bowl.
- · Maxi-depth bowl.



Brush polished



Included accessory



Basket waste 3 1/2 with concealed overflow



Linea 340.400

Included accessorv



Pop-up basket waste 3 ½ with concealed

Optional accessory



Stainless steel colander Code: 88439

Product definition

⊕ [W x H] **244 x 444 mm**

[radius] 0 mm

Product installation

Undermount

Base width > 30 cm

Product definition

⊕ [W x H] 280 x 508 mm (11" x 20")

[W x H x D] 229 x 458 x 254 mm (9" x 18" x 10")

[radius] 0 mm

Product installation

Base width > 30 cm

Product definition

↔ [W x H] **384 x 444**

[radius] 0 mm

Undermount

Product installation

Undermount

Base width > 45 cm

















Optional

accessorv

Stainless steel

colander Code: 88439

Linea 400.400



Product definition

Basket waste 1

½ with concealed overflow

⊕ [W x H] **381 x 508 mm (15" x 20")**

 $\begin{tabular}{l} \begin{tabular}{l} \begin{tabu$

[radius] 0 mm

Product installation

Undermount

Base width > 45 cm





Product definition

overflow

Pop-up basket waste 3 ½ with concealed

Included

accessorv

⊕ [W x H] **444 x 444 mm**

_ [W x H x D] 400 x 400 x 184 mm

[radius] 0 mm

Product installation

Undermount

Base width > 50 cm

L±_ Pop-up





Product definition

(W x H] **483 x 508 mm (19" x 20")**

[W x H x D] 431 x 458 x 254 mm (17" x 18" x 10")

[radius] 0 mm

Product installation

Undermount

Base width > 60 cm

L±」 Pop-up





Linea 470.340 TU Linea 20.15 (10)* O mm radius bowl. Maxi-depth bowl Stainless steel Brush polished MZ REF. 38.915.02



Product definition

1/2 with concealed

Included

accessorv

(W x H) 508 x 381 mm (20" x 15")

1* [W x H x D] 458 x 330 x 254 mm (18" x 13" x 10")

[radius] 0 mm

Product installation

Undermount

Base width > 60 cm

Li_ Pop-up

Product definition

₩ [W x H] **540 x 440 mm**

L [W x H x D] **500** x **400** x **16** mm


[radius] 0 mm

Product installation**


Undermount


Base width > 60 cm














⊕ [W x H] **590 x 440 mm**

[W x H x D] 550 x 400 x 184 mm

[radius] 0 mm





Product installation

Undermount

Base width > 70 cm

L±_ Pop-up

₩ [W x H] **552 x 440 mm**


└ [W x H x D] **340 x 400 x 184 mm**

[radius] 0 mm

Product definition

__발 [W x H x D] **180 x 400 x 184 mm**





Product installation

Undermount

Base width > 60 cm

L±_ Pop-up





(W x H] **737 x 508 mm (29" x 20")**

<u>ш</u>ш [W x H x D] **229 x 458 x 203 mm (9" x 18" x 8")**

[radius] 0 mm

Product installation

Undermount

Base width > 90 cm

L± Pop-up

Product definition

₩ x H] **737 x 508 mm (29" x 20")**

[*[*] [W x H x D] 330 x 458 x 254 mm (13" x 18" x 10")

[radius] 0 mm


Product installation

Undermount


Base width > 90 cm

L± Pop-up












₩ [W x H] **813 x 483 mm (32" x 19")**

[W x H x D] **762 x 432 x 254 mm (30" x 17" x 10")** [radius] 0 mm



Undermount

Base width > 100 cm


L± Pop-up

(W x H] 838 x 508 mm (33" x 20")

[radius] 0 mm

Undermount









Expression & Frame

Above the standard



Undermount sinks are now common and highly regarded in kitchen planning. The high performance of this installation system has plenty of advantages, but in some instances the design element is missing.

Expression and Frame undermount bowls provide a design boost, thanks to the multi-panel engineered bowl and the combination of 25 and 15 mm radius in the bowl.





Optional

accessory

Soap dispenser

Code: 40199330



Product definition

Basket waste 3 1/2

with overflow

⊕ [W x H] **207 x 297 mm**

[radius] **25 mm**

Product installation

Undermount

Base width > 30 cm





Product definition

Basket waste 3 1/2

with overflow

Included

accessories

⊕ [W x H] **427 x 367 mm**

[* [W x H x D] 400 x 340 x 200 mm

3 1/2 waste

decorative cover Code: 40199510


[radius] **25 mm**


Product installation

Undermount

Base width > 50 cm







Product definition

⊕ [W x H] **429 x 429 mm**

[* [W x H x D] 400 x 400 x 200 mm


[radius] 25 mm

Product installation

Undermount

Base width > 50 cm









Glass table



Product definition

Basket waste 3 ½ with overflow

⊕ [W x H] **201 x 426 mm**

[radius] 25 mm lateral, 15 mm bottom


Black colander

Product installation

Undermount

Base width > 30 cm

0



Product definition

Basket waste 3 1/2

with overflow

Glass table

⊕ [W x H] **386 x 426 mm**

1 [W x H x D] **340 x 380 x 160 mm**

[radius] 25 mm lateral, 15 mm bottom


Black colander

Product installation

Undermount

Base width > 40 cm





Product definition

₩ [W x H] **566 x 426 mm**


[radius] 25 mm lateral, 15 mm bottom


Product installation

Undermount

Base width > 60 cm







Delivery information: Carton box (0.034 m³ - 3.5 kg)


Delivery information: Carton box (0.01 m³ - 1.3 kg)

Delivery information: Carton box (0.04 m³ - 3.9 kg)



Single bowl Seeking excellence





For all existing measures see the following pages.

One bowl, two bowls; stainless steel or composite, etc. There are as many combinations of materials, sizes, bowl-depth and so on as your imagination can come up with. So lay back, take your time and think of as many equations as you wish until you stumble across the perfect







⊕ [W x H] **132 x 262 mm**

Product installation

Undermount

Base width > 40 cm

Product definition

⊕ [W x H] **307 x 433 mm**

<u></u> [W x H x D] **280 x 406 x 180 mm**

Product installation

Undermount

ightharpoonup Base width > 45 cm

L±」 Pop-up

Product definition

⊕ [W x H] **365 x 395 mm**

[W x H x D] **365 x 395 mm**

Product installation


Undermount

ightharpoonup Base width > 45 cm


Li_ Pop-up























⊕ [W x H] **367 x 427 mm**

_ [W x H x D] 340 x 400 mm

Product installation

Undermount

Base width > 45 cm

Product definition

➡ [W x H] **367 x 484 mm**

□ [W x H x D] **340 x 450 x 250 mm**

Product installation

Undermount


Base width > 45 cm















ಈ [Ø] **390** mm

<u></u> [∅ x D] **385 x 180 mm**

Product installation

Undermount

Base width > 45 cm

Product definition

⊕ [W x H] **433 x 433 mm**

[W x H x D] 406 x 406 x 180 mm

Product installation

Undermount

Base width > 50 cm


L±_ Pop-up

















⊕ [W x H] **433 x 433 mm**

_ [W x H x D] 400 x 400 x 200 mm

Product installation

Undermount

Base width > 50 cm

Product definition

⊕ [W x H] **433 x 433 mm**

1 [W x H x D] **406 x 406 x 250 mm**


Product installation

Undermount

Base width > 50 cm
















₩ [W x H] **479 x 429 mm**

[₩ x H x D] 450 x 400 x 200 mm

Product installation

Undermount

Base width > 60 cm

Product definition

₩ [W x H] **522 x 422 mm**


[W x H x D] 500 x 400 x 155 mm


Product installation

Undermount


Base width > 60 cm
















⊕ [W x H] **530 x 430 mm**

[₩ x H x D] 500 x 400 x 200 mm

Product installation

Undermount

Base width > 60 cm

Product definition


⊕ [W x H] **787 x 482 mm (31" x 19")**


 \bot [W x H x D] **736 x 431 x 250 mm (29" x 17" x 9** $\frac{7}{8}$ ") \Box Base width > 90 cm

Product installation


Undermount











Delivery information: Carton box (0.050 m³ - 3.7 kg)

Delivery information: Carton box (0.163 m³ - 9.2 kg)











Frame integrated Total harmony



Frame is an entirely new generation of kitchen sinks.

Frame is a timeless design which emphasizes form and function rather than simply a dazzling exterior.

Designed and engineered with the customer's needs in mind, the Frame series of innovative kitchen sinks bring both practicality and beauty into the kitchen. Most common bowl configurations and all installation systems are available under the same constructive platform.







Basket waste 3 1/2

with overflow Included

⊕ [W x H] **201 x 426 mm**

Soap dispenser

Code: 81180001


[radius] **25 mm**

Product installation*

■ Integrated

Base width > 30 cm

0



Product definition

Basket waste 3 1/2

with overflow

⊕ [W x H] **386 x 426 mm**

1 [W x H x D] **340 x 380 x 160 mm**

Soap dispenser

Code: 81180001


[radius] **25 mm**

Product installation*

■ Integrated

Base width > 40 cm





⊕ [W x H] **566 x 426 mm**

[* [W x H x D] 520 x 380 x 180 mm


[radius] 25 mm

Product installation*

■ Integrated

Base width > 60 cm





Delivery information: Carton box 0.024 m³ - 2.8 kg)

Delivery information: Carton box (0.042 m³ - 3.65 kg)

Delivery information: Carton box (0.059 m³ - 4.6 kg)



⊕ [W x H] **595 x 510 mm**

[W x H x D] 520 x 380 x 180 mm

Product installation*

■ Integrated

Base width > 60 cm

L±_ Pop-up

Product definition

 $\begin{tabular}{ll} \longleftrightarrow & [W \times H] \end{tabular} \begin{tabular}{ll} \textbf{595 x 510 mm} \\ \end{tabular}$

나다 [W x H x D] **340 x 380 x 160 mm**

<u>∟</u><u>⊫</u> [W x H x D] **155 x 380 x 120 mm**


Product installation*

■ Integrated


Base width > 60 cm

<u>L</u>±_ Pop-up










Delivery information: Carton box (0.094 m³ - 7 kg)

Delivery information: Carton box (0.094 m³ - 7 kg)



₩ X H] **970 x 510 mm**

<u>└</u> [W x H x D] **520 x 380 x 180 mm**

Product installation*

■ Integrated

Base width > 60 cm

L±_ Pop-up

Left or right version available

Product definition

(W x H] **970 x 510 mm**

└-**└**- [W x H x D] **340 x 380 x 160 mm**

Product installation*

■ Integrated

Base width > 60 cm

L**±**」 Pop-up


Left or right version available


















(W x H] **970 x 510 mm**

└ [W x H x D] **520 x 380 x 180 mm**

Product installation*

■ Integrated

Base width > 80 cm

L±_ Pop-up

Left or right version available

Product definition

(W x H] **970 x 510 mm**

L+L+ [W x H x D] 340 x 380 x 160 mm

Product installation*

■ Integrated

Base width > 80 cm

L±」 Pop-up


Left or right version available


















Radea integrated Under the spotlight

	2224 4444 4544 4544 4559 465 864 1004
Radea 180.400 F	
Radea 183.183 F	
Radea 200.400 F	
Radea 340.400 F	
Radea Spot 400.400 F Radea 400.400 F	
Radea 45 SF	
Radea 500.400	•
Radea Spot 550.400 F Radea 550.400 F	0
Radea 340.400/180.400 F	
Radea 700.400 F	0
Radea 60 EF	0 0
Radea 45 BF	0
Radea 60 BF	00

Radea 180.400 F

· 10 mm bowl radius.

Radea 200.400 F

- · 10 mm bowl radius.
- · Drainer for Radea models.

Radea 183.183 F

· 10 mm bowl radius.



Stainless steel

Bright or brush polished



Included accessory



Pop-up basket waste 3 ½ with overflow



Stainless steel

Bright or brush polished



Included accessory



Basket waste 3 ½ with overflow



Stainless steel

Bright or brush polished



Included accessories



Basket waste 3 ½ with overflow



Stainless steel colander and cover

Product definition

⊕ [W x H] **224 x 444 mm**

[W x H x D] **180 x 400 x 184 mm**

[radius] 10 mm

■ Integrated

L: Pop-up

Product installation*

Base width > 30 cm

Product definition

⊕ [W x H] **244 x 444 mm**

[radius] 10 mm

Product installation*

■ Integrated

Base width > 30 cm

Product definition

⊕ [W x H] **227 x 227 mm**


[radius] 10 mm


Product installation*

■ Integrated


Base width > 30 cm



















Radea 340.400 F · 10 mm bowl radius. Stainless steel Bright or brush polished

Optional Included accessory accessory Pop-up basket waste Stainless steel 3 ½ with overflow colander Code: 88439

Radea Spot 400.400 F Radea 400.400 F**

- · 10 mm bowl radius.
- · Illuminated windows system.

SPOT



Stainless steel Bright or brush polished





Included



Pop-up basket waste 3 ½ with overflow



LED illumination system





Stainless steel

Radea 45 SF

· 10 mm bowl radius.



Stainless steel Bright or brush polished



Included accessory



Pop-up basket waste 3 ½ with overflow

Optional accessory



Stainless steel colander Code: 88439


Product definition


- ⊕ [W x H] **384 x 444 mm**
- [radius] 10 mm

Product installation*

- Integrated
- Base width > 40 cm
- L: Pop-up







Product definition


- ₩ W x H] **444 x 444 mm**
- [* [W x H x D] 400 x 400 x 184 mm
- [Wradius] 10 mm

Product installation*

- Integrated
- Base width > 45 cm
- L± Pop-up








Product definition


- ⊕ [W x H] **454 x 504 mm**
- [W x H x D] 400 x 400 x 184 mm
- [radius] 10 mm

Product installation*

- Integrated
- Base width > 45 cm
- L: Pop-up







^{*} For optimal integrated installation, ask for the electronic cutting template (dxf file).

** Radea 400.400 F features same characteristics than Spot model except the illumination system.





Included

₩ [W x H] **540 x 440 mm**

[W x H x D] 500 x 400 x 16 mm

[radius] 10 mm

Product installation**

Undermount

Base width > 60 cm

Product definition

₩ [W x H] **594 x 444 mm**

[W x H x D] 550 x 400 x 184 mm

[radius] 10 mm


Product installation*


■ Integrated

Base width > 60 cm


L**±**」 Pop-up


















₩ X H] **596 x 444 mm**

1 [W x H x D] **340 x 400 x 184 mm**

__ மு (W x H x D) **180 x 400 x 184 mm**

[radius] 10 mm

Product installation*

Integrated

Base width > 60 cm

Li_ Pop-up

Product definition

₩ [W x H] **744 x 444 mm**

[W x H x D] 700 x 400 x 184 mm

[radius] 10 mm


Product installation*


■ Integrated

Base width > 80 cm


Li_ Pop-up





















waste 3 1/2 with

₩ X H] **864 x 504 mm**

_ [W x H x D] 340 x 450 x 184 mm

colander Code: 88439

[radius] 10 mm

Product installation*

■ Integrated

Base width > 45 cm

Li_ Pop-up

Product definition

(W x H] **1004 x 504 mm**

└-**└**- [W x H x D] **340 x 450 x 184 mm**

[radius] 10 mm


Product installation*


■ Integrated

Base width > 60 cm


Li_ Pop-up











Delivery information: Carton box (0.172 m³ - 14 kg)

Delivery information: Carton box (0.149 m^3 - 13 kg)



[radius] 10 mm

Product installation*

Integrated

Base width > 60 cm


Corner width > 90 cm


L±」 Pop-up

All you need in a single box

The first all-in-one sink







The Teka Top edge offers a new concept design for the Radea and Linea inset sinks. The sink edge is totally flat to accommodate the sink into the niche for integrated installation. In addition, the external rim and the brush polished treatment of the edge is so well engineered that it also looks great when inset installed.

Similar to other popular designs in cooking worktops, the Teka Top stainless steel edge gives an extra advantage to this intensive-use wash area in the kitchen.

The Teka Top adds a new and stylish possibility to the installation systems available for Teka sinks; i.e. the standard inset, the undermount, the integrated and lay-on systems.

Teka Top flat edge in the Radea and Linea models

This is the perfect solution to install the sink as top-mounted, as the visual effect in the countertop is similar to the integrated installation.





Linea integrated The summit of minimalism



The Linea series was born as undermounted products. Years have proven this decision to be the right one. The elegance of the undermounted design has never been discussed. However, there is a technique that makes straight lines and hard angles more prominent and that is integrated installation. The sink rim edge over the countertop reinforces the Cartesian perception of the sink.

Linea 200.400 F • Ø mm bowl radius. • Drainer for Radea models.





Included accessory



Basket waste 3 ¹ with overflow

Suggested tap



OS 200 REF. 18.200.02.00

Linea 340.400 F

· Ø mm bowl radius.



Stainless steel Brush polished



Included accessory



Pop-up basket waste 3 ½ with overflow

Optional accessory



Stainless stee colander Code: 88439

Suggested tap



IC 915 REF. 33.915.02.00

Product definition

₩ [W x H] **446 x 446 mm**

_ [W x H x D] 400 x 400 x 184 mm

[radius] 0 mm

Product installation*

■ Integrated

Base width > 45 cm

Li_ Pop-up

Product definition

₩ [W x H] **386 x 446 mm**

[W x H x D] **340 x 400 x 184 mm**

[radius] 0 mm


Product installation*


■ Integrated


Base width > 40 cm


Li_ Pop-up













⊕ [W x H] **446 x 446 mm**

_ [W x H x D] 400 x 400 x 184 mm

[radius] 0 mm

Product installation*

■ Integrated

Base width > 45 cm

L±_ Pop-up

Product definition

₩ [W x H] **596 x 446 mm**

[W x H x D] 550 x 400 x 184 mm

[radius] 0 mm


Product installation*


■ Integrated

ightharpoonup Base width > 60 cm


L±」 Pop-up


















Cosmos integrated Huge possibilities. As the name suggests



When a range becomes a classic like the Cosmos, we feel the necessity to expand its virtues to other installation systems. As is known in the industry, the integrated installation system is one of the most perfect ways to place a sink in your kitchen. Combining a great sink and an advanced installation, the integrated Cosmos achieves a high level of performance.

Cosmos 45 BF

Stainless steel Polished



Included accessories





Suggested tap



INX 914 REF. 74.914.02.00

Cosmos 50 BF



Stainless steel Polished



Included accessories



wastes 1 ½ and 3 ½ crockery basket with overflow

Suggested tap



Product definition

1 1/2 with overflow

₩ x H] **864 x 504 mm**

_ [W x H x D] 340 x 418 x 160 mm

Product installation*

■ Integrated

Reversible

Base width > 45 cm

L±_ Pop-up

Product definition

(W x H] **864 x 504 mm**

└ [W x H x D] **340 x 418 x 160 mm**

____ [W x H x D] **95 x 265 x 43 mm**

Product installation*


■ Integrated


Reversible

Base width > 50 cm


L±_ Pop-up















Delivery information: Carton box (0.110 m³ - 8.5 kg)

Delivery information: Carton box (0.105 m³ - 11 kg)





waste 3 ½ with overflow

₩ X H] **884 x 504 mm**

[W x H x D] **340 x 418 x 160 mm**

Product installation*

■ Integrated

Base width > 45 cm

Corner width > 90 cm

L± Pop-up

Product definition

(W x H] **984 x 504 mm**

____ [W x H x D] **177 x 270 x 144 mm**

Product installation*


Integrated


Reversible

ightharpoonup Base width > 60 cm


L±_ Pop-up














Delivery information: Carton box (0.160 m³ - 11 kg)

Delivery information: Carton box (0.150 m³ - 11.3 kg)










Frame working centres

Always in shape



Check the complete programme in the following pages.

Special situations require special solutions.

Specific measurements and shapes are the focus of these modules. Fitting perfectly in situations where others fail, from the rectangular shape to the diamond option.

These modules offer not only a sink, but the extra space that is always welcome in any modern kitchen where space is at a Premium.



₩ x H] **1200/1400/1600** x **600** x **30** mm

[W x H x D] **520 x 380 x 180 mm**

__P: [H] **Edge 30 mm**

[radius] 25 mm in the lateral unions and 15 mm in the bottom unions

Product installation

Lay-on


Base width > 60 cm

L±」 Pop-up


Left or right version available




FRF 12













₩ x H] 1200/1400/1600 x 600 x 30 mm

[W x H x D] **340 x 380 x 160 mm**

__p: [H] **Edge 30 mm**

[radius] 25 mm in the lateral unions and 15 mm in the bottom unions

Product installation

Lay-on


Base width > 80 cm

L<u>±</u>_ Pop-up


Left or right version available




FRH 12














Atlantic working centres

Huge possibilities



For all existing measures see the following pages.

A great combination of working centers. The Atlantic range's scope is almost endless. Various bowl configurations and measurements as well as different bowl positions are the keys to a great offer that includes easy installation. A trademark.





Product installation

Lay-on

Base width > 80 cm

Included accesories

Plug/Strainer

Atlantic 40 08

(₩ x H] **800 x 600 mm**



Atlantic 40 12 R

[₩ x H] **1200 x 600 mm**



Atlantic 40 14 R

[₩ x H] **1400 x 600 mm**



Atlantic 40 16 R

[₩ x H] **1600 x 600 mm**




Atlantic 40 18 R

[₩ x H] **1800 x 600 mm**



Atlantic 40 20 C

[₩ x H] **2000 x 600 mm**







__P* [H] **Edge 40 mm**

<u>--</u> [W x H x D] **339 x 436 x 160 mm**

Product installation

Lay-on

Base width > 80 cm

Included accesories

Plug/Strainer

Atlantic 40 12 L

[₩ x H] **1200 x 600 mm**



Atlantic 40 14 L

[W x H] **1400 x 600 mm**





Atlantic 40 16 L

[₩ x H] **1600 x 600 mm**





Atlantic 40 18 L


[₩ x H] **1800 x 600 mm**
















__P: [H] **Edge 30 mm**

[W x H x D] **339 x 436 x 160 mm**

Product installation

Lay-on 🖒 Reversible Base width > 40 cm

Included accesories

Plug/Strainer

Atlantic F 10 R

[W x H] **1000 x 600 mm**





Atlantic F 12 R

(W x H] **1200 x 600 mm**











_r: [H] Edge 30 mm

L□ [W x H x D] 339 x 436 x 160 mm

L□ [W x H x D] 180 x 380 x 160 mm

Product installation

Lay-on Reversible

Base width > 60 cm

Included accesories

Plug/Strainer

Atlantic Plus G 10 R

₩ x H] **800 x 600 mm**



Atlantic G 12 R

(W x H] **1200 x 600 mm**



Atlantic G 14 R

[₩ x H] **1400 x 600 mm**



Atlantic G 16 R

[₩ x H] **1600 x 600 mm**




Atlantic G 18 C

[₩ x H] **1800 x 600 mm**



Atlantic G 20 R

[₩ x H] **2000 x 600 mm**



0 0

→ J80 23



__P: [H] **Edge 30 mm** [W x H x D] **339 x 436 x 160 mm**

Product installation

Lay-on 🖒 Reversible Base width > 80 cm

Included accesories

Plug/Strainer

Atlantic H 08 R

₩ x H] **800 x 600 mm**



Atlantic H 12 R

─ [W x H] **1200 x 600 mm**



Atlantic H 14 R

─ [W x H] **1400 x 600 mm**



Atlantic H 16 R

─ [W x H] **1600 x 600 mm**



Atlantic H 18 R

(W x H] **1800 x 600 mm**




Atlantic H 20 R


[₩ x H] **2000 x 600 mm**




















Atlantic H

Atlantic H 20 C

[₩ x H] **2000 x 600 mm**



Atlantic H 22 R

(W x H] **2200 x 600 mm**



Atlantic H 24 R


₩ x H] **2400 x 600 mm**





Atlantic H 24 C

[W x H] **2400 x 600 mm**











That's the Teka quality guarantee.

Serie Basico



Stainless steel

Product installation



Lay-on

Delivery information: 5 unit/bundle

Basico 80.50 1B 1D Basico 90.50 1B 1D (W x H) 800 x 500 mm (W x H) 900 x 500 mm [W x H x D] **340** x **400** x **153** mm

Basico 80.50 2B

₩ x H] **800 x 500 mm**


[W x H x D] **340 x 400 x 153 mm**



Basico 120.50 2B 1D

(₩ x H) **1200 x 500 mm**

[W x H x D] **340 x 400 x 153 mm**



Serie 50



Stainless steel

Product installation



Lay-on

Delivery information: 5 unit/bundle

45·50 1B	→ [W x H] 450 x 500 mm	<u>1</u> [W x H x D] 370 x 340 x 160 mm	
60·50 1B	→ [W x H] 600 x 500 mm	[*] [W x H x D] 500 x 400 x 160 mm	
70·50 1B	→ [W x H] 700 x 500 mm	[*] [W x H x D] 500 x 400 x 160 mm	
80·50 1B 1D	[W x H] 800 x 500 mm	L→ [W×H×D] 370 x 340 x 160 mm	
90·50 1B 1D	[W x H] 900 x 500 mm	L→ [W×H×D] 370 x 340 x 160 mm	
100·50 1B 1D	[W x H] 1000 x 500 mm	L→ [W×H×D] 370 x 340 x 160 mm	
120·50 1B 1D	[W x H] 1200 x 500 mm	L→ [W×H×D] 400 x 340 x 160 mm	
80·50 2B 90·50 2B 100·50 1B	→ [W x H] 800 x 500 mm → [W x H] 900 x 500 mm → [W x H] 1000 x 500 mm	L*[L*] [WxHxD] 370 x 340 x 160 mm L*[L*] [WxHxD] 370 x 340 x 160 mm L*[L*] [WxHxD] 400 x 340 x 160 mm	
120·50 1B 2D	→ [W x H] 1200 x 500 mm	L⁺ [W x H x D] 370 x 340 x 160 mm	
140·50 1B 2D	→ [W x H] 1400 x 500 mm	L⁺ [W x H x D] 400 x 340 x 160 mm	
150·50 1B 2D	→ [W x H] 1500 x 500 mm	L⁺ [W x H x D] 370 x 340 x 160 mm	
160·50 1B 2D	→ [W x H] 1600 x 500 mm	L⁺ [W x H x D] 370 x 340 x 160 mm	
120·50 2B 1D	→ [W x H] 1200 x 500 mm	L* * [W×H×D] 370 x 340 x 160 mm	
135·50 2B 1D	→ [W x H] 1350 x 500 mm	L* * [W×H×D] 370 x 340 x 160 mm	
140·50 2B 1D	→ [W x H] 1400 x 500 mm	L* * [W×H×D] 370 x 340 x 160 mm	
150·50 2B 1D	→ [W x H] 1500 x 500 mm	L* * [W×H×D] 370 x 340 x 160 mm	
150·50 2B 2D	→ [W x H] 1500 x 500 mm	L* * [W x H x D] 370 x 340 x 160 mm	
180·50 2B 2D	→ [W x H] 1800 x 500 mm	L* * [W x H x D] 370 x 340 x 160 mm	
200·50 2B 2D	→ [W x H] 2000 x 500 mm	L* * [W x H x D] 370 x 340 x 160 mm	

Serie 60



Stainless steel

Product installation

Lay-on



Delivery information: 5 unit/bundle

80·60 1B 1D 90·60 1B 1D 100·60 1B 1D	[W x H] 800 x 600 mm → [W x H] 900 x 600 mm → [W x H] 1000 x 600 mm	_ [W x H x D] 370 x 340 x 160 mm _ [W x H x D] 370 x 340 x 160 mm _ [W x H x D] 370 x 340 x 160 mm	
80·60 2B 90·60 2B 100·60 2B	[W x H] 800 x 600 mm [W x H] 900 x 600 mm [W x H] 1000 x 600 mm	[*]* [WxHxD] 370 x 340 x 160 mm [*]* [WxHxD] 370 x 340 x 160 mm [*]* [WxHxD] 400 x 340 x 160 mm	
120·60 1B 2D 150·60 1B 2D	→ [W x H] 1200 x 600 mm → [W x H] 1500 x 600 mm	[₩ X H X D] 370 x 340 x 160 mm [W X H X D] 400 x 340 x 160 mm	
120·60 2B 1D 150·60 2B 1D	→ [W x H] 1200 x 600 mm → [W x H] 1500 x 600 mm	<u>-</u> - [W x H x D] 370 x 340 x 160 mm [W x H x D] 370 x 370 x 160 mm	
150·60 2B 2D 180·60 2B 2D 200·60 2B 2D	[W x H] 1500 x 600 mm → [W x H] 1800 x 600 mm → [W x H] 2000 x 600 mm	<u>+</u>	

Serie 60 Reversible

Stainless steel

Product installation

Lay-on



Delivery information: 5 unit/bundle

[W x H] **1000 x 600 mm** [W x H] **1200 x 600 mm** L*☐ [W x H x D] **370 x 340 x 160 mm**L*☐ [W x H x D] **370 x 340 x 160 mm**L*☐ [W x H x D] **370 x 340 x 160 mm**


<u>™</u> [W x H x D] **370** x **340** x **160** mm

120-60 2B 1D

120-60 1B 1D

₩ x H] **1200 x 600 mm**





Serie English Metric




Stainless steel

Product installation



Delivery information: 5 unit/bundle

1000.500 1B 2D SE 1000.500 1B 2D RF 1000.600 1B 2D SE 1000.600 1B 2D RF 1200.600 1B 2D SE 1200.600 1B 2D RF	W x H 1000 x 500 mm W x H 1000 x 500 mm W x H 1000 x 600 mm W x H 1000 x 600 mm W x H 1200 x 600 mm W x H 1200 x 600 mm	` [W×H×D] 370 x 340 x 160 mm ` [W×H×D] 370 x 340 x 160 mm ` [W×H×D] 420 x 400 x 160 mm ` [W×H×D] 420 x 400 x 160 mm ` [W×H×D] 455 x 365 x 160 mm ` [W×H×D] 455 x 365 x 160 mm	
1500·500 1B 2D SE 1500·600 1B 2D SE 1500·600 1B 2D RF	→ [W x H] 1500 x 500 mm → [W x H] 1500 x 600 mm → [W x H] 1500 x 600 mm	_ [W x H x D] 400 x 340 x 160 mm _ [W x H x D] 455 x 365 x 160 mm _ [W x H x D] 455 x 365 x 160 mm	
1500·500 2B 1D SE 1500·600 2B 1D SE 1500·600 2B 1D RF	[W x H] 1500 x 500 mm [W x H] 1500 x 600 mm [W x H] 1500 x 600 mm	L*L* [WXHXD] 400 x 340 x 160 mm L*L* [WXHXD] 455 x 365 x 160 mm L*L* [WXHXD] 455 x 365 x 160 mm	
1800·500 2B 2D SE 1800·600 2B 2D SE 1800·600 2B 2D RF	[W x H] 1800 x 500 mm [W x H] 1800 x 600 mm [W x H] 1800 x 600 mm	[♣¶♣☐ [W×H×D] 370 x 340 x 160 mm [♣¶♣☐ [W×H×D] 455 x 365 x 160 mm [♣¶♣☐ [W×H×D] 455 x 365 x 160 mm	



Industrial Serie 60



Stainless steel

Product installation

Lay-on



Delivery information: Individual carton box

70·60 1B	→ [W x H] 700 x 600 mm	ப் [W x H x D] 500 x 400 x 250 mm	
120·60 1B 1D 130·60 1B 1D	→ [W x H] 1200 x 600 mm → [W x H] 1300 x 600 mm	[W x H x D] 500 x 400 x 250 mm	
120·60 2B 130·60 2B	→ [W x H] 1200 x 600 mm → [W x H] 1300 x 600 mm	1*[1*] [WxHxD] 500 x 400 x 250 mm 1*[1*] [WxHxD] 500 x 400 x 250 mm	
140·60 2B 1D 170·60 2B 1D	→ [W x H] 1400 x 600 mm → [W x H] 1700 x 600 mm	<u>+</u> ¶+ [WxHxD] 400 x 400 x 250 mm <u>+</u> ¶+ [WxHxD] 500 x 400 x 250 mm	
225-60 2B 2D	→ [W x H] 2250 x 600 mm	<u>*¶*</u> [W x H x D] 400 x 400 x 250 mm	

Industrial Serie 70



Stainless steel

Product installation



Lay-on

Delivery information: Individual carton box

75·70 1B	₩ x H] 750 x 700 mm	[W x H x D] 500 x 550 x 300 mm	
120·70 1B 1D 130·70 1B 1D 140·70 1B 1D	[W x H] 1200 x 700 mm [W x H] 1300 x 700 mm [W x H] 1400 x 700 mm	[W x H x D] 500 x 550 x 300 mm [W x H x D] 500 x 550 x 300 mm [W x H x D] 500 x 550 x 300 mm	
120·70 2B 130·70 2B 140·70 2B	[W x H] 1200 x 700 mm [W x H] 1300 x 700 mm [W x H] 1400 x 700 mm	[*]*[[WxHxD] 500 x 550 x 300 mm [*]*[[WxHxD] 500 x 550 x 300 mm	
175·70 2B 1D 190·70 2B 1D 200·70 2B 1D	[W x H] 1750 x 700 mm	<u> </u> • <u> </u> • <u> </u> • [W×H×D] 500 x 550 x 300 mm <u>•</u> <u>•</u> • [W×H×D] 500 x 550 x 300 mm <u>•</u> <u>•</u> • [W×H×D] 500 x 550 x 300 mm	
240·70 2B 2D	₩ x H] 2400 x 700 mm	<u> * * * </u>	

Industrial Big Bowl Serie 60 and 70



Stainless steel

Product installation



Lay-on

Delivery information: Individual carton box

85.70	1B	(60)
85.70	1B	(70)

(W x H) **850 x 700 mm** (W x H) **850 x 700 mm**

! [W x H x D] **600** x **500** x **350** mm **!** [W x H x D] **700** x **550** x **400** mm



160·70 1B 1D (60) 160·70 1B 1D (70) [W x H x D] **600 x 500 x 350 mm**[W x H x D] **700 x 550 x 400 mm**



160·70 2B (60) 160·70 2B (70) [W x H x D] **600 x 500 x 350 mm**[W x H x D] **700 x 550 x 400 mm**



220·70 2B 1D (60) 220·70 2B 1D (70) [₩ x H] **2200 x 700 mm**

₩ x H] **2200 x 700 mm**

[W x H x D] 600 x 500 x 350 mm



Supports and bowls Stainless steel Product installation Lay-on

Domestic bowls	CD-0021	(W x H x D) 340 x 340 x 155 mm
	CD-0011	→ [W x H x D] 370 x 250 x 155 mm
	CD-0023	₩ X H X D] 370 x 340 x 155 mm
	CD-0024	₩ x H x D] 370 x 370 x 155 mm
	CS-0011	(W x H x D) 400 x 350 x 175 mm
	CS-0012	₩ x H x D] 400 x 420 x 175 mm
	CS-0021	₩ x H x D] 460 x 370 x 175 mm
	CS-0022	(W x H x D) 500 x 400 x 175 mm
Industrial bowls	CI-0011	₩ x H x D] 400 x 400 x 250 mm
	CI-0031	₩ x H x D] 450 x 450 x 250 mm
	CI-0021	(W x H x D) 500 x 400 x 250 mm
	CI-0022	(W x H x D) 500 x 550 x 300 mm
	CI-0023	(W x H x D) 600 x 500 x 350 mm
	CI-0041	(W x H x D) 700 x 550 x 400 mm
	CI-0042	[W x H x D] 700 x 700 x 400 mm
600 Standard range	BN-070.60	(₩ x H x D) 700 x 600 x 850 mm
000 000	BN-120.60	[W x H x D] 1200 x 600 x 850 mm
	BN-130.60	[W x H x D] 1300 x 600 x 850 mm
	BN-140.60	₩ x H x D] 1400 x 600 x 850 mm
	BN-170.60	[W x H x D] 1700 x 600 x 850 mm
	BN-225.60	[W x H x D] 2250 x 600 x 850 mm
700 Standard range	BN-075.70	→ [W x H x D] 750 x 700 x 850 mm
	BN-120.70	(W x H x D) 1200 x 700 x 850 mm
	BN-130.70	(W x H x D) 1300 x 700 x 850 mm
	BN-140.70	[W x H x D] 1400 x 700 x 850 mm
	BN-175.70	[W x H x D] 1750 x 700 x 850 mm
	BN-190.70	[W x H x D] 1900 x 700 x 850 mm
	BN-200.70	[W x H x D] 2000 x 700 x 850 mm
	BN-240.70	[W x H x D] 2400 x 700 x 850 mm
Big Capacity Standard range	BN-085.70	(W x H x D) 850 x 700 x 850 mm
DIS Supusity Standard range	BN-160.70	₩ x H x D] 1600 x 700 x 850 mm
	BN-220.70	(W x H x D) 2200 x 700 x 850 mm
	DI4*220.10	[









Compact units A great combination

These compact units encompass three sections (cooking, cleaning and working areas) which can be customized.

The compact units are manufactured in accordance with the highest Teka quality standards. When fitted in a kitchenette, other Teka appliances can easily be fitted to create a small Teka concept corner.







Compact unit 1B 1D 2P

Family definition

∟ր: [H] Edge xx mm

_ [W x H x D] 335 x 365 x 155 mm

Cooking zones: 2 electric plates ø145, 1000 W and 1500 W

Product installation

Lay-on

Valve hole: 1 1/2" Overflow

Stainless steel

Polished



Compact unit 100.60 1B 1D 2P Rev

[W x H] **1000 x 600 mm**

Reversible

Compact unit 120.60 1B 1D 2P Rev

[W x H] **1200 x 600 mm**

Reversible



─ [W x H] **1400 x 600 mm**



Compact unit 140.60 1B 1D 2P Rev

Reversible



Compact unit 160.60 1B 1D 2P Rev

─ [W x H] **1600 x 600 mm**


Reversible



Compact unit 100.60 1B 1D 2P MF W/Timer

─ [W x H] **1000 x 600 mm**

Left or right version available 60' timer



Compact unit 120.60 1B 1D 2P

(W x H] **1200 x 600 mm**

Left or right version available



Compact unit 150.60 1B 1D 2P MF W/Timer

─ [W x H] **1500 x 600 mm**

60' timer



Compact unit 180.60 1B 1D 2P

₩ x H] **1800 x 600 mm**

Left or right version available



Compact unit 200.60 1B 1D 2P

[W x H] **2000 x 600 mm**

Left or right version available



Tekaway

All in one

Nowadays, we tend to lo look for global solutions, but rather for the faster, easier and more economical option. These are the advantages we look for and we are pleased to discover them. Aware of this trend, we have come up with the Tekaway.

A bundle composed by sink, tap and accessories such as soap dispensers, colanders, siphons, etc. An all-in-one pack that will make customer's life easier.

This is what we are all looking for.



Tekaway

Stylo 1B 2Ø + ML 913 + Soap dispenser



Tekaway

Stylo 1B 2Ø + IN 995 + Soap dispenser



Tekaway

BE 45.40 + MTP 913 + Soap dispenser



Tekaway BE 45.40 + IN 995 + Soap dispenser



Tekaway

Basico 1B 1D 79 1Ø WO/OV (BA) + ML 913



Tekaway

Universo 1B 1D 2Ø + IN 995 + Colander + Soap dispenser



Tekaway

Universo 2B 2Ø + IN 995 + Colander + Soap dispenser



Tekaway

Stylo 1B 1D 1Ø + MTP 913 + Colander



Tekaway

Stylo 1B 1D 1Ø + IN 995 + Colander



Tekaway

DR 80 1B 1D 1Ø + MTP 913 + Colander



DR 78 1B 1D R MCTEX 2Ø C/TG + ML 913 + Colander



Tekaway

Expression 1B 1D 86 Max 20 + MZX + Rolling



Tekaway

Universo 1½B 1D D 2Ø + MTP 913 + Colander + Soap dispenser



Tekaway

Universo 1½B 1D D 2Ø + IN 995 + Colander + Soap dispenser



Tekaway

Basico 2B 1D D 10 S/REB (BA) + ML 913





Tekaway Stylo 1B 2Ø + ML 913 + Soap dispenser

Tekaway Stylo 1B 2Ø + IN 995 + Soap dispenser



Stainless steel Polished



Included



Stainless steel Polished



Included



Product definition

[W x H] **465 x 485 mm** L** [W x H x D] **400 x 365 x 165 mm**

Product installation

Inse

Base width > 45 cm

Product definition


(W x H) 465 x 485 mm ∴ (W x H x D) 400 x 365 x 165 mm

Product installation

Inset


Base width > 45 cm















Product definition

₩ X H] **479 x 429 mm**

_ [W x H x D] 450 x 400 x 200 mm

Product installation

Undermount

Base width > 60 cm

Product definition

₩ [W x H] **479 x 429 mm**

1 [W x H x D] **450** x **400** x **200** mm


Product installation

Undermount


Base width > 60 cm














Tekaway Basico 1B 1D 79 1Ø WO/OV (BA) +

ML 913



Stainless steel Unpolished



Included



Product definition

₩ x H] **790 x 500 mm**

_ [W x H x D] 340 x 400 x 170 mm

Product installation

Base width > 45 cm



Tekaway

Universo 1B 1D 2Ø + IN 995 + Colander + Soap dispenser



Stainless steel

Polished or microtextured



Included









3 ½ basket waste and syphon

Product definition

₩ X H] **790 x 500 mm**


[W x H x D] 340 x 400 x 170 mm


Product installation

■ Inset


Base width > 45 cm














Tekaway

Universo 2B 2Ø + IN 995 + Colander + Soap dispenser



Tekaway Stylo 1B 1D 1Ø + MTP 913 + Colander



3 ½ basket waste

and syphon

Product definition

IN 995

₩ X H] **790 x 500 mm** [W x H x D] 340 x 400 x 170 mm

Product installation

Inset

and syphon

Base width > 80 cm

Product definition

ML 913

₩ X H] **830 x 485 mm**

_ [W x H x D] 365 x 400 x 170 mm


dish basket


Product installation

■ Inset


Base width > 45 cm











Tekaway Stylo 1B 1D 1Ø + IN 995 + Colander Stainless steel Polished Included 3 1/2 basket waste IN 995 dish basket and syphon





(W x H] **830 x 485 mm**

₩ x H x D] **365 x 400 x 170 mm**

Product installation

Inset

Base width > 45 cm

Product definition

₩ x H] **840 x 440 mm**


_ [W x D] Ø 360 x 160 mm

Product installation


Inset


Base width > 45 cm











Delivery information: Carton box (0.082 $\mbox{m}^{\mbox{\scriptsize 3}}$ - 7.3 kg)

Delivery information: Carton box (0.07 m³ - 6.2 kg)

Tekaway

DR 78 1B 1D R MCTEX 2Ø C/TG + ML 913 + Colander



Stainless steel

Polished or microtextured



Included



ML 913



basket



3 ½ basket waste and syphon

Tekaway

Expression 1B 1D 86 Max 2Ø + MZX + Rolling

· 25 mm bowl radius.

EXPRESSION





Included





profi



3 1/2 basket waste and syphon

Product definition

₩ x H] **780 x 440 mm**

[W x H x D] **335 x 365 x 150 mm**

Product installation

Base width > 45 cm

L± Pop-up

Product definition

₩ x H] **860 x 500 mm**


_ [W x H x D] 335 x 365 x 150 mm


[radius] 25 mm

Product installation


Base width > 50 cm


L±_ Pop-up

















Included



and syphon



■ Inset

Base width > 60 cm

Tekaway

Universo 1½B 1D D 2Ø + IN 995 + Colander + Soap dispenser



Stainless steel





Included



Product definition

[W x H] **1000 x 500 mm**

└ [W x H x D] **340** x **400** x **160** mm

___ ™ [W x H x D] 170 x 320 x 95 mm







and syphon

Product definition


[W x H] **1000 x 500 mm └** [W x H x D] **340 x 400 x 160 mm** ___ ™ [W x H x D] 170 x 320 x 95 mm


Product installation

Product installation


■ Inset


Base width > 60 cm











Delivery information: Carton box (0.1 m³ - 7.8 kg)

Delivery information: Carton box (0.1 m³ - 7.8 kg)



Product definition


₩XH] X 500 mm WXHXD] 340 X 400 X 170 mm


Product installation

inset

Base width > 80 cm


















Sinks can be described using an endless list of adjectives. They can be tough, elegant, powerful, etc. But they are nothing without their counterpart: the tap. From professional to economical ranges, Teka manufactures taps created with much imagination and designed to last. Time to enjoy your time withh the perfect pair.



MVX Electronic

Electronic mixer

REF. 75.901.04.00

Chrome

- Pull down shower with two sprays
- Electronic controls



TEK 902

Electronic mixer

REF. 75.902.04.00

- LED-illuminated pull-down shower. 1 function normal spray
- Touch control operating system
- Light colour changes according to water temperature



INX 939

Semi professional mixer

REF. 74.939.02.00

- Manufactured in high quality stainless steel AISI 304
- Swivel and flexible spout
- Anti-scale aereator
- High resistant flexible spring
- Stainless steel flexible hose reinforced with plastic
- Pull-down shower 2 functions: normal & shower spray

Stainless steel



EXP 999

EXPRESSION

Professional mixer

REF. 38.999.27.00

- Swivel and flexible spout
- Anti-scale aereator
- High resistant flexible spring
- Stainless steel flexible hose recovered by plastic
- Pull-down shower 2 functions

Chrome





MY 202

Semi professional mixer

REF. 18.202.02.00

- Double fixing system (wall and sink)
- Handshower with stop function
- 1 Function: Shower
- High resistant flexible spring
- Stainless steel flexible hose reinforced with plastic
- Independent spout
- Anti-scale aereator







MY 174

Semi professional mixer

REF. 18.174.02.00

- Profesional sink mixer
- Double fixing system (wall and sink)
- Handshower with stop function
- 1 Function: Shower
- High resistant flexible spring
- Stainless steel flexible hose reinforced with plastic

Chrome



ARK 999

Semi professional mixer

REF. 23.999.12.00

- Double fixing system (wall and sink)
- Handshower with stop function
- 1 Function: Shower
- High resistant flexible spring
- Stainless steel flexible hose reinforced with plastic
- Independent spout
- Anti-scale aereator





MZ 939

Semi professional mixer

REF. 38.939.02

- Swivel and flexible spout
- Anti-scale aereator
- High resistant flexible spring
- Stainless steel flexible hose recovered by plastic
- Pull-down shower 2 functions





MY1

Semi professional mixer

REF. 18.160.02

- Swivel and flexible spout
- Anti-scale aereator
- High resistant flexible spring
- Stainless steel flexible hose recovered by plastic
- Pull-down shower 2 functions



ARK 939

Semi professional mixer

REF. 23.939.12.00

- Swivel and flexible spout
- High resistant flexible spring
- Pull-down shower 2 functions



MY Compact

Semi professional mixer

REF. 38.937.02

- Swivel and flexible spout
- Anti-scale aereator
- High resistant flexible spring
- Stainless steel flexible hose recovered by plastic
- Pull-down shower 2 functions

Chrome



ARK 957

Semi professional mixer

REF. 23.957.12.30

- Sink mixer with connection to diswasher or washing machine
- Swivel and flexible spout
- Anti-scale aereator
- High resistant flexible spring
- Stainless steel flexible hose
- Pull-down shower 2 functions: normal & shower

Chrome



ARK 937

Semi professional mixer

REF. 23.937.12.00

- Swivel and flexible spout
- Anti-scale aereator
- High resistant flexible spring
- Stainless steel flexible hose
- Pull-down shower 2 functions: normal & shower

Chrome



- Anti-scale aereator
- Stainless steel flexible hose



IC 915

High spout mixer

REF. 33.915.02.00

- Swivel spout
- Anti-scale aereator integrated in the spout



IC 915 N

High spout mixer

REF. 33.915.02.0N

- Swivel spout
- Anti-scale aereator integrated in the spout



IC 915 W

High spout mixer

REF. 33.915.02.0W

- Swivel spout
- Anti-scale aereator integrated in the spout

Chrome

Chrome

Black

White





INX 914

High spout stainless steel mixer

REF. 74.914.02.00

- Manufactured in high quality stainless steel (AISI 304)
- · Swivel spout
- · Anti-scale aereator

Stainless steel





INX 915

High spout stainless steel mixer

REF. 74.915.02.00

- Manufactured in high quality stainless steel (AISI 304)
- · Swivel spout
- · Anti-scale aereator

Stainless steel



INX 994

High spout stainless steel mixer

REF. 74.994.07.00

- Manufactured in high quality stainless steel (AISI 304)
- · Swivel spout

Stainless steel





FO 915

High spout mixer

REF. 62.915.02.00

- · Swivel spout
- · Anti-scale aereator integrated in the spout

Chrome





MZ

High spout mixer

REF. 38.915.02

- · Swivel spout
- · Anti-scale aereator integrated in the spout







MZ N

High spout mixer

REF. 38.915.02.0N

- · Swivel spout
- · Anti-scale aereator integrated in the spout







MZ W

High spout mixer

REF. 38.915.02.0W

- · Swivel spout
- · Anti-scale aereator integrated in the spout

White





MQ

Flexible spout mixer

REF. 38.934.02

- · Swivel and flexible spout
- · Anti-scale aereator
- High resistant flexible spring
- Stainless steel flexible hose recovered by plastic





EXP 995

High spout mixer

REF. 38.995.27.00

- Swivel spout
- · Anti-scale aereator integrated in the spout

Chrome



OS 200 / OS 201

Dual-flow mixer

REF. 18.200.02.00 REF. 18.201.02.00

- · Sink mixer with filter function
- 2 independent waterways for (unfiltered and filter water)
- · Filter included (model OS 201)

Chrome





KB 983

Drop-down high spout mixer

REF. 35.983.09

Swivel spout

Chrome

· Anti-scale aereator integrated in the spout





MC10 Plus 915

High spout mixer

REF. 97.915.02

- Cast swivel spout
- Anti-scale aereator





Frame

High spout mixer

REF. 50.915.02.00

- Swivel spout
- Anti-scale aereator integrated in the spout



FR 955

Dual connection mixer

REF. 50.955.02.00

- · Sink mixer with connection to dishwasher or washing machine
- · Swivel spout

Chrome

· Anti-scale aereator integrated in the spout



VTK 915

High spout mixer

REF. 24.915.02.00

- · Swivel spout
- · Anti-scale aereator



ARK 955

High spout mixer

REF. 23.955.12.30

- Sink mixer with connection to dishwasher or washing machine
- · Swivel spout
- Anti-scale aereator











ARK 915

High spout mixer

REF. 23.915.12.00

- Swivel spout
- Anti-scale aereator



MH

High spout mixer

REF. 80.915.12

- Swivel spout
- Anti-scale aereator



MTP 915

High spout mixer

REF. 46.915.02.00

- Swivel spout
- Anti-scale aereator



IN 995

High spout mixer

REF. 53.995.12

- Swivel spout
- Anti-scale aereator

Chrome











Chrome, Anthracite, Metallic Black. Sand Beige, Topaz Beige













SP 995

High spout mixer

REF. 55.995.02.00

- Swivel spout
- Anti-scale aereator



MN

High spout mixer

REF. 81.914.62

- Swivel spout
- Anti-scale aereator



IN 912

High spout mixer

REF. 53.912.12

- Swivel spout
- Anti-scale aereator



INX 938

Pull-out high spout

REF. 74.938.02.00

- Manufactured in high quality stainless steel AISI 304
- Swivel spout
- Anti-scale aereator
- Stainless steel pull-out shower: 1 function

Chrome











Chrome, Anthracite, Metallic Black,









AUK 983

Pull-out high spout pop-up

REF. 50.983.02.00

- Especially designed for sinks mounted next to windows
- Maximum functionality: pull out shower and retractable spout
- Requires double sink hole
- 2 height positions: water fall (260 mm) and retracted (65 mm)
- Swivel spout



EXP 998

Pull-out high spout

EXPRESSION

REF. 38.998.27.00

- Pull-out shower
- Swivel spout
- Anti-scale aereator



MZ 938

Pull-out high spout

REF. 38.938.02

- Swivel spout
- Anti-scale aereator
- Pull-out shower



KB 938

Pull-out high spout

REF. 35.938.12

- Metallic pull-out shower
- Swivel spout
- Anti-scale aereator

Chrome







Chrome







MW ext.

Pull-out high spout

REF. 35.938.02

- Metallic pull-out shower 1 function: normal spray
- Swivel spout
- Anti-scale aereator



VTK 938

Pull-out high spout

REF. 24.938.02.00

- Metallic pull-down shower 1 function
- Swivel spout
- Anti-scale aereator



ARK 998

Pull-out high spout

REF. 23.998.12.00

- Metallic pull-out shower 1 function
- Swivel spout
- Anti-scale aereator



ARK 938

Pull-out high spout

REF. 23.938.12.00

- Metallic pull-out shower 1 function
- Swivel spout
- Anti-scale aereator

Chrome



Chrome

Chrome





MT Ext.

Pull-out high spout

REF. 40.938.02

- Pull-out shower 2 functions: normal & shower spray
- Swivel spout
- Anti-scale aereator

Chrome



VTK 978

Pull-out low spout

REF. 24.978.02.00

- Metallic pull-out shower
- Anti-scale aereator
- Cast Swivel spout

Chrome





AUK 978

Pull-out low spout

REF. 50.978.02.00

- Metallic pull-out shower 1 function
- Quartz composite cilinder versions
- Swivel spout
- Anti-scale aereator

Chrome, Anthracite, Metallic Black, Sand Beige, Topaz Beige











MS1 Ext.

Pull-out low spout

REF. 40.978.02

- ABS pull-out shower 2 functions
- High-resistance paint-coating
- Cast Swivel spout
- Anti-scale aereator

Chrome, Anthracite, Metallic Black, Sand Beige, Topaz Beige











MTP 978

Pull-out low spout

REF. 46.978.02.00

- ABS pull-out shower 2 functions
- High-resistance paint-coating
- Swivel spout
- Anti-scale aereator

Chrome, Anthracite, Metallic Black, Sand Beige, Topaz Beige















INX 919

Stainless steel low spout mixer

REF. 74.919.03.00

- Manufactured in high quality stainless steel (AISI 304)
- Swivel spout
- Anti-scale aereator

Stainless steel





VTK 919

Low spout mixer

REF. 24.919.02.00

- Cast Swivel spout
- Anti-scale aereator

Chrome





AUK 913

Low spout mixer

REF. 50.913.02.00

- Quartz composite cilinder versionss
- Swivel spout
- Anti-scale aereator

Chrome, Anthracite, Metallic Black, Sand Beige, Topaz Beige











MS1

Low spout mixer

REF. 40.913.02

- High-resistance paint-coating
- Swivel spout
- Anti-scale aereator

Chrome, Anthracite, Metallic Black, Sand Beige, Topaz Beige











MTP 993

Low spout mixer

REF. 46.993.45.00

- Swivel spout
- Anti-scale aereator

Chrome





MTP 913

Low spout mixer

REF. 46.913.02.00

- High-resistance paint-coating
- Swivel spout
- Anti-scale aereator

Chrome





MB2 953-30

Dual connection low spout mixer

REF. 40.953.12.30

- Sink mixer with connection to dishwasher or washing machine
- Swivel spout
- Anti-scale aereator

Chrome



MED 913

Medical low spout mixer

REF. 80.913.17

- Sink mixer with medical handle
- Swivel spout
- Anti-scale aereator



ML

Low spout mixer

REF. 81.913.62

- Swivel spout
- Anti-scale aereator



MB2 024

Wall mounted mixer

REF. 40.024.02

- Wall mounted sink mixer
- Cast Swivel spout
- Anti-scale aereator



MTP 025

Wall mounted mixer

REF. 46.025.02.00

- Wall mounted sink mixer
- Cast Swivel spout
- Anti-scale aereator

Chrome



Chrome



Chrome





Tegranit colours

High-resistance paint coating



High-resistance paint-coating

Anthracite, Metallic Black, Sand Beige,

Low spout mixer

REF. 40.913.02.NG

Swivel spout

Topaz Beige

Anti-scale aereator

MS1/E0 MS1 Ext. /E0B

Pull-out low spout

REF. 40.978.45.CI

- High-resistance paint-coating
- Pull out shower 2 functions:
- Cast Swivel spout
- Anti-scale aereator



- normal & shower spray

Anthracite, Metallic Black, Sand Beige, Topaz Beige









MTP 978

Pull-out low spout

REF. 46.978.02.0S

- High-resistance paint-coating
- Pull out shower 2 functions: normal & shower spray
- 40 mm cartriidge.
- Cast Swivel spout
- Anti-scale aereator

Anthracite, Metallic Black, Sand Beige, Topaz Beige





MT 913

Low spout mixer

REF. 96.913.45.TB

- High-resistance paint-coating
- Swivel spout
- Anti-scale aereator



Anthracite, Metallic Black, Sand Beige, Topaz Beige





MC-10 PLUS 9115

High spout mixer

REF. 97.9115.02.NG

- High-resistance paint-coating
- Cast Swivel spout
- Anti-scale aereator



SP 995

High spout mixer

REF. 55.995.02.0S

- High-resistance paint-coating
- Swivel spout
- Anti-scale aereator



IN 995

High spout mixer

REF. 53.995.12.0Q

- High-resistance paint-coating
- Swivel spout
- Anti-scale aereator

Anthracite, Metallic Black, Sand Beige, Topaz Beige



Anthracite, Metallic Black, Sand Beige, Topaz Beige




Anthracite, Metallic Black, Sand Beige, Topaz Beige











Quartz composite cylinder



AUK 913

Low spout mixer

REF. 50.913.02.07

- Quartz composite cilinder
- · Swivel spout
- · Anti-scale aereator

Anthracite, Metallic Black, Sand Beige, Topaz Beige











AUK 978

Pull-out low spout

REF. 50.978.02.07

- · Quartz composite cilinder
- Pull out shower 1 function: normal spray
- · Swivel spout
- · Anti-scale aereator

Anthracite, Metallic Black, Sand Beige, Topaz Beige












MVX Electronic

REF. 75.901.04.00



MY 202

MY1

REF. 18.160.02


ARK 939

REF. 23.939.12.00

REF. 18.202.02.00

REF. 75.902.04.00


TEK 902






MY Compact

REF. 38.937.02




IC 915

REF. 33.915.02.00




INX 939

REF. 74.939.02.00




ARK 999

REF. 23.999.12.00




ARK 957

REF. 23.957.12.30




IC 915 N

REF. 33.915.02.0N



EXP 999

REF. 38.999.27.00




MZ 939

REF. 38.939.02




ARK 937

REF. 23.937.12.00



IC 915 W

REF. 33.915.02.0W




INX 914

REF. 74.914.02.00

M32x1


REF. 74.915.02.00

INX 915




INX 994

REF. 74.994.07.00



FO 915


REF. 62.915.02.00



ΜZ


REF. 38.915.02

- G3/8




MZ N

REF. 38.915.02.0N




MZ W

REF. 38.915.02.0W




MQ

REF. 38.934.02




EXP 995

REF. 38.995.27.00




OS 200 / OS 201

REF. 18.200.02.00 / REF. 18.201.02.00




KB 983

REF. 35.983.09




MC10 Plus 915

REF. 97.915.02




Frame

REF. 50.915.02.00




FR 955

REF. 50.955.02.00




VTK 915

REF. 24.915.02.00



ARK 955

REF. 23.955.12.30



ARK 915

REF. 23.915.12.00

MH


REF. 80.915.12

MTP 915


REF. 46.915.02.00


IN 995

REF. 53.995.12




224 033 65 MAX






SP 995

REF. 55.995.02.00




MN

REF. 81.914.62




IN 912

REF. 53.912.12




INX 938

REF. 74.938.02.00




AUK 983

REF. 50.983.02.00




EXP 998

REF. 38.998.27.00




MZ 938

REF. 38.938.02




KB 938

REF. 35.938.12




MW Ext.

REF. 35.938.02




VTK 938

REF. 24.938.02.00




ARK 998

REF. 23.998.12.00



ARK 938

REF. 23.938.12.00



MT. Ext

REF. 40.938.02

VTK 978


REF. 24.978.02.00


AUK 978


REF. 50.978.02.00


MS1 Ext.

REF. 40.978.02









MTP 978

REF. 46.978.02.00

INX 919


REF. 74.919.03.00


VTK 919


REF. 24.919.02.00


AUK 913

REF. 50.913.02.00











MS1

REF. 40.913.02




MTP 993

REF. 46.993.45.00




MTP 913

REF. 46.913.02.00




MB2 953-30

REF. 40.953.12.30




MED 913

REF. 80.913.17




ML

REF. 81.913.62




MB2 024

REF. 40.024.02




MTP 025

REF. 46.025.02.00




SP 995

REF. 55.995.02.0S




IN 995

REF. 53.995.12.0Q



MS1/E0

REF. 40.913.02.NG




MS1 Ext. /E0B

REF. 40.978.45.CI


MTP 978

REF. 46.978.02.0S



MT 913


REF. 96.913.45.TB



MC-10 PLUS 9115

REF. 97.9115.02.NG


Ø 33



65 MAX.


AUK 913

REF. 50.913.02.07



AUK 978

REF. 50.978.02.07







Teka Sinks & Taps 2014-2015