



 **KINDRED**

SHOWROOM / PRICE GUIDE - MARCH 2015

Franke Kindred Canada Limited

Your home and everything in it is a reflection of you. From the comforts that are important to you and your family, to design preferences and layouts, and even the fixtures and fittings in the kitchen & bath areas, all elements echo the unique aspects of your life.

At Franke Kindred, we believe our part in your home is to make your busy life simpler. Our collections of stainless steel and granite kitchen sinks, and stainless steel vanity basins are designed and manufactured to exacting quality standards, with big deep bowls, easy installation, robust finishes, and a Lifetime Warranty.

Whether your home is an entertainment hub every weekend, a place for the high school basketball team to hang out, or a compact "empty nest", we have a sink to suit.

We appreciate your consideration of a fine Kindred product for inclusion in your home – thank you.

Sincerely,
The Franke Kindred Family

KITCHEN SINKS AND MORE





KINDRED STYLE.

function, finish and fittings...



A sink serves one key function ... to wash up. Plain and simple.

However, with consideration for bowl configuration, material, finish and a few key accessories, the kitchen sink can be anything but mundane – it can be key to simplifying tasks in the kitchen.

Consider how you use your sink. Do you wash and stack, or simply rinse before loading the dishwasher? How about food prep? You may want one large bowl for cleanup of serving trays and roasters, with a second separate sink for a prep station of hospitality area. We have sinks for all of these and more!

The décor of your home and choice of appliances and cabinetry hardware finishes may influence your selection of a particular finish in a sink. Commercial satin is a lovely complement to commercial look appliances, whereas granite composite products with matching faucets are a nice alternative to stainless.

A sink is just a sink ... until you add chore busting accessories! Chopping boards for slicing and serving, colanders for rinsing, and racks for draining are just some of the many sink accessories we offer to add function to your sink, and simplify your life. Add a dual spray kitchen faucet and matching soap dispenser, and your sink is transformed to a hub of kitchen efficiency!

Fabulous!

Table of Contents

KINDRED COLLECTION

DESIGNER SERIES

Appliance sinks	04 - 05
Farmhouse	06 - 08
Undermount and trough	09 - 13
Accessory rail sinks	14 - 16
Stainless steel faucets & soap dispensers	17 - 19

KINDRED COLLECTION - STAINLESS

Undermount	22 - 28
Vanity	29 - 33

KINDRED SANITIZED® GRANITE

Mythos	36 - 41
Color matched Granite faucets	75 - 76

STEEL QUEEN

Topmount	44 - 48
Dual mount	
Zero radius	49 - 52
25 mm radius	53
Cuisinette accessorized sinks	54 - 56
Undermount	57 - 64
Specialty	65 - 71

KINDRED FAUCETS / FITTINGS AND FOOD WASTE DISPOSERS

Pull -out spray faucets	78 - 79
Soap dispensers	77 - 78
Food waste disposers	80 - 81

KINDRED ACCESSORIES

.....	84 - 87
-------	---------

FINISH NOTES

.....	88
-------	----

KINDRED WARRANTIES

.....	89
-------	----

QUICK FIND GUIDE

.....	92 - 93
-------	---------

In the case of recommended cabinet sizes for Kindred undermount product, you will see two dimensions noted for every model.

The first dimension is the minimum cabinet size recommended by Kindred, and this dimension is based upon using our installation method and hardware.

The second dimension represents the minimum cabinet size that will accept the fit of the sink bowls. In this case, you must discuss alternative methods of product installation with your installer.



Sink model KSS4UA/9D and faucet model KF10A.

KINDRED COLLECTION

Kindred Collection includes three families of product:

Kindred Collection Designer Series

Kindred Designer Series models are hand crafted of heavy 18 gauge stainless steel with **10 mm radius corners** and commercial satin finish. Included in this collection are hand fabricated Apron Front Farmhouse models, Topmount and Undermount models with integrated accessory rails, and Stainless Steel Faucets and Soap Dispensers. Matchless design, sizes and configurations for your dream kitchen are all combined with outstanding aesthetics!

Kindred Collection Undermount

Kindred Collection 18 gauge undermount sinks feature big, generous dimensions, and distinctive creased bottom bowls, in an array of sizes for kitchen, bar, island and vanity.

Kindred Collection Sanitized® Granite

Kindred Granite is simply gorgeous ...and tough! Available in four fabulous sublime colors, Kindred Granite topmount and undermount models are shipped complete with stainless steel bottom grids, and are a particularly striking choice when combined with a color-matched Kindred faucet.



Sink model KCAS33/10 includes
roll mat, glass board, and colander set.

Shown with optional faucet model KF10C
and soap dispenser KSD10C.

The Designer Series Appliance Sinks

A New Appliance for your Home

Today's sleek and contemporary appliances simplify our complex lives. They are an essential element of our daily chores and if you think about it ... life without your range or refrigerator would be well, unthinkable. We feel the same way about your kitchen sink. As a matter of fact, we see the kitchen sink as the most important appliance you have. (OK, we may be a bit biased, but it is a vital part of every kitchen.)

The Appliance Sink is our answer for the kitchen of today, and tomorrow.

Designer Series Appliance sinks are hand fabricated in 18 gauge, 18-10 stainless steel, and feature a robust #4 Commercial finish to complement your kitchen's stainless appliances. The Designer Series Appliance Sink is the simple solution to challenging chores. We believe that food preparation and cleanup should be a pleasure. Imagine a sink that comes complete with custom accessories, anticipating your needs and providing solutions that work ... from chopping and slicing and dicing ... to rinsing and draining ... to mixing and stirring ... and even provides a place to cool off hot pots, or defrost items straight from the freezer.

Good looks and an easy-to-care-for finish; big, deep, spacious sink bowls; sink accessories and waste fittings included; and the peace of mind associated with a lifetime warranty all add up to a product you will enjoy today and tomorrow.



THE DESIGNER SERIES ▪ APPLIANCE SINKS ▪ 18 GAUGE, 18-10 STAINLESS STEEL ▪ ACCESSORIES INCLUDED


KCAS33/10

\$1,391.00

UPC®

10 mm radius coved corners

Shipping Weight 68.0 lbs. (28.6 kg.)



Outside sink rim dimensions 25 1/2" FB x 33" LR
Single bowl dimensions 16 1/2" FB x 30" LR x 9" DP

Rear drain wastehole location, faucet ledge
Bowl is pitched to the center of the wastehole

Optional drilling: KCAS33/10/2A - 2 hole - 1 1/2" dia.

FUN# 123.0182.831


Optional drilling: KCAS33/10/3A - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 123.0182.833

33" cabinet - recommended minimum for Kindred install method

LIMITED AVAILABILITY

OPTIONAL ACCESSORIES



RM1629S Included! GB1814 Included! CB1714 Included! FPB1814

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KCAC36R/10

\$1,468.00

UPC®

10 mm radius coved corners

Shipping Weight 70.8 lbs. (32.3 kg.)



Outside sink rim dimensions 25 1/2" FB x 36" LR
Large bowl dimensions 16 1/2" FB x 19" LR x 9" DP
Small bowl dimensions 16 1/2" FB x 12 1/2" LR x 9" DP

Rear drain wastehole locations, faucet ledge
Bowls are pitched to the center of the wasteholes

Optional drilling: KCAC36R/10/2A - 2 hole - 1 1/2" dia.

FUN# 123.0182.838


Optional drilling: KCAC36R/10/3A - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 123.0182.839

36" cabinet - recommended minimum for Kindred install method

LIMITED AVAILABILITY

OPTIONAL ACCESSORIES



RM1619S Included! RM1612S Included! GB1814 Included! CB1714 Included! FPB1814

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KCAD36/10

\$1,520.00

UPC®

10 mm radius coved corners

Shipping Weight 70.8 lbs. (32.3 kg.)



Outside sink rim dimensions 25 1/2" FB x 36" LR
Equal size bowl dimensions 16 1/2" FB x 15 3/4" LR x 9" DP

Rear drain wastehole locations, faucet ledge
Bowls are pitched to the center of the wasteholes

Optional drilling: KCAD36/10/2A - 2 hole - 1 1/2" dia.

FUN# 123.0182.840


Optional drilling: KCAD36/10/3A - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 123.0182.841

36" cabinet - recommended minimum for Kindred install method

LIMITED AVAILABILITY

OPTIONAL ACCESSORIES



RM1615S Included! RM1615S Included! GB1814 Included! CB1714 Included! FPB1814

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings



Sink model KFD36B/9-10BG with C09S colander
Faucet model KF10A and soap dispenser model KSD10A

The Designer Series Farmhouse Sinks

Hand Crafted Beauty For Your Home

Kindred Designer Series Farmhouse sinks have all of the contemporary benefits you have come to expect from a stainless steel sink, as well as the charm and beauty of a traditional country kitchen. Kindred Farmhouse sinks really do offer the best of both worlds ... new technology and materials, combined with time honored design and practicality.

Ever try to put a round peg in a small square hole? Doesn't work well, does it? End the frustration with Kindred's larger capacity, extra deep – a full 9" and 10" – sink bowls. Straight sides and crisp 10mm corner radius result in generous dimensions designed to easily accommodate today's larger specialty pots and pans. It's beautifully simple and simple to clean. Much of the beauty of our Designer Series product can be attributed to its long lasting wear and enduring good looks featuring a #4 commercial satin finish that's soft in appearance, but rugged enough to handle years of kitchen duty. And, all Designer Series Farmhouse sinks include stainless steel bottom grids, mixing bowl and strainer.

A Kindred Farmhouse, or apron front sink, will be the centerpiece of your kitchen and looks fabulous from any vantage point ... this is a sink that doesn't shy away from attention. Beyond its stylish good looks are real functional benefits. Our farmhouse sink is cleverly designed so the bowl is closer to you and more accessible. Since you spend so much kitchen time in front of the sink, it just makes sense.

So there you have it ... hand crafted beauty to give you years of pleasure.



THE DESIGNER SERIES ■ FARMHOUSE SINKS ■ 18 GAUGE, 18-10 STAINLESS STEEL ■ BOTTOM GRID & COLANDER INCLUDED


KCFS30A/10-10BG

\$2,012.00

UPC®

10 mm radius coved corners

Shipping Weight 55.0 lbs. (25.0 kg.)



Outside sink rim dimensions 20" FB x 29 7/8" LR
Single bowl dimensions 16" FB x 27" LR x 10" DP

Linear front


Rear drain wastehole location
Bowl is pitched to the center of the wastehole
9" apron front with 2 1/2" return

Undermount template included

FUN# 123.0178.914

30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




KCFS30B/10-10BG

\$2,012.00

UPC®

10 mm radius coved corners

Shipping Weight 56.0 lbs. (25.5 kg.)



Outside sink rim dimensions 20" FB x 29 7/8" LR
Single bowl dimensions 16" FB x 27" LR x 10" DP

Bow front

Rear drain wastehole location
Bowl is pitched to the center of the wastehole
9" curved apron front

Undermount template included

FUN# 123.0178.912

30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




KCFS33A/10-10BG

\$2,245.00

UPC®

10 mm radius coved corners

Shipping Weight 60.0 lbs. (27.3 kg.)



Outside sink rim dimensions 20" FB x 32 7/8" LR
Single bowl dimensions 16" FB x 30" LR x 10" DP

Linear front

Rear drain wastehole location
Bowl is pitched to the center of the wastehole
9" apron front with 2 1/2" return

Undermount template included

FUN# 123.0178.913

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




KCFS33B/10-10BG

\$2,245.00

UPC®

10 mm radius coved corners

Shipping Weight 61.0 lbs. (27.7 kg.)



Outside sink rim dimensions 20" FB x 32 7/8" LR
Single bowl dimensions 16" FB x 30" LR x 10" DP

Bow front

Rear drain wastehole location
Bowl is pitched to the center of the wastehole
9" curved apron front

Undermount template included

FUN# 123.0178.915

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



THE DESIGNER SERIES ▪ FARMHOUSE SINKS ▪ 18 GAUGE, 18-10 STAINLESS STEEL ▪ BOTTOM GRID & COLANDER INCLUDED


KCFS36A/10-10BG

\$2,398.00

cUPC®

10 mm radius coved corners

Shipping Weight 63.0 lbs. (28.6 kg.)



OPTIONAL ACCESSORIES



BGDS33S Included! CB1714MB Included! CB1714SB Included!

Outside sink rim dimensions 20" FB x 35 7/8" LR
Single bowl dimensions 16" FB x 33" LR x 10" DP

Linear front

Rear drain wastehole location
Bowl is pitched to the center of the wastehole
9" apron front with 2 1/2" return

Undermount template included

FUN# 123.0178.916

36" cabinet - recommended minimum for Kindred install method

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KCFS36B/10-10BG

\$2,398.00

cUPC®

10 mm radius coved corners

Shipping Weight 72.0 lbs. (32.8 kg.)



OPTIONAL ACCESSORIES



BGDS33S Included! CB1714MB Included! CB1714SB Included!

Outside sink rim dimensions 20" FB x 35 7/8" LR
Single bowl dimensions 16" FB x 33" LR x 10" DP

Bow front

Rear drain wastehole location
Bowl is pitched to the center of the wastehole
9" curved apron front

Undermount template included

FUN# 123.0055.590

36" cabinet - recommended minimum for Kindred install method

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KCFD36A/9-10BG

\$3,111.00


cUPC®

10 mm radius coved corners

Shipping Weight 65.0 lbs. (29.5 kg.)



OPTIONAL ACCESSORIES



BGDS16S Included! BGDS16S Included! CB1714MB Included! CB1714SB Included!

Outside sink rim dimensions 20" FB x 35 7/8" LR
Equal size bowl dimensions 16" FB x 16" LR x 9" DP

Linear front

Rear drain wastehole locations
Bowls are pitched to the center of the wasteholes
9" apron front with 2 1/2" return

Undermount template included

FUN# 123.0178.905

36" cabinet - recommended minimum for Kindred install method

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KCFD36B/9-10BG

\$3,111.00


cUPC®

10 mm radius coved corners

Shipping Weight 70.8 lbs. (32.3 kg.)



OPTIONAL ACCESSORIES



BGDS16S Included! BGDS16S Included! CB1714MB Included! CB1714SB Included!

Outside sink rim dimensions 20" FB x 35 7/8" LR
Equal size bowl dimensions 16" FB x 16" LR x 9" DP

Bow front

Rear drain wastehole locations
Bowls are pitched to the center of the wasteholes
9" curved apron front

Undermount template included

FUN# 123.0055.615

36" cabinet - recommended minimum for Kindred install method

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings



Sink model KCUS30A/10-10BG with C09S colander
Faucet model KF10A and soap dispenser model KSD10A

The Designer Series Undermount Sinks

A Clean Sweep in Streamlined Beauty

Kindred Designer Series Undermount Sinks are incredibly popular and blend beautifully with any décor. These sinks are perfect partners for high-end countertops such as granite, marble, quartz or even concrete. This isn't a one-size-fits-all sink solution. Choose from single bowl, double bowls and combination bowls to suit any kitchen design.



61621 Stainless steel sink cleaner

THE DESIGNER SERIES • UNDERMOUNT SINKS • 18 GAUGE, 18-10 STAINLESS STEEL • BOTTOM GRID INCLUDED


KCUS24A/10-10BG

\$1,415.00

cUPC®

10 mm radius coved corners

Shipping Weight 36.0 lbs. (16.4 kg.)



Outside sink rim dimensions 18" FB x 23" LR
Single bowl dimensions 16" FB x 21" LR x 10" DP
Rear drain wastehole location
Bowl is pitched to the center of the wastehole
Undermount template included

FUN# 123.0178.907

24" cabinet - recommended minimum for Kindred install method
24" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BGDS215
Included!

MB100

DBR10S

CM100

C09S

SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings


KCUS30A/10-10BG

\$1,468.00

cUPC®

10 mm radius coved corners

Shipping Weight 48.6 lbs. (22.0 kg.)



Outside sink rim dimensions 18" FB x 29" LR
Single bowl dimensions 16" FB x 27" LR x 10" DP
Rear drain wastehole location
Bowl is pitched to the center of the wastehole
Undermount template included

FUN# 123.0178.908

30" cabinet - recommended minimum for Kindred install method
30" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BGDS27S
Included!

MB100

DBR10S

CM100

C09S

SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings


KCUS33A/10-10BG

\$1,561.00

cUPC®

10 mm radius coved corners

Shipping Weight 41.4 lbs. (18.8 kg.)



Outside sink rim dimensions 18" FB x 32" LR
Single bowl dimensions 16" FB x 30" LR x 10" DP
Rear drain wastehole location
Bowl is pitched to the center of the wastehole
Undermount template included

FUN# 123.0178.909

33" cabinet - recommended minimum for Kindred install method
33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BGDS30S
Included!

MB100

DBR10S

CM100

C09S

SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings


KCUS36A/10-10BG

\$1,684.00

cUPC®

10 mm radius coved corners

Shipping Weight 53.0 lbs. (24.1 kg.)



Outside sink rim dimensions 18" FB x 35" LR
Single bowl dimensions 16" FB x 33" LR x 10" DP
Rear drain wastehole location
Bowl is pitched to the center of the wastehole
Undermount template included

FUN# 123.0178.911

36" cabinet - recommended minimum for Kindred install method
36" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BGDS33S
Included!

MB100

DBR10S

CM100

C09S

SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings

THE DESIGNER SERIES • UNDERMOUNT SINKS • 18 GAUGE, 18-10 STAINLESS STEEL • BOTTOM GRID INCLUDED


KCUS21A/8-10BG

\$971.00

UPC®

10 mm radius coved corners

Shipping Weight 25.64 lbs. (11.4 kg.)



Outside sink rim dimensions 17" FB x 17" LR
Single bowl dimensions 15" FB x 15" LR x 8" DP

Rear drain wastehole location
Bowl is pitched to the center of the wastehole
Undermount template included

FUN# 123.0178.906

21" cabinet - recommended minimum for Kindred install method
18" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BGDS155
Included!

MB100

DBR10S

CM100

C09S

SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings


KKUC27R/9-10BG

\$1,778.00

UPC®

10 mm radius coved corners

Shipping Weight 40.0 lbs. (18.2 kg.)



Outside sink rim dimensions 18" FB x 26" LR
Large bowl dimensions 16" FB x 13" LR x 9" DP
Small bowl dimensions 16" FB x 10" LR x 8" DP

Rear drain wastehole locations
Bowls are pitched to the center of the wastehole
Undermount template included

FUN# 123.0178.910

27" cabinet - recommended minimum for Kindred install method
27" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BGDS10S
Included!

BGDS13S
Included!

MB100

DBR10S

CM100

C09S

SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings



KKUD30/9-10BG

\$2,082.00

UPC®

10 mm radius coved corners

Shipping Weight 47.0 lbs. (21.4 kg.)



Outside sink rim dimensions 18" FB x 29" LR
Equal size bowl dimensions 16" FB x 13" LR x 9" DP

Rear drain wastehole locations
Bowls are pitched to the center of the wastehole
Undermount template included

FUN# 123.0078.543

30" cabinet - recommended minimum for Kindred install method
30" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BGDS13S
Included!

BGDS13S
Included!

MB100

DBR10S

CM100

C09S

SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings


KKUD33/9-10BG

\$2,293.00

UPC®

10 mm radius coved corners

Shipping Weight 49.25 lbs. (22.0 kg.)



Outside sink rim dimensions 18" FB x 31" LR
Equal size bowl dimensions 16" FB x 14" LR x 9" DP

Rear drain wastehole locations
Bowls are pitched to the center of the wastehole
Undermount template included

FUN# 123.0078.550

33" cabinet - recommended minimum for Kindred install method
33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BGDS14S
Included!

BGDS14S
Included!

MB100

DBR10S

CM100

C09S

SUGGESTED KINDRED FITTINGS




Speak to a showroom
associate to determine
correct hole drillings

THE DESIGNER SERIES ▪ UNDERMOUNT SINKS ▪ 18 GAUGE, 18-10 STAINLESS STEEL ▪ BOTTOM GRID INCLUDED

KCUD36/9-10BG

\$2,410.00

cUPC® 10 mm radius coved corners
Shipping Weight 46.85 lbs. (20.9 kg.)




Outside sink rim dimensions 18" FB x 35" LR
Equal size bowl dimensions 16" FB x 16" LR x 9" DP
Rear drain wastehole locations
Bowls are pitched to the center of the wastehole
Undermount template included


FUN# 123.0055.624

36" cabinet - recommended minimum for Kindred install method
36" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES




SUGGESTED KINDRED FITTINGS



KCUC30R/9-10BG

\$2,082.00

cUPC® 10 mm radius coved corners
Shipping Weight 47.0 lbs. (21.4 kg.)



Outside sink rim dimensions 18" FB x 35" LR
Large bowl dimensions 16" FB x 14" LR x 9" DP
Small bowl dimensions 16" FB x 11" LR x 9" DP
Rear drain wastehole locations
Bowls are pitched to the center of the wastehole
Undermount template included

FUN# 123.0151.497

30" cabinet - recommended minimum for Kindred install method
30" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES




SUGGESTED KINDRED FITTINGS



KCUC33R/9-10BG

\$2,140.00

cUPC® 10 mm radius coved corners
Shipping Weight 51.0 lbs. (21.2 kg.)



Outside sink rim dimensions 18" FB x 32" LR
Large bowl dimensions 16" FB x 18" LR x 9" DP
Small bowl dimensions 16" FB x 11" LR x 8" DP
Rear drain wastehole locations
Bowls are pitched to the center of the wastehole
Undermount template included

FUN# 123.0055.594

33" cabinet - recommended minimum for Kindred install method
33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES




SUGGESTED KINDRED FITTINGS



KCUC36R/9-10BG

\$2,573.00

cUPC® 10 mm radius coved corners
Shipping Weight 46.0 lbs. (20.9 kg.)




Outside sink rim dimensions 18" FB x 35" LR
Large bowl dimensions 16" FB x 21" LR x 9" DP
Small bowl dimensions 16" FB x 11" LR x 9" DP
Rear drain wastehole locations
Bowls are pitched to the center of the wastehole
Undermount template included

FUN# 123.0151.502

36" cabinet - recommended minimum for Kindred install method
36" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



THE DESIGNER SERIES • UNDERMOUNT SINKS • 18 GAUGE, 18-10 STAINLESS STEEL • BOTTOM GRID INCLUDED



KCUS8A/8-10BG

\$644.00



10 mm radius coved corners

Shipping Weight 21.15 lbs. (9.4 kg.)



Outside sink rim dimensions 19" FB x 10" LR
Single bowl dimensions 17" FB x 8" LR x 8" DP

Rear drain wastehole location
Bowl is pitched to the center of the wastehole
Undermount template included

FUN# 122.0275.251

18" cabinet - recommended minimum for Kindred install method
18" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BGDS0817S
Included!

SUGGESTED KINDRED FITTINGS



KF10A



KSD10A

Speak to a showroom
associate to determine
correct hole drillings


KCUS22A/8-10BG

\$778.00



10 mm radius coved corners

Shipping Weight 25.35 lbs. (11.3 kg.)



Outside sink rim dimensions 10" FB x 24" LR
Single bowl dimensions 8" FB x 22" LR x 8" DP

Rear drain wastehole location
Bowl is pitched to the center of the wastehole
Undermount template included

FUN# 122.0275.252

27" cabinet - recommended minimum for Kindred install method
24" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BGDS22S
Included!

SUGGESTED KINDRED FITTINGS



KF10A



KSD10A

Speak to a showroom
associate to determine
correct hole drillings



Sink model KCC30R/9-10A with C09S colander, DBR10S drain rack and KF10A faucet

The Designer Series Accessory Rail Sinks

Innovative Design

At Kindred we never stop experimenting with the latest materials and technology and exploring innovative ideas and designs to bring the world's best sink selection to you.

Our Designer Series Accessory Rail kitchen sinks are fabricated from heavy 18 gauge stainless steel with generous 9 inch deep bowls, boast a sleek rim and profile with 10 mm radius corners, and an integrated accessory rail. These models do double duty and save space, by allowing placement of drainer baskets, colanders and cutting boards right on the sink for food prep and clean up. All Designer Series Accessory Rail models are shipped complete with a stainless steel bottom grid, glass board/color mat, and stainless steel colander.

As with all Designer Series models, we have finished our topmount and undermount sinks with a commercial #4 satin finish, a perfect complement to commercial look appliances, and easy to repair should you scratch it.



THE DESIGNER SERIES • ACCESSORY RAIL SINKS • 18 GAUGE, 18-10 STAINLESS STEEL • ACCESSORIES INCLUDED


KCD36/9-10A

\$2,531.00

UPC®

10 mm radius coved corners

Shipping Weight 56.0 lbs. (25.4 kg.)




Outside sink rim dimensions 18 1/2" FB x 34 1/2" LR
Equal size bowl dimensions 16" FB x 16" LR x 9" DP

Rear drain wastehole locations
Bowls are pitched to the center of the wastehole

FUN# 123.0202.224

36" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




KCD33/9-10A

\$2,408.00

UPC®

10 mm radius coved corners

Shipping Weight 52.0 lbs. (23.6 kg.)




Outside sink rim dimensions 18 1/2" FB x 30 1/2" LR
Equal size bowl dimensions 16" FB x 14" LR x 9" DP

Rear drain wastehole locations
Bowls are pitched to the center of the wastehole

FUN# 123.0202.222

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




KCC33R/9-10A

\$2,247.00

UPC®

10 mm radius coved corners

Shipping Weight 53.0 lbs. (24.0 kg.)




Outside sink rim dimensions 18 1/2" FB x 31 1/2" LR
Large bowl dimensions 16" FB x 18" LR x 9" DP
Small bowl dimensions 16" FB x 11" LR x 9" DP

Rear drain wastehole locations
Bowls are pitched to the center of the wastehole

FUN# 123.0202.236

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




KCC30R/9-10A

\$2,186.00

UPC®

10 mm radius coved corners

Shipping Weight 52.0 lbs. (23.6 kg.)




Outside sink rim dimensions 18 1/2" FB x 27 1/2" LR
Large bowl dimensions 16" FB x 14" LR x 9" DP
Small bowl dimensions 16" FB x 11" LR x 9" DP

Rear drain wastehole locations
Bowls are pitched to the center of the wastehole

FUN# 123.0202.226

30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



THE DESIGNER SERIES ▪ ACCESSORY RAIL SINKS ▪ 18 GAUGE, 18-10 STAINLESS STEEL


KCS30/10-10A

\$1,541.00

cUPC®

10 mm radius coved corners

Shipping Weight 48.0 lbs. (21.8 kg.)




Outside sink rim dimensions 18 1/2" FB x 28 1/2" LR
Single bowl dimensions 16" FB x 27" LR x 10" DP

Rear drain wastehole locations
Bowls are pitched to the center of the wastehole

FUN# 123.0202.228

30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BGDS275 Included! GB1712M Included! DBR10S C09S

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KCS33/10-10A

\$1,639.00

cUPC®

10 mm radius coved corners

Shipping Weight 52.0 lbs. (23.6 kg.)




Outside sink rim dimensions 18 1/2" FB x 28 1/2" LR
Single bowl dimensions 16" FB x 30" LR x 10" DP

Rear drain wastehole locations
Bowls are pitched to the center of the wastehole

FUN# 123.0202.230

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BGDS30S Included! GB1712M Included! DBR10S C09S

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KCS21SR/8-10BG

\$1,154.00

cUPC®

10 mm radius coved corners

Shipping Weight 31.0 lbs. (14.0 kg.)



Outside sink rim dimensions 17" FB x 17 1/2" LR
Single bowl dimensions 15" FB x 15" LR x 8" DP

Rear drain wastehole locations
Bowls are pitched to the center of the wastehole

FUN# 123.0202.234

21" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BGDS15S Included! DBR10S C20S

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings



The Designer Series Kitchen Faucets and Soap Dispensers

The Perfect Addition

Look to the Designer Series Kitchen Faucets and Soap Dispensers for the perfect partner for your sink. These durable and easy to clean sink auxiliary products feature a commercial satin finish for that polished professional look, and unlike a coating finish cannot wear off over time. And best of all, stainless steel faucets and soap dispensers are easy to clean – after all, we all have better things to do with our time than cleaning!

With a faucet to fit every function, from filling oversized pots to the fast flexibility of a pull down sprayer, we offer an array of styles, all with ceramic disc cartridge for fuss free function, and backed with a lifetime warranty.

Check out the versatility of our gooseneck, high arch, pull down, spout and pot filler models. All have an aerated stream flow, and pull down models offer spray flow as well.




THE DESIGNER SERIES • FAUCETS AND DISPENSERS

KF10A

\$446.00

cUPC® Shipping Weight 7.9 lbs. (3.6 kg.)



High Arc Stainless Steel Gooseneck Faucet

Commercial satin finish

Solid stainless steel construction

Ceramic disc valve

Flow – aerated stream

3/8" flexible braided hose x 22" long

Requires 1 1/2" diameter hole

Faucet can accommodate a countertop thickness up to 1 1/2"

Water saver faucet rated at 2.2 USGPM, 8.3 L/min.

FUN# 115.0083.703

SUGGESTED KINDRED FITTINGS




Speak to a showroom associate to determine correct hole drillings

KF10B

\$632.00

cUPC® Shipping Weight 10.4 lbs. (4.7 kg.)



Pro Style Pull Down Stainless Steel Faucet

Commercial satin finish

Solid stainless steel construction

Ceramic disc valve

Flow – aerated stream and spray

3/8" flexible braided hose x 22" long

Requires 1 1/2" diameter hole

Faucet can accommodate a countertop thickness up to 1 1/2"

Water saver faucet rated at 2.2 USGPM, 8.3 L/min.

FUN# 115.0083.792

SUGGESTED KINDRED FITTINGS




Speak to a showroom associate to determine correct hole drillings

KF10C

\$506.00

cUPC® Shipping Weight 7.9 lbs. (3.6 kg.)



Cube High Arc Stainless Steel Faucet

Commercial satin finish

Solid stainless steel construction

Ceramic disc valve

Flow – aerated stream

3/8" flexible braided hose x 22" long

Requires 1 1/2" diameter hole

Faucet can accommodate a countertop thickness up to 1 1/2"

Water saver faucet rated at 2.2 USGPM, 8.3 L/min.

FUN# 115.0160.249

SUGGESTED KINDRED FITTINGS




Speak to a showroom associate to determine correct hole drillings

KF10D

\$457.00

cUPC® Shipping Weight 4.5 lbs. (2.0 kg.)



Rondo Stainless Steel Spout Faucet

Commercial satin finish

Solid stainless steel construction

Ceramic disc valve

Flow – aerated stream

3/8" flexible braided hose x 22" long

Requires 1 1/2" diameter hole

Faucet can accommodate a countertop thickness up to 1 1/2"

Water saver faucet rated at 2.2 USGPM, 8.3 L/min.

FUN# 115.0202.347

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


THE DESIGNER SERIES • FAUCETS AND DISPENSERS

KF10E

\$509.00



UPC® Shipping Weight 5.1 lbs. (2.3 kg.)



Planar Stainless Steel Spout Faucet

Commercial satin finish

Solid stainless steel construction

Ceramic disc valve

Flow – aerated stream

3/8" flexible braided hose x 22" long

Requires 1 1/2" diameter hole

Faucet can accommodate a countertop thickness up to 1 1/2"

Water saver faucet rated at 2.2 USGPM, 8.3 L/min.

FUN# 115.0202.347

SUGGESTED KINDRED FITTINGS




Speak to a showroom associate to determine correct hole drillings

PF10A

\$552.00



UPC® Shipping Weight 7.8 lbs. (3.5 kg.)



Countertop Mount Stainless Steel Pot Filler Faucet

Commercial satin finish

Solid stainless steel construction

Ceramic disc valve

Flow – aerated stream

3/8" flexible braided hose x 22" long

Requires 7/8" to 1 3/8" diameter hole

Faucet can accommodate a countertop thickness up to 1 1/2"

Water saver faucet rated at 2.2 USGPM, 8.3 L/min.

Single cold supply only

FUN# 115.0202.351

SUGGESTED KINDRED FITTINGS




Speak to a showroom associate to determine correct hole drillings

KSD10A

\$118.00



Shipping Weight 0.8 lbs. (0.3 kg.)



Stainless steel soap and lotion dispenser

Commercial satin finish

Solid stainless steel construction

500ml capacity polypropylene bottle

Soap dispenser requires 1 1/2" diameter hole

Soap dispenser can accommodate a countertop thickness up to 1 1/2"

FUN# 119.0083.793

SUGGESTED KINDRED FITTINGS




Speak to a showroom associate to determine correct hole drillings

KSD10C

\$165.00



Shipping Weight 1.4 lbs. (0.6 kg.)



Stainless steel cube style soap and lotion dispenser

Commercial satin finish

Solid stainless steel construction

500ml capacity polypropylene bottle

Soap dispenser requires 1 1/2" diameter hole

Soap dispenser can accommodate a countertop thickness up to 1 1/2"

FUN# 119.0160.246

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings



Sink model KSS5UA/9D and faucet model KF10A.

K I N D R E D C O L L E C T I O N

Kindred Undermount Series

Wondering what to do with your kitchen, bar or island? Well, wonder no more. Kindred Collection 18 gauge undermount sinks feature generous dimensions, and distinctive creased bottom bowls, in an array of sizes and applications.

Undermount sinks are designed for solid surface materials such as granite, quartz or composite. Placing the sink below the counter draws attention to the luxurious beauty of the solid surface material and makes a clean sweep of kitchen cleanups – with no ledges or obstructions you simply wipe off the counter directly into the sink.

A sink is more than just a place for doing dishes and with this in mind, we took the time to design custom fit accessories for most Kindred Collection undermount models. From glass boards to wooden chopping boards, stainless steel bottom grids that protect the bottom of the sink bowls, to colanders, trays, and even dish racks, the addition of Kindred accessories for your sink is a smart way to expand your sink's function and make it work for you.

You will see two dimensions noted for every Kindred undermount model. The first is the cabinet size recommended by Kindred, based upon our installation method and provided hardware. The second dimension is the minimum cabinet size that will accommodate the sink bowl and you must discuss alternative installation methods with your installer in this case.



Kindred Undermount Series

Value is good...

Take a look at Kindred Collection Undermount Series and see if you don't agree ...

- 9" deep bowls are deep enough to contain any water splashing
- Silk finish sink bowls and sink deck are warm in appearance and easy to maintain
- Heavy 18 gauge and high Nickel 18/10 stainless steel ... make for a superior quality product
- Tight radius bowl corners increase sink bowl capacity
- Straight clean bowl shapes, and sink bowl drain lines, complement the very popular commercial kitchen of today
- Optional accessories simplify meal preparation

We hope that you agree.

In the case of recommended cabinet sizes for Kindred undermount product, you will see two dimensions noted for every model.

The first dimension is the minimum cabinet size recommended by Kindred, and this dimension is based upon using our installation method and hardware.

The second dimension represents the minimum cabinet size that will accept the fit of the sink bowls. In this case, you must discuss alternative methods of product installation with your installer.



KINDRED COLLECTION • UNDERMOUNT SERIES • 18 GAUGE, 18-10 STAINLESS STEEL


KSD1UA/9D

\$1,146.00



Undermount model

Shipping Weight 23.1 lbs. (10.5 kg.)



Outside sink rim dimensions 18 3/4" FB x 32 7/8" LR
Equal size bowl dimensions 17" FB x 15" LR x 9" DP


Rear drain wastehole locations

FUN# 122.0183.144

36" cabinet - recommended minimum for Kindred install method

33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BGA1517S BGA1517S MB100 DBR10S C09S

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KSD2UA/9D

\$1,001.00



Undermount model

Shipping Weight 23.1 lbs. (10.5 kg.)



Outside sink rim dimensions 17 3/4" FB x 30 7/8" LR
Equal size bowl dimensions 16" FB x 14" LR x 9" DP

Rear drain wastehole locations

FUN# 122.0183.146

36" cabinet - recommended minimum for Kindred install method

33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BG10S BG10S MB100 DBR10S C09S

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KSDCRU/9

\$1,177.00



Undermount model

Shipping Weight 26.0 lbs. (11.8 kg.)



Outside sink rim dimensions 20 5/8" FB x 31 1/2" LR
Large bowl dimensions 18 1/2" FB x 17 3/4" LR x 9" DP
Small bowl dimensions 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole locations

FUN# 122.0045.000

36" cabinet - recommended minimum for Kindred install method

33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BG30S BG35S MB100 C30S C09S

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KSDCLU/9

\$1,177.00



Undermount model

Shipping Weight 26.0 lbs. (11.8 kg.)



Outside sink rim dimensions 20 5/8" FB x 31 1/2" LR
Large bowl dimensions 18 1/2" FB x 17 3/4" LR x 9" DP
Small bowl dimensions 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole locations

FUN# 122.0044.995

36" cabinet - recommended minimum for Kindred install method

33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BG30S BG35S MB100 C30S C09S

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings

KINDRED COLLECTION • UNDERMOUNT SERIES • 18 GAUGE, 18-10 STAINLESS STEEL


KSDC1RUA/9D

\$1,177.00



Undermount model

Shipping Weight 26.0 lbs. (11.8 kg.)




Outside sink rim dimensions 20 5/8" FB x 31 1/2" LR
Large bowl dimensions 18 1/2" FB x 17 3/4" LR x 9" DP
Small bowl dimensions 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole locations

FUN# 122.0183.147

36" cabinet - recommended minimum for Kindred install method
33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KSDC1LUA/9D

\$1,177.00



Undermount model

Shipping Weight 26.0 lbs. (11.8 kg.)




Outside sink rim dimensions 20 5/8" FB x 31 1/2" LR
Large bowl dimensions 18 1/2" FB x 17 3/4" LR x 9" DP
Small bowl dimensions 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole locations

FUN# 122.0183.148

36" cabinet - recommended minimum for Kindred install method
33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KSCM3RUA/9D

\$1,080.00



Undermount model

Shipping Weight 31.2 lbs. (14.2 kg.)



Outside sink rim dimensions 18 3/4" FB x 31 7/8" LR
Large bowl dimensions 17" FB x 15" LR x 9" DP
Small bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole locations

FUN# 122.0183.150

36" cabinet - recommended minimum for Kindred install method
33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings



KSCM4RUA/9D

\$990.00



Undermount model

Shipping Weight 18.0 lbs. (8.2 kg.)



Outside sink rim dimensions 20 5/8" FB x 31 1/2" LR
Large bowl dimensions 17" FB x 15" LR x 9" DP
Small bowl dimensions 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole locations

FUN# 122.0183.152

33" cabinet - recommended minimum for Kindred install method
30" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings

KINDRED COLLECTION • UNDERMOUNT SERIES • 18 GAUGE, 18-10 STAINLESS STEEL


KSC1RUA/9D

\$1,282.00



Undermount model

Shipping Weight 18.8 lbs. (8.5 kg.)




Outside sink rim dimensions 18 3/4" FB x 32 7/8" LR
Large bowl dimensions 17" FB x 18" LR x 9" DP
Small bowl dimensions 17" FB x 12" LR x 8" DP
Rear drain wastehole locations

FUN# 122.0183.153

36" cabinet - recommended minimum for Kindred install method
33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




KSC1LUA/9D

\$1,282.00



Undermount model

Shipping Weight 18.8 lbs. (8.5 kg.)




Outside sink rim dimensions 18 3/4" FB x 32 7/8" LR
Large bowl dimensions 17" FB x 18" LR x 9" DP
Small bowl dimensions 17" FB x 12" LR x 8" DP
Rear drain wastehole locations

FUN# 122.0183.154

36" cabinet - recommended minimum for Kindred install method
33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




KSC2RUA/9D

\$1,003.00



Undermount model

Shipping Weight 19.9 lbs. (9.0 kg.)




Outside sink rim dimensions 18 3/4" FB x 29 7/8" LR
Large bowl dimensions 17" FB x 15" LR x 9" DP
Small bowl dimensions 17" FB x 12" LR x 8" DP
Rear drain wastehole locations

FUN# 122.0183.155

33" cabinet - recommended minimum for Kindred install method
30" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




KSCM1RUA/9D

\$1,545.00



Undermount model

Shipping Weight 33.0 lbs. (15.0 kg.)




Outside sink rim dimensions 21 1/2" FB x 32 7/8" LR
Large bowl dimensions 19 3/4" FB x 18" LR x 9" DP
Small bowl dimensions 17" FB x 12" LR x 8" DP
Rear drain wastehole locations

FUN# 122.0183.157

24" x 36" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




KINDRED COLLECTION • UNDERMOUNT SERIES • 18 GAUGE, 18-10 STAINLESS STEEL

KST1UA/9D
\$1,653.00



Undermount model
Shipping Weight 33.4 lbs. (15.2 kg.)




Outside sink rim dimensions 18 3/4" FB x 41" LR
Large bowl dimensions 17" FB x 15" LR x 9" DP
Small bowl dimensions 14 1/16" FB x 7" LR x 5 1/2" DP
Rear drain wastehole locations
FUN# 122.0183.159
45" cabinet - recommended minimum for Kindred install method
42" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES




SUGGESTED KINDRED FITTINGS



KSS6UA/9D
\$776.00



Undermount model
Shipping Weight 14.8 lbs. (6.7 kg.)




Outside sink rim dimensions 18 3/4" FB x 24 3/4" LR
Single bowl dimensions 17" FB x 23" LR x 9" DP
Rear drain wastehole location
FUN# 122.0183.160
30" cabinet - recommended minimum for Kindred install method
27" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES




SUGGESTED KINDRED FITTINGS



KSS5UA/9D
\$818.00



Undermount model
Shipping Weight 26.3 lbs. (11.9 kg.)



Outside sink rim dimensions 19 1/8" FB x 30 1/8" LR
Single bowl dimensions 17" FB x 28" LR x 9" DP
Rear drain wastehole location
FUN# 122.0183.161
33" cabinet - recommended minimum for Kindred install method
30" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES




SUGGESTED KINDRED FITTINGS



KSS7UA/9D
\$831.00



Undermount model
Shipping Weight 35 lbs. (15.9 kg.)




Outside sink rim dimensions 18 3/4" FB x 32 3/4" LR
Single bowl dimensions 17" FB x 31" LR x 9" DP
Rear drain wastehole location
FUN# 122.0183.162
36" cabinet - recommended minimum for Kindred install method
33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



KINDRED COLLECTION • UNDERMOUNT SERIES • 18 GAUGE, 18-10 STAINLESS STEEL


KSSXUA/9D

\$682.00



Undermount model

Shipping Weight 20.3 lbs. (9.2 kg.)



Outside sink rim dimensions 20 7/8" FB x 23 3/8" LR
Single bowl dimensions 18 3/4" FB x 21 1/4" LR x 9" DP
Rear drain wastehole location

FUN# 122.0183.163

27" cabinet - recommended minimum for Kindred install method
24" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BG20S



MB100



C09S

SUGGESTED KINDRED FITTINGS



KF10E



KSD10A

Speak to a showroom associate to determine correct hole drillings


KSS2UA/9D

\$645.00



Undermount model

Shipping Weight 16.0 lbs. (7.3 kg.)



Outside sink rim dimensions 20 5/8" FB x 19 7/8" LR
Single bowl dimensions 18 1/2" FB x 17 3/4" LR x 9" DP
Rear drain wastehole location

FUN# 122.0183.164

24" cabinet - recommended minimum for Kindred install method
21" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BG30S



MB100



C09S

SUGGESTED KINDRED FITTINGS



KF10E



KSD10A

Speak to a showroom associate to determine correct hole drillings


KSS4UA/9D

\$674.00



Undermount model

Shipping Weight 9.9 lbs. (4.5 kg.)



Outside sink rim dimensions 18 3/4" FB x 16 3/4" LR
Single bowl dimensions 17" FB x 15" LR x 9" DP
Rear drain wastehole location

FUN# 122.0183.165

21" cabinet - recommended minimum for Kindred install method
18" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BGA1517S



MB100



DBR10S



C09S

SUGGESTED KINDRED FITTINGS



KF10E



KSD10A

Speak to a showroom associate to determine correct hole drillings


KSS8UA/8D

\$653.00



Undermount model

Shipping Weight 13.2 lbs. (6.0 kg.)



Outside sink rim dimensions 18 3/4" FB x 13 3/4" LR
Single bowl dimensions 17" FB x 12" LR x 8" DP
Rear drain wastehole location

FUN# 122.0183.167

18" cabinet - recommended minimum for Kindred install method
18" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BGA1217S



MB100



C09S

SUGGESTED KINDRED FITTINGS



KF10E



KSD10A


Speak to a showroom associate to determine correct hole drillings

KINDRED COLLECTION ▪ UNDERMOUNT SERIES ▪ 18 GAUGE, 18-10 STAINLESS STEEL

KSS3UA/7D
\$426.00



Undermount model
Shipping Weight 13.2 lbs. (6.0 kg.)



Outside sink rim dimensions 18 1/8" FB x 12 3/4" LR
Single bowl dimensions 16" FB x 10 5/8" LR x 7" DP
Rear drain wastehole location
FUN# 122.0183.168
18" cabinet - recommended minimum for Kindred install method
18" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BG355



MB100



C30S

SUGGESTED KINDRED FITTINGS



KF10E




KSD10A

Speak to a showroom
associate to determine
correct hole drillings

KSS1UA/5D
\$383.00



Undermount model
Shipping Weight 7.0 lbs. (3.2 kg.)



Outside sink rim dimensions 16 3/16" FB x 9 1/8" LR
Single bowl dimensions 14 1/16" FB x 7" LR x 5 1/2" DP
Center drain wastehole location
FUN# 122.0183.169
18" cabinet - recommended minimum for Kindred install method
18" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



C20S

SUGGESTED KINDRED FITTINGS



KF10E




KSD10A

Speak to a showroom
associate to determine
correct hole drillings

KSR1UA/9
\$740.00



Undermount model
Shipping Weight 13.0 lbs. (5.9 kg.)



Outside sink rim dimensions 18 1/8" diameter
Single bowl dimensions 16" diameter x 9" DP
Center drain wastehole location
FUN# 122.0183.170
21" cabinet - recommended minimum for Kindred install method
18" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



DB14S

SUGGESTED KINDRED FITTINGS



KF10E



KSD10A

Speak to a showroom
associate to determine
correct hole drillings



Vanity basin KSOWB1420U/5

Kindred Collection Undermount Vanity Basins

Smart and Stylish

No longer simply utilitarian spaces, bathrooms and powder rooms are now a canvas to create a personal statement in luxury and design. Kindred stainless steel vanity basins satisfy with sanitary, robust, easy to maintain materials.

The overall effect is a design that seamlessly complements many styles and decorating schemes.

With an array of shapes and sizes, a Kindred Collection undermount vanity basin in stainless steel will satisfy the most discerning tastes.



KINDRED COLLECTION ▪ UNDERMOUNT VANITY BASINS ▪ 18 GAUGE, 18-10 STAINLESS STEEL


KSOWB1119U/5

\$341.00

cUPC®

Undermount model

Shipping Weight 8.8 lbs. (4.0 kg.)



Outside sink rim dimensions 11" FB x 19" LR
Single bowl dimensions 9" FB x 17" LR x 4 1/2" DP
Includes front overflow waste assembly
1 1/4" waste opening

Waste fitting not included

21" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES




KSOWB1420U/5

\$467.00

cUPC®

Undermount model

Shipping Weight 8.8 lbs. (4.0 kg.)



Outside sink rim dimensions 14" FB x 20" LR
Single bowl dimensions 12" FB x 18" LR x 4 1/2" DP
Includes front overflow waste assembly
1 1/4" waste opening

Waste fitting not included

21" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES




KSOV1420U/7

\$545.00

SP

Undermount model

Shipping Weight 12.1 lbs. (5.5 kg.)



Outside sink rim dimensions 13 11/16" FB x 20 1/4" LR
Single bowl dimensions 11 7/16" FB x 18" LR x 7" DP
Includes front overflow waste assembly
1 1/4" waste opening

Waste fitting not included

24" cabinet - recommended minimum for Kindred install method
21" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES




KSOV1317U/7

\$443.00

SP

Undermount model

Shipping Weight 6.0 lbs. (2.7 kg.)



Outside sink rim dimensions 13 1/4" FB x 17 7/16" LR
Single bowl dimensions 11" FB x 15 3/16" LR x 7" DP
Includes front overflow waste assembly
1 1/4" waste opening

Waste fitting not included

21" cabinet - recommended minimum for Kindred install method
18" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



KINDRED COLLECTION • UNDERMOUNT VANITY BASINS • 18 GAUGE, 18-10 STAINLESS STEEL


KSOV1318U/7

\$381.00



Undermount model

Shipping Weight 12.5 lbs. (5.7 kg.)



Outside sink rim dimensions 13 3/8" FB x 17 7/8" LR
Single bowl dimensions 11" FB x 15 1/2" LR x 7" DP

1 1/4" waste opening

Waste fitting not included

21" cabinet - recommended minimum for Kindred install method

18" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



125GOWK


KSOV18U/7

\$398.00



Undermount model

Shipping Weight 6.3 lbs. (2.9 kg.)



Outside sink rim dimensions 18 1/4" diameter
Single bowl dimensions 16" diameter x 7" DP

Includes front overflow waste assembly

1 1/4" waste opening

Waste fitting not included

21" cabinet - recommended minimum for Kindred install method

18" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



125GOWK


KSOV16U/7

\$375.00



Undermount model

Shipping Weight 9.0 lbs. (4.1 kg.)



Outside sink rim dimensions 16 1/4" diameter
Single bowl dimensions 14" diameter x 7" DP

Includes front overflow waste assembly

1 1/4" waste opening

Waste fitting not included

18" cabinet - recommended minimum for Kindred install method

18" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



125GOWK



Vanity basin KSOV1821/7

Kindred Collection Topmount Vanity Basins

Looking for a change for your powder room, something easy to clean and care for? Stainless steel vanity basins may be just the answer! Kindred Collection stainless steel vanity basins are color fast, with a bright and hygienic surface that can not chip or be scrubbed off. And, Kindred stainless steel vanity basins have chameleon qualities when it comes to fitting in with any color scheme. Good looks, easy to clean, sparkling harmony - a smart and stylish addition to any powder room.

KSOV1821/7

\$364.00




OPTIONAL ACCESSORIES



125GOWK

Topmount model

Shipping Weight 12.1 lbs. (5.5 kg.)



Outside sink rim dimensions 18" FB x 21" LR
Single bowl dimensions 11 7/16" FB x 18" LR x 7" DP

Faucet ledge
Includes front overflow assembly
1 1/4" waste opening

Waste fitting not included

Standard drilling: KSOV1821/7/3 - 3 hole - 1 1/8" diameter, 4" centers
Optional drilling: KSOV1821/7/3-4 - 3 hole, 1 1/2" diameter, 8" centers
Optional drilling: KSOV1821/7/1 - 1 hole on center

24" cabinet - recommended minimum for Kindred install method

KINDRED COLLECTION ▪ TOPMOUNT VANITY BASINS ▪ 18 GAUGE, 18-10 STAINLESS STEEL

KSOV1619/7

\$323.00



OPTIONAL ACCESSORIES




125GOWK



Topmount model

Shipping Weight 6.0 lbs. (2.7 kg.)



Outside sink rim dimensions 16 3/8" FB x 18 1/2" LR
Single bowl dimensions 11" FB x 15 3/16" LR x 7" DP

Faucet ledge

Includes front overflow assembly

1 1/4" waste opening

Waste fitting not included

Standard drilling: KSOV1619/7/3 - 3 hole, 1 1/8" diameter, 4" centers

Optional drilling: KSOV1619/7/1 - 1 hole on center

21" cabinet - recommended minimum for Kindred install method

KSOV1418/7

\$308.00



OPTIONAL ACCESSORIES




125GOWK



Topmount model

Shipping Weight 12.5 lbs. (5.7 kg.)



Outside sink rim dimensions 13 3/4" FB x 17 3/4" LR
Single bowl dimensions 11" FB x 15 1/2" LR x 7" DP

Includes front overflow assembly

1 1/4" waste opening

Waste fitting not included

21" cabinet - recommended minimum for Kindred install method

KSOV19/7

\$313.00



OPTIONAL ACCESSORIES




125GOWK



Topmount model

Shipping Weight 6.3 lbs. (2.9 kg.)



Outside sink rim dimensions 18 3/4" diameter
Single bowl dimensions 16" diameter x 7" DP

Includes front overflow assembly

1 1/4" waste opening

Waste fitting not included

21" cabinet - recommended minimum for Kindred install method

KSOV17/7

\$300.00



OPTIONAL ACCESSORIES




125GOWK



Topmount model

Shipping Weight 9.9 lbs. (4.5 kg.)




Outside sink rim dimensions 16 3/4" diameter
Single bowl dimensions 14" diameter x 7" DP

Includes front overflow assembly


1 1/4" waste opening

Waste fitting not included


21" cabinet - recommended minimum for Kindred install method




CH
Champagne



OS
Oyster



ES
Espresso



ON
Onyx

Kindred faucet model KFPD1400.

KINDRED COLLECTION GRANITE



Kindred Granite Series

Evolution means constant change with a goal of improvement. Whether we're talking salamanders or sinks, to evolve means to change and adapt to new requirements, and to see benefit from those changes.

Kindred Granite models have evolved from first generation composite products to fourth generation leading edge designs and colors to Sanitized® silver materials.

Let us count the ways that Kindred Granite stands apart from the crowd...

- Kindred Granite patented DuraKleen finish is smooth to the touch and easy to clean
- Kindred Granite is homogeneous
- Kindred Granite has a soft matte finish
- Kindred Granite boasts a tolerance for high temperatures up to 280 degrees Celsius
- Kindred Granite is colorfast
- Kindred Granite is scratch resistant
- Kindred Granite has superior thermal shock characteristics
- Kindred Granite feels warm to the touch and will insulate hot water
- Kindred Granite sinks are quiet
- Kindred Granite colors are available in color matched faucets and soap dispensers

Kindred Granite sinks ... an inspired idea that has come of age!



Kindred Granite - Mythos Series

A Stunning Alternative

When stainless steel won't do may we recommend granite sinks for your kitchen. Moulded of tough, hard wearing and easy-to-clean materials granite is a great alternative.

With its fashionable and contemporary lines our Kindred Mythos granite sinks are in four fantastic colors. Don't be surprised when you open the box and find a stainless steel bottom grid packed right in with the sink, it's always included. For a completely coordinated look Kindred offers color matched faucets in all four granite colors ... simply stunning.

KINDRED GRANITE • MYTHOS SERIES • SANITIZED® COLOUR GRANITE COMPOSITE


KGDL2031/8

\$676.00



Topmount model

Shipping Weight 58.6 lbs. (26.6 kg.)



Outside sink rim dimensions 20 1/2" FB x 31 9/16" LR
Equal size bowl dimensions 15 3/8" FB x 13 9/16" LR x 8" DP

Rear drain wastehole locations

Standard drilling: 1 hole, knockouts (4) allow holes to be added on-site

KGDL2031/8CH - Champagne FUN# 114.0055.298

KGDL2031/8OS - Oyster FUN# 114.0308.154

KGDL2031/8ES - Espresso FUN# 114.0183.173

KGDL2031/8ON - Onyx FUN# 114.0153.125


33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BG180S
Included!

COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings


KGDC2031R/8

\$719.00



Topmount model

Shipping Weight 48.0 lbs. (21.7 kg.)



Outside sink rim dimensions 20 1/2" FB x 31 9/16" LR
Large bowl dimensions 15 3/8" FB x 17 1/8" LR x 8" DP
Small bowl dimensions 15 3/8" FB x 10 1/16" LR x 7" DP

Rear drain wastehole locations

Standard drilling: 1 hole, knockouts (4) allow holes to be added on-site

KGDC2031R/8CH - Champagne FUN# 114.0061.203

KGDC2031R/8OS - Oyster FUN# 114.0308.152

KGDC2031R/8ES - Espresso FUN# 114.0202.022

KGDC2031R/8ON - Onyx FUN# 114.0183.174


33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BG190S
Included!

COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings


KGDC2027R/8

\$681.00



Topmount model

Shipping Weight 41.0 lbs. (18.6 kg.)



Outside sink rim dimensions 20 1/2" FB x 27 3/4" LR
Large bowl dimensions 15 3/8" FB x 14" LR x 8" DP
Small bowl dimensions 15 3/8" FB x 9 3/16" LR x 7" DP

Rear drain wastehole locations

Standard drilling: 1 hole, knockouts (4) allow holes to be added on-site

KGDC2027R/8CH - Champagne FUN# 114.0055.309

KGDC2027R/8OS - Oyster FUN# 114.0308.153

KGDC2027R/8ES - Espresso FUN# 114.0202.023

KGDC2027R/8ON - Onyx FUN# 114.0183.176


30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BG160S
Included!

COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings


KGSL2031/8

\$730.00



Topmount model

Shipping Weight 35.0 lbs. (15.3 kg.)



Outside sink rim dimensions 20 1/2" FB x 31 9/16" LR
Single bowl dimensions 15 3/8" FB x 28 7/16" LR x 8" DP

Rear drain wastehole location

Standard drilling: 1 hole, knockouts (4) allow holes to be added on-site

KGSL2031/8CH - Champagne FUN# 114.0055.323

KGSL2031/8OS - Oyster FUN# 114.0308.155

KGSL2031/8ES - Espresso FUN# 114.0202.024

KGSL2031/8ON - Onyx FUN# 114.0183.177


33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BG210S
Included!

COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings

KINDRED GRANITE ▪ MYTHOS SERIES ▪ SANITIZED® COLOUR GRANITE COMPOSITE


KGSL2023/8

\$662.00



Topmount model

Shipping Weight 33.0 lbs. (14.9 kg.)



Outside sink rim dimensions 20 1/2" FB x 23" LR
Single bowl dimensions 15 3/8" FB x 19 7/8" LR x 8" DP
Rear drain wastehole location

Standard drilling: 1 hole, knockouts (4) allow holes to be added on-site

KGSL2023/8CH - Champagne FUN# 114.0055.318

KGSL2023/8OS - Oyster FUN# 114.0308.156

KGSL2023/8ES - Espresso FUN# 114.0183.181

KGSL2023/8ON - Onyx FUN# 114.0183.179

27" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BG200S
Included!



MB50



GB50




C50S



RM50S

COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings


KGSL2017/8

\$573.00



Topmount model

Shipping Weight 36.0 lbs. (16.4 kg.)



Outside sink rim dimensions 20 1/2" FB x 16 3/4" LR
Single bowl dimensions 15 3/8" FB x 13 9/16" LR x 8" DP
Rear drain wastehole location

Standard drilling: 1 hole, knockouts (4) allow holes to be added on-site

KGSL2017/8CH - Champagne FUN# 114.0061.208

KGSL2017/8OS - Oyster FUN# 114.0308.157

KGSL2017/8ES - Espresso FUN# 114.0183.329

KGSL2017/8ON - Onyx FUN# 114.0183.182

18" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BG180S
Included!



MB50



GB50




C50S



RM50S

COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings


KGDL2233/9

\$822.00



Topmount model

Shipping Weight 41.0 lbs. (18.8 kg.)



Outside sink rim dimensions 22" FB x 33" LR
Equal size bowl dimensions 16 5/8" FB x 14 5/16" LR x 8" DP
Rear drain wastehole location

Standard drilling: 1 hole, knockouts (4) allow holes to be added on-site

KGDL2233/9CH - Champagne FUN# 114.0055.328

KGDL2233/9ES - Espresso FUN# 114.0202.025

KGDL2233/9ON - Onyx FUN# 114.0168.162

36" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BG220S
Included!



BG220S




MB55



RM55S

COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings


KGDIU/8

\$726.00



Undermount model

Shipping Weight 47.1 lbs. (21.3 kg.)



Outside sink rim dimensions 18 1/8" FB x 31 9/16" LR
Equal size bowl dimensions 15 3/8" FB x 13 9/16" LR x 8" DP
Rear drain wastehole location

KGDIU/8CH - Champagne FUN# 114.0061.222

KGDIU/8OS - Oyster FUN# 125.0308.159

KGDIU/8ES - Espresso FUN# 125.0183.331

KGDIU/8ON - Onyx FUN# 125.0183.330

36" cabinet - recommended minimum for Kindred install method

33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



BG180S
Included!



BG180S



MB50



GB50




C50S



RM50S

COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings

KINDRED GRANITE • MYTHOS SERIES • SANITIZED® COLOUR GRANITE COMPOSITE



KGDCR1U/8

\$794.00



Undermount model

Shipping Weight 48.0 lbs. (21.7 kg.)



Outside sink rim dimensions 18 1/8" FB x 31 9/16" LR
Large bowl dimensions 15 3/8" FB x 17 1/8" LR x 8" DP
Small bowl dimensions 15 3/8" FB x 10 1/16" LR x 7" DP

Rear drain wastehole location

KGDCR1U/8CH - Champagne FUN# 125.0055.314

KGDCR1U/8OS - Oyster FUN# 125.0308.160

KGDCR1U/8ES - Espresso FUN# 125.0202.026

KGDCR1U/8ON - Onyx FUN# 125.0183.332


36" cabinet - recommended minimum for Kindred install method

33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings



KGDC2RU/8

\$735.00



Undermount model

Shipping Weight 41.0 lbs. (18.6 kg.)



Outside sink rim dimensions 18 1/8" FB x 27 9/16" LR
Large bowl dimensions 15 3/8" FB x 14" LR x 8" DP
Small bowl dimensions 15 3/8" FB x 9 3/16" LR x 7" DP

Rear drain wastehole location

KGDC2RU/8CH - Champagne FUN# 114.0061.232

KGDC2RU/8OS - Oyster FUN# 125.0308.172

KGDC2RU/8ES - Espresso FUN# 125.0202.027

KGDC2RU/8ON - Onyx FUN# 125.0183.334


33" cabinet - recommended minimum for Kindred install method

27" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KGS1U/8

\$769.00



Undermount model

Shipping Weight 35.0 lbs. (15.3 kg.)



Outside sink rim dimensions 18" FB x 31 9/16" LR
Single bowl dimensions 15 3/8" FB x 28 7/16" LR x 8" DP

Rear drain wastehole location

KGS1U/8CH - Champagne FUN# 125.0078.233

KGS1U/8OS - Oyster FUN# 125.0308.173


KGS1U/8ES - Espresso FUN# 125.0202.340

KGS1U/8ON - Onyx FUN# 125.0183.334


36" cabinet - recommended minimum for Kindred install method

33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


KGS2U/8

\$700.00



Undermount model

Shipping Weight 33.0 lbs. (14.9 kg.)



Outside sink rim dimensions 18 1/8" FB x 23" LR
Single bowl dimensions 15 3/8" FB x 19 7/8" LR x 8" DP

Rear drain wastehole location

KGS2U/8CH - Champagne FUN# 125.0078.169

KGS2U/8OS - Oyster FUN# 125.0294.941


KGS2U/8ES - Espresso FUN# 125.0183.966

KGS2U/8ON - Onyx FUN# 125.0183.335


27" cabinet - recommended minimum for Kindred install method

24" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS




Speak to a showroom associate to determine correct hole drillings

KINDRED GRANITE ▪ MYTHOS SERIES ▪ SANITIZED® COLOUR GRANITE COMPOSITE

KGS3U/8
\$599.00




Undermount model
Shipping Weight 36.0 lbs. (16.3 kg.)




Outside sink rim dimensions 18 1/8" FB x 16 3/4" LR
Single bowl dimensions 15 3/8" FB x 13 9/16" LR x 8" DP
Rear drain wastehole location
KGS3U/8CH - Champagne FUN# 125.0078.228
KGS3U/8OS - Oyster FUN# 125.0308.174
KGS3U/8ES - Espresso FUN# 125.0183.966
KGS3U/8ON - Onyx FUN# 125.0183.336
21" cabinet - recommended minimum for Kindred install method
18" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



COLOURS AVAILABLE




SUGGESTED KINDRED FITTINGS



KGD2U/9
\$881.00



Undermount model
Shipping Weight 41.0 lbs. (18.8 kg.)




Outside sink rim dimensions 19 3/8" FB x 33" LR
Large bowl dimensions 16 5/8" FB x 14 5/16" LR x 9" DP
Small bowl dimensions 16 5/8" FB x 14 5/16" LR x 8" DP
Rear drain wastehole location
KGD2U/9CH - Champagne FUN# 114.0061.252
KGD2U/9ES - Espresso FUN# 125.0203.913
KGD2U/9ON - Onyx FUN# 125.0168.161
36" cabinet - recommended minimum for Kindred install method
33" cabinet - minimum to accept sink bowls (refer to index page)

OPTIONAL ACCESSORIES



COLOURS AVAILABLE



SUGGESTED KINDRED FITTINGS



Sink model KGS3U/8CH with BG180S bottom grid.
Faucet model KFPD1200 and soap dispenser KSD1200.



Kindred Granite Co-ordinating Faucets

A Beautiful Addition

Want to know what works well with a Kindred sink? A Kindred Faucet! All the popular finishes are available and while chrome may be considered the kitchen standard we go beyond ordinary to extraordinary with color matched granite faucets to complement your Kindred Granite sink.

It's important to know Kindred faucets have been machined from solid brass castings. Plastic moldings have been restricted to use where this technology is required. We believe that function comes first, not cost savings.

You've selected the sink; now add the finest finishing touch with Kindred faucets.



Sink model QDL2031/8/1 and faucet model KF10A.

KINDRED STEEL QUEEN

Design and Quality

The Kindred Steel Queen family has a long and proud history in the plumbing industry, where it is known for great value, easy to care for finishes, and sizes and shapes for virtually any room in your home. Choose from topmount, undermount or dual mount, silk or mirror deck finishes, and optional accessories designed to expand the function of your sink.

Durable by Any Standard

We realize that purchase of a Kindred Steel Queen sink is an important decision. Kindred includes all the essentials that you will need in every Kindred Steel Queen package, an installation hardware kit, factory applied rimseal, illustrated installation instructions, and a template for marking and cutting the countertop. And did we mention that Kindred Steel Queen sinks are easy to install. You don't need to be a master plumber to install our product.



Sink model QSL2020/8 shown with
BG11S bottom grid and CA1W colander
Faucet model KFPOS100

Kindred Steel Queen Topmount

A Popular Choice for Value and Variety

Topmount sinks are a traditional and popular choice for kitchens. And, the Kindred Steel Queen topmount models set the standard, in robust 20 gauge stainless steel, satin finished bowls with mirror finished rims. Select a single, double or combination model with 7" and 8" deep bowls to address wash up or food prep areas.

And that's not all. We also offer a whole host of optional accessories specifically engineered to make your sink do more for you every day, whether you are chopping, rinsing, defrosting, or draining dishes.

Steel Queen topmount sinks offer good value and a variety of size and bowl configurations, all backed with our standard Kindred Lifetime Warranty.



STEEL QUEEN KITCHEN SINKS ▪ TOPMOUNT SERIES ▪ 20 GAUGE, 18-8 STAINLESS STEEL


QDL2031/8

\$499.00



Topmount model

Shipping Weight 18.7 lbs. (8.5 kg)



Outside sink rim dimensions 20 1/2" FB x 31 1/4" LR
Equal size bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole locations, faucet ledge, Spillway® partition

Standard drilling: QDL2031/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 101.0045.182

Optional drilling: QDL2031/8/4 - 4 hole - 4th hole on right hand side

FUN# 101.0045.183

Optional drilling: QDL2031/8/1 - 1 hole - 1 hole on center

FUN# 101.0045.180

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BG105



BG105



MB1610



CA1W



DBR10S



C30S

SUGGESTED KINDRED FITTINGS



KFPD1100




KSD1100

Speak to a showroom associate to determine correct hole drillings


QDL2031/7

\$409.00



Topmount model

Shipping Weight 17.6 lbs. (8.0 kg)



Outside sink rim dimensions 20 1/2" FB x 31 1/4" LR
Equal size bowl dimensions 16" FB x 14" LR x 7" DP

Rear drain wastehole locations, faucet ledge, Spillway® partition

Standard drilling: QDL2031/7/3 - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 101.0045.177

Optional drilling: QDL2031/7/4 - 4 hole - 4th hole on right hand side

FUN# 101.0045.178

Optional drilling: QDL2031/7/1 - 1 hole - 1 hole on center

FUN# 101.0045.176

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BG105



BG105



MB1610



CA1W



DBR10S



C30S

SUGGESTED KINDRED FITTINGS



KFPD1100



KSD1100

Speak to a showroom associate to determine correct hole drillings


QD1831/8

\$443.00



Topmount model

Shipping Weight 17.6 lbs. (7.5 kg)



Outside sink rim dimensions 18 7/16" FB x 31 1/4" LR
Equal size bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole locations, Spillway® partition

Standard drilling: QD1831/8 - no hole

FUN# 101.0045.147

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BG105



BG105



MB1610



CA1W



DBR10S



C30S

SUGGESTED KINDRED FITTINGS



KFPD1100



KSD1100

Speak to a showroom associate to determine correct hole drillings


QDLA2233/8

\$665.00



Topmount model

Shipping Weight 22.4 lbs. (10.2 kg)



Outside sink rim dimensions 22" FB x 33 3/8" LR
Equal size bowl dimensions 17" FB x 15" LR x 8" DP

Rear drain wastehole locations, faucet ledge, Spillway® partition

Standard drilling: QDLA2233/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 101.0169.265

Optional drilling: QDLA2233/8/1 - 1 hole - 1 hole on center

FUN# 101.0169.264

36" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BGA1517S



BGA1517S



MB1809



CA1W



C30S

SUGGESTED KINDRED FITTINGS



KFPD1100



KSD1100

Speak to a showroom associate to determine correct hole drillings

STEEL QUEEN KITCHEN SINKS ▪ TOPMOUNT SERIES ▪ 20 GAUGE, 18-8 STAINLESS STEEL


QCMA1826/7

\$456.00



Topmount model

Shipping Weight 15.0 lbs. (6.7 kg.)



Outside sink rim dimensions 18 1/8" FB x 26 1/2" LR
Large bowl dimensions 16" FB x 14" LR x 7" DP
Rear drain wastehole location
Small bowl dimensions 11 5/8" FB x 9 1/4" LR x 6" DP
Centre drain wastehole location

Faucet ledge, Spillway® partition

Standard drilling: QCMA1826/7/3 - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 101.0045.110

Optional drilling: QCMA1826/7/1 - 1 hole - 1 1/2" dia., left hand side

FUN# 101.0203.912

30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




QCLA2031R/8

\$669.00



Topmount model

Shipping Weight 17.8 lbs. (8.0 kg.)



Outside sink rim dimensions 20 1/2" FB x 31 1/4" LR
Large bowl dimensions 16" FB x 18" LR x 8" DP
Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole locations, faucet ledge, Spillway® partition

Standard drilling: QCLA2031R/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 101.0201.838

Optional drilling: QCLA2031R/8/1 - 1 hole - 1 hole on center


FUN# 101.0201.835

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




QCLA2031L/8

\$669.00



Topmount model

Shipping Weight 17.8 lbs. (8.0 kg.)



Outside sink rim dimensions 20 1/2" FB x 31 1/4" LR
Large bowl dimensions 16" FB x 18" LR x 8" DP
Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole locations, faucet ledge, Spillway® partition

Standard drilling: QCLA2031L/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 101.0201.844

Optional drilling: QCLA2031L/8/1 - 1 hole - 1 hole on center


FUN# 101.0201.842

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




QCLA2027R/8

\$643.00



Topmount model

Shipping Weight 15.9 lbs. (7.2 kg.)



Outside sink rim dimensions 20 9/16" FB x 27 1/4" LR
Large bowl dimensions 16" FB x 14" LR x 8" DP
Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole locations, faucet ledge, Spillway® partition

Standard drilling: QCLA2027R/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 101.0202.031

Optional drilling: QCLA2027R/8/1 - 1 hole - 1 hole on center


FUN# 101.0202.029

30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



STEEL QUEEN KITCHEN SINKS ▪ TOPMOUNT SERIES ▪ 20 GAUGE, 18-8 STAINLESS STEEL


QCLA2027L/8

\$643.00



Topmount model

Shipping Weight 15.9 lbs. (7.2 kg.)



Outside sink rim dimensions 20 9/16" FB x 27 1/4" LR

Large bowl dimensions 16" FB x 14" LR x 8" DP

Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole locations, faucet ledge, Spillway® partition

Standard drilling: QCLA2027L/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 101.0202.172

Optional drilling: QCLA2027L/8/1 - 1 hole - 1 hole on center

FUN# 101.0202.160

30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



CA1W
Included!



BG10S



BG13S



MB1610



DBR10S

SUGGESTED KINDRED FITTINGS



KFPD1100



KSD1100

Speak to a showroom associate to determine correct hole drillings


QCM2033/8

\$630.00



Topmount model

Shipping Weight 15.0 lbs. (6.7 kg.)



Outside sink rim dimensions 20 1/8" FB x 33 1/4" LR

Large bowl dimensions 18" FB x 16" LR x 8" DP

Small bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole locations, faucet ledge

Optional drilling: QCM2033/8/1 - 1 hole - 1 hole on center

FUN# 101.0062.342

36" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BG10S



MB1610



CA1W



DBR10S

SUGGESTED KINDRED FITTINGS



KFPD1100



KSD1100

Speak to a showroom associate to determine correct hole drillings


QSL2020/8

\$293.00



Topmount model

Shipping Weight 12.0 lbs. (5.5 kg.)



Outside sink rim dimensions 20 1/2" FB x 20" LR

Single bowl dimensions 16" FB x 18" LR x 8" DP

Rear drain wastehole location, faucet ledge

Standard drilling: QSL2020/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 101.0045.230

Optional drilling: QSL2020/8/4 - 4 hole - 4th hole on right hand side

FUN# 101.0045.231

Optional drilling: QSL2020/8/1 - 1 hole - 1 hole on center

FUN# 101.0045.229

24" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BG11S



MB1610



CA1W



DBR10S

SUGGESTED KINDRED FITTINGS



KFPD1100



KSD1100

Speak to a showroom associate to determine correct hole drillings


QSL2020/7

\$233.00



Topmount model

Shipping Weight 11.0 lbs. (4.9 kg.)



Outside sink rim dimensions 20 1/2" FB x 20" LR

Single bowl dimensions 16" FB x 18" LR x 7" DP

Rear drain wastehole location, faucet ledge

Standard drilling: QSL2020/7/3 - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 101.0045.226

Optional drilling: QSL2020/7/4 - 4 hole - 4th hole on right hand side

FUN# 101.0045.227

Optional drilling: QSL2020/7/1 - 1 hole - 1 hole on center

FUN# 101.0045.225

24" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BG11S



MB1610



CA1W



DBR10S

SUGGESTED KINDRED FITTINGS



KFPD1100



KSD1100


Speak to a showroom associate to determine correct hole drillings

STEEL QUEEN KITCHEN SINKS ▪ TOPMOUNT SERIES ▪ 20 GAUGE, 18-8 STAINLESS STEEL

QSLA2225/8
\$463.00



Topmount model
Shipping Weight 15.2 lbs. (6.9 kg.)



Outside sink rim dimensions 22" FB x 25 1/4" LR
Single bowl dimensions 17" FB x 23" LR x 8" DP
Rear drain wastehole location, faucet ledge
Standard drilling: QSLA2225/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center
FUN# 101.0169.279
Optional drilling: QSLA2225/8/1 - 1 hole - 1 hole on center
FUN# 101.0169.278
27" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES




SUGGESTED KINDRED FITTINGS



QSLA2031/8
\$524.00




Topmount model
Shipping Weight 19.5 lbs. (8.8 kg.)



Outside sink rim dimensions 20 1/2" FB x 31 1/4" LR
Single bowl dimensions 16" FB x 29" LR x 8" DP
Rear drain wastehole location, faucet ledge
Standard drilling: QSLA2031/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center
FUN# 101.0202.187
Optional drilling: QSLA2031/8/1 - 1 hole - 1 hole on center
FUN# 101.0202.185
33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES




SUGGESTED KINDRED FITTINGS



QSLA2233/8
\$529.00



Topmount model
Shipping Weight 25.0 lbs. (11.4 kg.)




Outside sink rim dimensions 22" FB x 33 3/8" LR
Single bowl dimensions 17" FB x 31" LR x 8" DP
Rear drain wastehole location, faucet ledge
Standard drilling: QSLA2233/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center
FUN# 101.0169.276
Optional drilling: QSLA2233/8/1 - 1 hole - 1 hole on center
FUN# 101.0169.275
36" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS





Sink model QSLF2020/8/3
with BGZ18S bottom grid

Kindred Steel Queen Fabricated Dual Mount Kitchen Sinks

The Versatile Design Option

Born of innovative design, with an eye to versatility, the Steel Queen Dualmount product embraces contemporary design at a mid-price point.

These Steel Queen models have a remarkably flat deck for versatility, and as the name suggests, may be installed as a topmount, or as an undermount if you have a solid surface counter.

Every Steel Queen fabricated model is created to exact specifications, with zero radius corners and finished in #4 commercial satin finish to complement commercial look home appliances.

And, as with all Steel Queen products we include waste fittings, sound dampening pads, undercoating and rim seal on these models. We take out the guesswork by ensuring every sink is packed complete with illustrated installation instructions, template and hardware to ensure trouble-free installation.



61621 Stainless steel sink cleaner

STEEL QUEEN FABRICATED SINKS ▪ DUAL MOUNT ▪ 20 GAUGE, 18-8 STAINLESS STEEL


QDLF2233/8

\$938.00

cUPC®



Topmount or undermount model
Zero radius corners
Shipping Weight 19.3 lbs. (8.8 kg.)



Outside sink dimensions 22" FB x 33 1/4" LR
Equal size bowl dimensions 17" FB x 15" LR x 8" DP
Rear drain wastehole location, faucet ledge
Bowl is pitched to the center of the wastehole
Standard drilling: QDLF2233/8/3 - 3 hole - 1 1/2" dia., 4" center-to center
FUN# 101.0191.930
Optional drilling: QDLF2233/8/1 - 1 hole on center
FUN# 101.0191.929
36" cabinet - recommended minimum for Kindred topmount method
39" cabinet - recommended minimum for Kindred undermount method
33" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




QDLF2031/8

\$731.00

cUPC®



Topmount or undermount model
Zero radius corners
Shipping Weight 16.0 lbs. (7.3 kg.)



Outside sink dimensions 20 9/16" FB x 31 1/4" LR
Equal size bowl dimensions 16" FB x 14" LR x 8" DP
Rear drain wastehole location, faucet ledge
Bowl is pitched to the center of the wastehole
Standard drilling: QDLF2031/8/3 - 3 hole - 1 1/2" dia., 4" center-to center
FUN# 101.0191.924
Optional drilling: QDLF2031/8/1 - 1 hole on center
FUN# 101.0191.923
33" cabinet - recommended minimum for Kindred topmount method
36" cabinet - recommended minimum for Kindred undermount method
33" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




QCLF2031R/8

\$732.00

cUPC®



Topmount or undermount model
Zero radius corners
Shipping Weight 17.9 lbs. (8.1 kg.)



Outside sink dimensions 20 9/16" FB x 31 1/4" LR
Large bowl dimensions 16" FB x 18" LR x 8" DP
Small bowl dimensions 16" FB x 10" LR x 8" DP
Rear drain wastehole location, faucet ledge
Bowl is pitched to the center of the wastehole
Standard drilling: QCLF2031R/8/3 - 3 hole - 1 1/2" dia., 4" center-to center
FUN# 101.0191.927
Optional drilling: QCLF2031R/8/1 - 1 hole on center
FUN# 101.0191.926
33" cabinet - recommended minimum for Kindred topmount method
36" cabinet - recommended minimum for Kindred undermount method
33" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




QCLF2027R/8

\$852.00

cUPC®



Topmount or undermount model
Zero radius corners
Shipping Weight 16.1 lbs. (7.3 kg.)



Outside sink dimensions 20 9/16" FB x 27 1/4" LR
Large bowl dimensions 16" FB x 14" LR x 8" DP
Small bowl dimensions 16" FB x 10" LR x 8" DP
Rear drain wastehole location, faucet ledge
Bowl is pitched to the center of the wastehole
Optional drilling: QCLF2027R/8/1 - 1 hole on center
FUN# 101.0191.920
30" cabinet - recommended minimum for Kindred topmount method
33" cabinet - recommended minimum for Kindred undermount method
27" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



STEEL QUEEN FABRICATED SINKS • DUAL MOUNT • 20 GAUGE, 18-8 STAINLESS STEEL


QCLF2039DBR/8

\$974.00

cUPC®



Topmount or undermount model
Zero radius corners
Shipping Weight 18.7 lbs. (8.5 kg.)



Outside sink dimensions 20 9/16" FB x 39 3/8" LR
Large bowl dimensions 16" FB x 14" LR x 8" DP
Small bowl dimensions 16" FB x 10" LR x 8" DP

Rear drain wastehole location, faucet ledge
Bowl is pitched to the center of the wastehole

Standard drilling: QCLF2039DBR/8/3 - 3 hole - 1 1/2" dia., 4" center-to center
FUN# 101.0191.933

Optional drilling: QCLF2039DBR/8/1 - 1 hole on center
FUN# 101.0191.932

30" cabinet - recommended minimum for Kindred topmount method
45" cabinet - recommended minimum for Kindred undermount method

27" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BGZ14S BGZ10S MB1610 DBR10S

SUGGESTED KINDRED FITTINGS



KFDP1150 KSD1150 Speak to a showroom associate to determine correct hole drillings


QSLF2225/8

\$605.00

cUPC®



Topmount or undermount model
Zero radius corners
Shipping Weight 13.0 lbs. (5.9 kg.)



Outside sink dimensions 22" FB x 25 1/8" LR
Single bowl dimensions 17" FB x 23" LR x 8" DP

Rear drain wastehole location, faucet ledge
Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2225/8/3 - 3 hole - 1 1/2" dia., 4" center-to center
FUN# 101.0191.918

Optional drilling: QSLF2225/8/1 - 1 hole on center
FUN# 101.0191.917

27" cabinet - recommended minimum for Kindred topmount method
30" cabinet - recommended minimum for Kindred undermount method

27" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BGZ23S MBZ17 DBR10S

SUGGESTED KINDRED FITTINGS



KFDP1150 KSD1150 Speak to a showroom associate to determine correct hole drillings


QSLF2020/8

\$539.00

cUPC®



Topmount or undermount model
Zero radius corners
Shipping Weight 10.5 lbs. (4.7 kg.)



Outside sink dimensions 20 9/16" FB x 20 1/8" LR
Single bowl dimensions 16" FB x 18" LR x 8" DP

Rear drain wastehole location, faucet ledge
Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2020/8/3 - 3 hole - 1 1/2" dia., 4" center-to center
FUN# 101.0191.915

Optional drilling: QSLF2020/8/1 - 1 hole on center
FUN# 101.0191.914

24" cabinet - recommended minimum for Kindred topmount method
27" cabinet - recommended minimum for Kindred undermount method

21" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BGZ18S MBZ16 DBR10S

SUGGESTED KINDRED FITTINGS




KFDP1150 KSD1150 Speak to a showroom associate to determine correct hole drillings


QSLF1717/7

\$492.00

cUPC®



Topmount or undermount model
Zero radius corners
Shipping Weight 41.1 lbs. (18.3 kg.)



Outside sink dimensions 17" FB x 17" LR
Single bowl dimensions 12 7/16" FB x 14 7/8" LR x 7" DP

Rear drain wastehole location, faucet ledge
Bowl is pitched to the center of the wastehole

Standard drilling: QSLF1717/7/2 - 2 hole - 1 1/2" dia., 4" center-to center
FUN# 101.0307.431

Optional drilling: QSLF1717/7/1 - 1 hole on center
FUN# 101.0307.432

21" cabinet - recommended minimum for Kindred topmount method
21" cabinet - recommended minimum for Kindred undermount method


18" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BGZ1512S

SUGGESTED KINDRED FITTINGS



KFDP1150 KSD1150 Speak to a showroom associate to determine correct hole drillings

STEEL QUEEN FABRICATED SINKS • DUAL MOUNT • 20 GAUGE, 18-8 STAINLESS STEEL


QSLF2016/8/2

\$591.00

cUPC®



Topmount or undermount model
Zero radius corners
Shipping Weight 9.0 lbs. (4.1 kg.)



Outside sink dimensions 20 9/16" FB x 16 1/8" LR
Single bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location, faucet ledge
Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2016/8/2 - 2 hole - 1 1/2" dia., 4" center-to center
FUN# 101.0191.913

18" cabinet - recommended minimum for Kindred topmount method

21" cabinet - recommended minimum for Kindred undermount method

18" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BGZ14S



MBZ16



DBR10S

SUGGESTED KINDRED FITTINGS



KFPD1150



KSD1150

Speak to a showroom
associate to determine
correct hole drillings


QSLF2016/8

\$591.00

cUPC®



Topmount or undermount model
Zero radius corners
Shipping Weight 9.0 lbs. (4.1 kg.)



Outside sink dimensions 20 9/16" FB x 16 1/8" LR
Single bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location, faucet ledge
Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2016/8/3 - 3 hole - 1 1/2" dia., 4" center-to center
FUN# 101.0191.912

Optional drilling: QSLF2016/8/1 - 1 hole on center

FUN# 101.0191.911

18" cabinet - recommended minimum for Kindred topmount method

21" cabinet - recommended minimum for Kindred undermount method

18" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BGZ14S



MBZ16



DBR10S

SUGGESTED KINDRED FITTINGS



KFPD1150



KSD1150

Speak to a showroom
associate to determine
correct hole drillings


QDFS31B

\$1,066.00

cUPC®



Topmount or undermount model
Zero radius corners
Shipping Weight 55.3 lbs. (24.7 kg.)



Outside sink dimensions 20" FB x 32 7/8" LR
Equal size bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location
Bowls are pitched to the center of the wastehole

Standard drilling: QDFS31B - no hole

FUN# 123.0285.882

33" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BGDS14S



BGDS14S

Included! Included!

SUGGESTED KINDRED FITTINGS



KFPD1150



KSD1150

Speak to a showroom
associate to determine
correct hole drillings


QSFS31B

\$1,024.00

cUPC®



Topmount or undermount model
Zero radius corners
Shipping Weight 55.3 lbs. (24.7 kg.)



Outside sink dimensions 20 11/16" FB x 32 7/8" LR
Equal size bowl dimensions 15 15/16" FB x 30" LR x 8" DP

Rear drain wastehole location
Bowl is pitched to the center of the wastehole

Standard drilling: QSFS31B - no hole

FUN# 123.0285.886

33" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BGDS30S

Included!

SUGGESTED KINDRED FITTINGS



KFPD1150



KSD1150

Speak to a showroom
associate to determine
correct hole drillings

STEEL QUEEN FABRICATED SINKS ▪ DUAL MOUNT ▪ 20 GAUGE, 18-8 STAINLESS STEEL


QSLF2020/10

\$797.00

cUPC®



Topmount or undermount model
25 mm radius coved corners
Shipping Weight 41.1 lbs. (18.3 kg.)



Outside sink dimensions 20 9/16" FB x 20 1/8" LR
Single bowl dimensions 16" FB x 18" LR x 10" DP

Rear drain wastehole location, faucet ledge
Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2020/10/3 - 3 hole - 1 1/2" dia., 4" center-to center

FUN# 101.0293.893

Optional drilling: QSLF2020/10/1 - 1 hole on center

FUN# 101.0300.792

24" cabinet - recommended minimum for Kindred topmount method

24" cabinet - recommended minimum for Kindred undermount method

21" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BGZ18S



DBR10S



MBZ16

SUGGESTED KINDRED FITTINGS



KFDP1150




KSD1150

Speak to a showroom
associate to determine
correct hole drillings


QSLF2020/12

\$935.00

cUPC®



Topmount or undermount model
25 mm radius coved corners
Shipping Weight 41.1 lbs. (18.3 kg.)



Outside sink dimensions 20 9/16" FB x 20 1/8" LR
Single bowl dimensions 16" FB x 18" LR x 12" DP

Rear drain wastehole location, faucet ledge
Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2020/12/3 - 3 hole - 1 1/2" dia., 4" center-to center

FUN# 101.0300.898

Optional drilling: QSLF2020/12/1 - 1 hole on center

FUN# 101.0300.801

24" cabinet - recommended minimum for Kindred topmount method

24" cabinet - recommended minimum for Kindred undermount method

21" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BGZ18S



DBR10S



MBZ16

SUGGESTED KINDRED FITTINGS



KFDP1150



KSD1150

Speak to a showroom
associate to determine
correct hole drillings



Sink model CDLA2233R/8S includes bottom grids.
Shown with faucet model KFPOS100.

Cuisinette Accessorized Sinks

Simply Perfect

When is a sink more than just a sink? When it's an accessorized Cuisinette sink. This unique collection offers added value in both function and finish. The robust 20 gauge stainless steel topmount offering features easy to clean satin finished bowls and silk finished rims for a sparkling centerpiece sink, and sink accessories included right in the sink package.

A variety of bowl shapes, sizes and configurations all with an easy care finish and accessories included – what could be simpler?



STEEL QUEEN CUISINETTE ACCESSORIZED TOPMOUNT SINKS • 20 GAUGE, 18-8 STAINLESS STEEL


CDLA2031/8S

\$652.00



Topmount model

Shipping Weight 18.7 lbs. (8.5 kg.)



Outside sink dimensions 20 1/2" FB x 31 1/4" LR
Equal size bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location, faucet ledge and Spillway® partition

Standard drilling: CDLA2031/8S/3 - 3 hole - 1 1/2" dia., 4" center-to center

FUN# 101.0202.193

Optional drilling: CDLA2031/8S/1 - 1 hole on center

FUN# 101.0202.191

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




CDC2031R/8S

\$686.00



Topmount model

Shipping Weight 25.5 lbs. (11.6 kg.)



Outside sink dimensions 20 5/8" FB x 31 1/2" LR

Large bowl - 18 1/2" FB x 17 3/4" LR x 8" DP

Small bowl - 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole location, faucet ledge and Spillway® partition

Standard drilling: CDC2031R/8S/1 - 1 hole on center, 1 1/2" dia.

FUN# 101.0062.321

Optional drilling: CDC2031R/8S/2 - 2nd hole, left

FUN# 101.0062.322

Optional drilling: CDC2031R/8S/3 - 3 hole, as shown

FUN# 101.0062.323

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




CDC2031L/8S

\$686.00



Topmount model

Shipping Weight 25.5 lbs. (11.6 kg.)



Outside sink dimensions 20 5/8" FB x 31 1/2" LR

Large bowl - 18 1/2" FB x 17 3/4" LR x 8" DP

Small bowl - 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole location, faucet ledge and Spillway® partition

Standard drilling: CDC2031L/8S/1 - 1 hole on center, 1 1/2" dia.

FUN# 101.0062.324

Optional drilling: CDC2031R/8S/2 - 2nd hole, left

FUN# 101.0062.325

Optional drilling: CDC2031L/8S/3 - 3 hole, as shown

FUN# 101.0062.326

33" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




CCLA2027R/8S

\$697.00



Topmount model

Shipping Weight 16.1 lbs. (7.3 kg.)



Outside sink dimensions 20 9/16" FB x 27 1/4" LR

Large bowl - 16" FB x 14" LR x 8" DP

Small bowl - 16" FB x 10" LR x 7" DP

Rear drain wastehole location, faucet ledge and Spillway® partition

Standard drilling: CCLA2027R/8S/3 - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 101.0202.199

Optional drilling: CCLA2027R/8S/1 - 1 hole on center

FUN# 101.0202.197

30" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




STEEL QUEEN CUISINETTE ACCESSORIZED TOPMOUNT SINKS ▪ 20 GAUGE, 18-8 STAINLESS STEEL

CSLA2020/8S

\$381.00

Topmount model

Shipping Weight 12.0 lbs. (5.5 kg.)



Outside sink dimensions 20 1/2" FB x 20" LR
Single bowl dimensions 16" FB x 18" LR x 8" DP

Rear drain wastehole location

Standard drilling: CSLA2020/8S/3 - 3 hole - 1 1/2" dia., 4" center-to-center


FUN# 101.0202.308

Optional drilling: CSLA2020/8S/1 - 1 hole on center

FUN# 101.0202.245

24" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




CSX2123/8S

\$461.00

Topmount model

Shipping Weight 19.2 lbs. (8.7 kg.)



Outside sink dimensions 20 7/8" FB x 23 3/8" LR
Single bowl dimensions 18 3/4" FB x 21 1/4" LR x 8" DP

Rear drain wastehole location

Standard drilling: CSX2123/8S/1R - 1 hole (right), 1 1/2" diameter

FUN# 101.0062.336

Optional drilling: CSX2123/8S/1L - 1 hole (left), 1 1/2" diameter


FUN# 101.0062.337

Optional drilling: CSX2123/8S/2 - 2 hole, as shown

FUN# 101.0062.338

27" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS





Kindred Steel Queen Undermount Sinks

Value and Durability

An undermount sink is a sparkling companion to a solid surface kitchen countertop. Steel Queen undermount models are available in single, double and combination models for kitchen, laundry and hospitality use.

Wherever you need a durable, dependable sink that keeps its shine year after year the Steel Queen Undermount delivers. This collection includes sink bowls in either 7 or 8 inch depth with a satin finish and decks done with a mirror finish.

All Steel Queen undermount models are shipped ready to install with everything you need including template and instructions – and of course the standard Kindred Lifetime Warranty.



STEEL QUEEN UNDERMOUNT KITCHEN SINKS ■ 20 GAUGE, 18-8 STAINLESS STEEL


QDUA1933/8

\$541.00



Undermount model

Shipping Weight 17.2 lbs. (7.8 kg.)




Outside sink dimensions 18 3/4" FB x 32 7/8" LR
Equal size bowl dimensions 17" FB x 15" LR x 8" DP
Rear drain wastehole location and Spillway® partition

FUN# 122.0170.394

36" cabinet - recommended minimum for Kindred install method
33" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




QDUA1831/8

\$475.00



Undermount model

Shipping Weight 17.1 lbs. (7.8 kg.)



Outside sink dimensions 17 3/4" FB x 30 7/8" LR
Equal size bowl dimensions 16" FB x 14" LR x 8" DP
Rear drain wastehole location Spillway® partition


FUN# 122.0045.191

36" cabinet - recommended minimum for Kindred install method
33" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




QCUA1933R/8

\$704.00



Undermount model

Shipping Weight 17.2 lbs. (7.8 kg.)




Outside sink dimensions 18 3/4" FB x 32 7/8" LR
Large bowl dimensions 17" FB x 18" LR x 8" DP
Small bowl dimensions 17" FB x 12" LR x 7" DP
Rear drain wastehole location and Spillway® partition

FUN# 122.0170.396

36" cabinet - recommended minimum for Kindred install method
33" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




QCUA1831R/8

\$650.00



Undermount model

Shipping Weight 17.0 lbs. (7.7 kg.)



Outside sink dimensions 17 3/4" FB x 30 7/8" LR
Large bowl dimensions 16" FB x 18" LR x 8" DP
Small bowl dimensions 16" FB x 10" LR x 7" DP
Rear drain wastehole location and Spillway® partition

FUN# 122.0202.322

36" cabinet - recommended minimum for Kindred install method
33" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



STEEL QUEEN UNDERMOUNT KITCHEN SINKS • 20 GAUGE, 18-8 STAINLESS STEEL


QCUA1831L/8

\$650.00



Undermount model

Shipping Weight 17.0 lbs. (7.7 kg.)



Outside sink dimensions 17 3/4" FB x 30 7/8" LR
Large bowl dimensions 16" FB x 18" LR x 8" DP
Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole location and Spillway® partition

FUN# 122.0202.324

36" cabinet - recommended minimum for Kindred install method

33" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




QCUA1827R/8

\$586.00



Undermount model

Shipping Weight 17.0 lbs. (7.7 kg.)



Outside sink dimensions 17 3/4" FB x 26 7/8" LR
Large bowl dimensions 16" FB x 14" LR x 8" DP
Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole location and Spillway® partition

FUN# 122.0202.327

33" cabinet - recommended minimum for Kindred install method

30" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




QCUA1827L/8

\$586.00



Undermount model

Shipping Weight 17.0 lbs. (7.7 kg.)



Outside sink dimensions 17 3/4" FB x 26 7/8" LR
Large bowl dimensions 16" FB x 14" LR x 8" DP
Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole location and Spillway® partition

FUN# 122.0202.329

33" cabinet - recommended minimum for Kindred install method

30" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




QSU A1831/8

\$448.00



Undermount model

Shipping Weight 19.5 lbs. (8.8 kg.)



Outside sink dimensions 17 3/4" FB x 30 3/4" LR
Single bowl dimensions 16" FB x 29" LR x 8" DP
Rear drain wastehole location

FUN# 122.0045.257

36" cabinet - recommended minimum for Kindred install method

33" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS




STEEL QUEEN UNDERMOUNT KITCHEN SINKS ■ 20 GAUGE, 18-8 STAINLESS STEEL

QSUA1933/8
\$487.00




Undermount model
Shipping Weight 19.6 lbs. (8.9 kg.)



Outside sink dimensions 18 3/4" FB x 32 3/4" LR
Single bowl dimensions 17" FB x 31" LR x 8" DP
Rear drain wastehole location

FUN# 122.0170.398
36" cabinet - recommended minimum for Kindred install method
33" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES




SUGGESTED KINDRED FITTINGS



QSUA1925/8
\$437.00




Undermount model
Shipping Weight 15.7 lbs. (7.1 kg.)



Outside sink dimensions 18 3/4" FB x 24 3/4" LR
Single bowl dimensions 17" FB x 23" LR x 8" DP
Rear drain wastehole location

FUN# 122.0170.399
30" cabinet - recommended minimum for Kindred install method
27" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES




SUGGESTED KINDRED FITTINGS



QSUA1917/8
\$362.00




Undermount model
Shipping Weight 12.0 lbs. (5.3 kg.)



Outside sink dimensions 18 3/4" FB x 16 3/4" LR
Single bowl dimensions 17" FB x 15" LR x 8" DP
Rear drain wastehole location

FUN# 122.0170.400
21" cabinet - recommended minimum for Kindred install method
18" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES




SUGGESTED KINDRED FITTINGS



QSUA1820/8
\$277.00



Undermount model
Shipping Weight 11.3 lbs. (5.1 kg.)



Outside sink dimensions 17 3/4" FB x 19 3/4" LR
Single bowl dimensions 16" FB x 18" LR x 8" DP
Rear drain wastehole location

FUN# 122.0202.333
24" cabinet - recommended minimum for Kindred install method
21" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



STEEL QUEEN UNDERMOUNT KITCHEN SINKS • 20 GAUGE, 18-8 STAINLESS STEEL


QSUA1816/8

\$269.00



Undermount model

Shipping Weight 7.0 lbs. (3.2 kg.)



Outside sink dimensions 17 3/4" FB x 15 3/4" LR

Single bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location

FUN# 122.0202.335

21" cabinet - recommended minimum for Kindred install method

18" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



MB100



BG105



CA1W



DBR105

SUGGESTED KINDRED FITTINGS



KFPD1100



KSD1100

Speak to a showroom associate to determine correct hole drillings



QSUA1914/7

\$319.00



Undermount model

Shipping Weight 12.1 lbs. (5.4 kg.)



Outside sink dimensions 18 3/4" FB x 13 3/4" LR

Single bowl dimensions 17" FB x 12" LR x 7" DP

Rear drain wastehole location

FUN# 122.0170.401

18" cabinet - recommended minimum for Kindred install method

18" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BGA1217S



MB100



CA1W

SUGGESTED KINDRED FITTINGS



KFPD1100



KSD1100

Speak to a showroom associate to determine correct hole drillings


QDCU2031R/8

\$687.00



Undermount model

Shipping Weight 26.0 lbs. (11.7 kg.)



Outside sink dimensions 20 5/8" FB x 31 1/2" LR

Large bowl dimensions 18 1/2" FB x 17 3/4" LR x 8" DP

Small bowl dimensions 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole location and Spillway® partition

FUN# 122.0062.239

36" cabinet - recommended minimum for Kindred install method

33" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BG30S



BG35S



C30S



MB100

SUGGESTED KINDRED FITTINGS



KFPD1100



KSD1100

Speak to a showroom associate to determine correct hole drillings


QDCU2031L/8

\$687.00



Undermount model

Shipping Weight 26.0 lbs. (11.7 kg.)



Outside sink dimensions 20 5/8" FB x 31 1/2" LR

Large bowl dimensions 18 1/2" FB x 17 3/4" LR x 8" DP

Small bowl dimensions 16" FB x 10 5/8" LR x 7" DP

Rear drain wastehole location and Spillway® partition

FUN# 122.0062.237

36" cabinet - recommended minimum for Kindred install method

33" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BG30S



BG35S



C30S



MB100

SUGGESTED KINDRED FITTINGS



KFPD1100



KSD1100

Speak to a showroom associate to determine correct hole drillings

STEEL QUEEN UNDERMOUNT KITCHEN SINKS ■ 20 GAUGE, 18-8 STAINLESS STEEL

QCMU2029R/8

\$638.00




OPTIONAL ACCESSORIES



Undermount model

Shipping Weight 15.0 lbs. (6.7 kg.)



Outside sink dimensions 19 3/4" FB x 28 7/8" LR
Large bowl dimensions 18" FB x 16" LR x 8" DP
Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole location

FUN# 122.0305.302

33" cabinet - recommended minimum for Kindred install method
30" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

SUGGESTED KINDRED FITTINGS




QCMUA2233R/8

\$782.00




OPTIONAL ACCESSORIES



Undermount model

Shipping Weight 25.7lbs. (11.5 kg.)



Outside sink dimensions 21 1/2" FB x 32 7/8" LR
Large bowl dimensions 19 3/4" FB x 18" LR x 8" DP
Small bowl dimensions 17" FB x 12" LR x 7" DP

Rear drain wastehole location and Spillway® partition

FUN# 122.0170.395

24" x 36" cabinet - recommended minimum for Kindred install method

SUGGESTED KINDRED FITTINGS



QTU1842/8

\$936.00




OPTIONAL ACCESSORIES



Undermount model

Shipping Weight 21.0 lbs. (9.5 kg.)



Outside sink dimensions 17 3/4" FB x 42" LR
Large bowl dimensions 16" FB x 14" LR x 8" DP
Small bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole location

FUN# 122.0305.299

45" cabinet - recommended minimum for Kindred install method
42" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

SUGGESTED KINDRED FITTINGS




QSXU2123/8

\$383.00




OPTIONAL ACCESSORIES



Undermount model

Shipping Weight 19.2 lbs. (8.7 kg.)



Outside sink dimensions 20 7/8" FB x 23 3/8" LR
Single bowl dimensions 18 3/4" FB x 21 1/4" LR x 8" DP

Rear drain wastehole location

FUN# 122.0062.281

27" cabinet - recommended minimum for Kindred install method
24" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

SUGGESTED KINDRED FITTINGS



STEEL QUEEN UNDERMOUNT KITCHEN SINKS • 20 GAUGE, 18-8 STAINLESS STEEL


QSU1113/6

\$204.00



Undermount model

Shipping Weight 5.0 lbs. (2.4kg)



Outside sink dimensions 11" FB x 13 3/8" LR
Single bowl dimensions 9 1/4" FB x 11 5/8" LR x 6" DP
Centre drain wastehole location

FUN# 101.0305.295

18" cabinet - recommended minimum for Kindred install method

15" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

SUGGESTED KINDRED FITTINGS



KFPOS100



KSD100

Speak to a showroom associate to determine correct hole drillings


QSU1315/6

\$243.00



Undermount model

Shipping Weight 6.6 lbs. (3.1 kg.)



Outside sink dimensions 12 3/4" FB x 14 3/4" LR
Single bowl dimensions 11" FB x 13" LR x 6" DP

Centre drain wastehole location

FUN# 101.0305.297

18" cabinet - recommended minimum for Kindred install method

15" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

SUGGESTED KINDRED FITTINGS



KFPOS100



KSD100

Speak to a showroom associate to determine correct hole drillings


QSU1614/6

\$264.00



Undermount model

Shipping Weight 6.7 lbs. (3.3 kg.)



Outside sink dimensions 15 3/4" FB x 13 3/4" LR
Single bowl dimensions 14" FB x 12" LR x 6" DP

Rear drain wastehole location

FUN# 101.0305.291

15" cabinet - recommended minimum for Kindred install method

15" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



MB100

SUGGESTED KINDRED FITTINGS



KFPOS100



KSD100

Speak to a showroom associate to determine correct hole drillings


QSU1812/7

\$251.00



Undermount model

Shipping Weight 6.9 lbs. (3.3 kg.)



Outside sink dimensions 17 3/4" FB x 11 3/4" LR
Single bowl dimensions 16" FB x 10" LR x 7" DP

Rear drain wastehole location

FUN# 101.0305.295

15" cabinet - recommended minimum for Kindred install method

15" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BG13S



CA1W



MB100

SUGGESTED KINDRED FITTINGS



KFPOS100



KSD100


Speak to a showroom associate to determine correct hole drillings

STEEL QUEEN UNDERMOUNT KITCHEN SINKS ▪ 20 GAUGE, 18-8 STAINLESS STEEL

QSU1820/10
\$492.00



Undermount model
Shipping Weight 13.0 lbs. (5.8 kg.)



Outside sink dimensions 18 1/8" FB x 20 1/8" LR
Single bowl dimensions 16" FB x 18" LR x 10" DP
Rear drain wastehole location

FUN# 122.0202.337
27" cabinet - recommended minimum for Kindred install method
21" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BG1105

SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings



Sink model QSLF2020/12 shown with BGZ18S bottom grid and faucet model KF10A.

Steel Queen Laundry and Specialty Sinks

A Sink for Every Situation

Let's face it, life is messy. You know what we mean ... The dog needs a bath, garden grime has to be scrubbed off our hands, the dirty coveralls need somewhere to soak before washing. It's a big job and you need a sink that's up to the task.

Well, size matters and Kindred has it. Your laundry room or workshop is just the place for our Steel Queen Specialty Sinks – big, deep (up to 10"), some with an overflow, combination sinks, and 'workhorse' models. They're large enough to handle almost anything you throw at (or in) them, and stainless steel durability ensures they still look great at the end of the day.



STEEL QUEEN SPECIALTY SINKS • 20 GAUGE, 18-8 STAINLESS STEEL



QSLA2217/8

\$366.00



Topmount model

Shipping Weight 12.0 lbs. (5.4 kg.)



Outside sink dimensions 22" FB x 17 1/4" LR
Single bowl dimensions 17" FB x 15" LR x 8" DP

Rear drain wastehole location

Standard drilling: QSLA2217/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 101.0169.282

Optional drilling: QSLA2217/8/1 - 1 hole on center


FUN# 101.0169.281

21" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


QSA1820/8

\$277.00



FTopmount model

Shipping Weight 11.3 lbs. (5.1 kg.)



Outside sink dimensions 18 1/8" FB x 20 1/8" LR
Single bowl dimensions 16" FB x 18" LR x 8" DP

Rear drain wastehole location


FUN# 101.0202.331

24" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings



QSLF2020/10

\$797.00



Topmount or undermount model
25 mm radius coved corners

Shipping Weight 41.1 lbs. (18.3 kg.)



Outside sink dimensions 20 9/16" FB x 20 1/8" LR
Single bowl dimensions 16" FB x 18" LR x 10" DP

Rear drain wastehole location, faucet ledge
Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2020/10/3 - 3 hole - 1 1/2" dia., 4" center-to center

FUN# 101.0293.893

Optional drilling: QSLF2020/10/1 - 1 hole on center

FUN# 101.0300.792

24" cabinet - recommended minimum for Kindred topmount method

24" cabinet - recommended minimum for Kindred undermount method

21" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


QSLF2020/12

\$935.00



Topmount or undermount model
25 mm radius coved corners

Shipping Weight 41.1 lbs. (18.3 kg.)



Outside sink dimensions 20 9/16" FB x 20 1/8" LR
Single bowl dimensions 16" FB x 18" LR x 12" DP

Rear drain wastehole location, faucet ledge
Bowl is pitched to the center of the wastehole

Standard drilling: QSLF2020/10/3 - 3 hole - 1 1/2" dia., 4" center-to center

FUN# 101.0300.898

Optional drilling: QSLF2020/12/1 - 1 hole on center

FUN# 101.0300.801

24" cabinet - recommended minimum for Kindred topmount method

24" cabinet - recommended minimum for Kindred undermount method

21" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings

STEEL QUEEN SPECIALTY SINKS • 20 GAUGE, 18-8 STAINLESS STEEL


QSA1925/8

\$437.00



Topmount model

Shipping Weight 14.3 lbs. (6.5 kg.)



Outside sink dimensions 19 1/8" FB x 25 1/8" LR

Single bowl dimensions 17" FB x 23" LR x 8" DP

Rear drain wastehole location

FUN# 101.0183.342

27" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BGA23175

MB1809

CA1W

DBR10S

SUGGESTED KINDRED FITTINGS



KFDP1100

KSD1100

Speak to a showroom associate to determine correct hole drillings


QSA1816/8

\$269.00



Topmount model

Shipping Weight 7.0 lbs. (3.2 kg.)



Outside sink dimensions 18 1/8" FB x 16 1/8" LR


Single bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location

FUN# 101.0202.339

18" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



BG10S

MB1610

CA1W

DBR10S

SUGGESTED KINDRED FITTINGS



KFDP1100

KSD1100

Speak to a showroom associate to determine correct hole drillings


QSR18/8

\$537.00



Topmount model

Shipping Weight 9.9 lbs. (4.5 kg.)



Outside sink dimensions 18 1/8" DIAMETER

Bowl dimensions 16" DIAMETER x 8" DP

Center drain wastehole location

FUN# 113.0045.253

21" cabinet - minimum to accept sink bowls (refer to Table of Contents page)

OPTIONAL ACCESSORIES



DB14S

SUGGESTED KINDRED FITTINGS



KFPOS100

KSD100

Speak to a showroom associate to determine correct hole drillings


QCR/8

\$1,057.00



Topmount model

Shipping Weight 18.4 lbs. (8.4 kg.)



Outside sink dimensions 23 3/8" FB x 43 7/16" LR

Equal size bowl dimensions 16" FB x 14" LR x 8" DP

Rear drain wastehole location

Standard drilling: QCR/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 101.0045.134

Optional drilling: QCR/8/4 - 4 hole - 4 hole, as shown

FUN# 101.0045.135

Optional drilling: QCR/8/1 - 1 hole on center

FUN# 101.0045.133

Corner cabinet application

OPTIONAL ACCESSORIES



BG10S

BG10S

MB1610

CA1W

DBR10S

SUGGESTED KINDRED FITTINGS



KFDP1100

KSD1100

Speak to a showroom associate to determine correct hole drillings

STEEL QUEEN SPECIALTY & LAUNDRY/UTILITY SINKS ▪ 20 GAUGE, 18-8 STAINLESS STEEL

QTCM1841/8

\$1,122.00




OPTIONAL ACCESSORIES



Topmount model

Shipping Weight 21.6 lbs. (9.8 kg.)



Outside sink dimensions 18 1/8" FB x 41 5/8" LR
Large bowl dimensions 16" FB x 14" LR x 8" DP
Small bowl dimensions 11 5/8" FB x 9 1/4" LR x 6" DP

Rear drain wastehole location

Standard drilling: QTCM1841/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center

FUN# 101.0045.272

Optional drilling: QTCM1841/8/1 - 1 hole on center

FUN# 101.0045.271

45" cabinet - recommended minimum for Kindred install method

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings

QD2035/10

\$987.00




OPTIONAL ACCESSORIES



Topmount model

Shipping Weight 21.0 lbs. (9.5 kg.)



Outside sink dimensions 20 1/8" FB x 35 1/4" LR
Equal size bowl dimensions 18" FB x 16" LR x 10" DP

Center drain wastehole location

Standard drilling: QD2035/10 - no drilling

FUN# 113.0045.149

Optional drilling: QD2035/10/1 - 1 hole - 1 1/2" diameter, on center

FUN# 113.0045.150

39" cabinet - recommended minimum for Kindred install method

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


QC1942/12

\$1,156.00



Topmount model

Shipping Weight 25.5 lbs. (11.6 kg.)



Outside sink dimensions 19 5/8" FB x 41 3/4" LR
Large bowl dimensions 17 1/2" FB x 23 1/2" LR x 12" DP
Small bowl dimensions 17 1/2" FB x 15" LR x 7" DP

Center drain wastehole location

Includes overflow on back wall of 12" deep bowl

Standard drilling: QC1942/12 - no hole

FUN# 113.0045.082

45" cabinet - recommended minimum for Kindred install method

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings


QSL2225/10

\$690.00



Topmount model

Shipping Weight 19.6 lbs. (8.9 kg.)



Outside sink dimensions 22 1/16" FB x 25 5/8" LR
Single bowl dimensions 17 1/2" FB x 23 1/2" LR x 10" DP

Center drain wastehole location and faucet ledge

Standard drilling: QSL2225/10/3 - 3 hole - 1 1/2" diameter, 4" center-to-center

Optional drilling: QSL2225/10/1 - 1 hole - 1 1/2" diameter, on center

27" cabinet - recommended minimum for Kindred install method

SUGGESTED KINDRED FITTINGS



Speak to a showroom associate to determine correct hole drillings

STEEL QUEEN LAUNDRY/UTILITY SINKS • 20 GAUGE, 18-8 STAINLESS STEEL


QSL2225/12

\$833.00



Topmount model

Shipping Weight 19.6 lbs. (8.9 kg)



Outside sink dimensions 22 1/16" FB x 25 5/8" LR
Single bowl dimensions 17 1/2" FB x 23 1/2" LR x 12" DP
Center drain wastehole location
Faucet ledge
Includes overflow on back wall of 12" deep bowl
Standard drilling: QSL2225/12/3 - 3 hole - 1 1/2" diameter, 4" center-to-center
FUN# 113.0045.241
27" cabinet - recommended minimum for Kindred install method

SUGGESTED KINDRED FITTINGS




QS1925/12

\$810.00



Topmount model

Shipping Weight 18.4 lbs. (8.3 kg)



Outside sink dimensions 19 5/8" FB x 25 5/8" LR
Single bowl dimensions 17 1/2" FB x 23 1/2" LR x 12" DP
Center drain wastehole location
Includes overflow on back wall of bowl
FUN# 113.0045.201
27" cabinet - recommended minimum for Kindred install method

SUGGESTED KINDRED FITTINGS




QSL2020/10

\$512.00



Topmount model

Shipping Weight 13.2 lbs. (6.0 kg)



Outside sink dimensions 20 9/16" FB x 20 1/8" LR
Single bowl dimensions 16" FB x 18" LR x 10" DP
Center drain wastehole location and faucet ledge
Standard drilling: QSL2020/10/3 - 3 hole - 1 1/2" diameter, 4" center-to-center
FUN# 113.0045.222
Optional drilling: QSL2020/10/4 - 4 hole - 4th hole on right hand side
FUN# 113.0045.223
Optional drilling: QSL2020/10/1 - 1 hole on center
FUN# 113.0045.221
24" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BG1105

SUGGESTED KINDRED FITTINGS




QS1820/10

\$478.00



Topmount model

Shipping Weight 13.2 lbs. (6.0 kg)



Outside sink dimensions 18 1/8" FB x 20 1/8" LR
Single bowl dimensions 16" FB x 18" LR x 10" DP
Center drain wastehole location
FUN# 113.0045.198
24" cabinet - recommended minimum for Kindred install method

OPTIONAL ACCESSORIES



BG1105

SUGGESTED KINDRED FITTINGS




STEEL QUEEN HOSPITALITY SINKS ▪ 20 GAUGE, 18-8 STAINLESS STEEL

QSL1719/8
\$318.00



Topmount model
Shipping Weight 12.0 lbs. (5.5 kg.)



Outside sink dimensions 17" FB x 19 1/8" LR
Single bowl dimensions 12" FB x 17" LR x 8" DP
Center drain wastehole location and faucet ledge
Standard drilling: QSL1719/8/3 - 3 hole - 1 1/2" dia., 4" center-to-center
FUN# 101.0045.215
Optional drilling: QSL1719/8/1 - 1 hole on center
FUN# 101.0045.213
Optional drilling: QSL1719/8/2 - 2 hole - 1 1/2" dia., 4" center-to-center
FUN# 101.0045.214
21" cabinet - recommended minimum for Kindred install method
Rail fastening system on back ledge

OPTIONAL ACCESSORIES




SUGGESTED KINDRED FITTINGS



QSL1515/6
\$261.00




Topmount model
Shipping Weight 7.0 lbs. (3.2 kg.)



Outside sink dimensions 15 7/16" FB x 15 1/8" LR
Single bowl dimensions 11" FB x 13" LR x 6" DP
Center drain wastehole location and faucet ledge
Standard drilling: QSL1515/6/2 - 2 hole - 1 1/2" diameter, 4" center-to-center
FUN# 113.0045.211
Optional drilling: QSL1515/6/1 - 1 hole on center
FUN# 113.0045.210
18" cabinet - recommended minimum for Kindred install method


SUGGESTED KINDRED FITTINGS



QS1315/6
\$250.00




Topmount model
Shipping Weight 6.6 lbs. (3.0 kg.)



Outside sink dimensions 13 1/8" FB x 15 1/8" LR
Single bowl dimensions 11" FB x 13" LR x 6" DP
Center drain wastehole location
FUN# 113.0045.194
18" cabinet - recommended minimum for Kindred install method


SUGGESTED KINDRED FITTINGS



QSL1313/6
\$220.00



Topmount model
Shipping Weight 5.4 lbs. (2.4 kg.)



Outside sink dimensions 13 5/8" FB x 13 5/8" LR
Single bowl dimensions 9 1/4" FB x 11 5/8" LR x 6" DP
Center drain wastehole location
Standard drilling: QSL1313/6/2 - 2 hole - 1 1/2" diameter, 4" center-to-center
FUN# 101.0045.208
Optional drilling: QSL1313/6/1 - 1 hole on center
FUN# 101.0045.207
18" cabinet - recommended minimum for Kindred install method

SUGGESTED KINDRED FITTINGS




STEEL QUEEN HOSPITALITY SINKS ▪ 20 GAUGE, 18-8 STAINLESS STEEL

QS1113/6
\$212.00




Topmount model
Shipping Weight 5.0 lbs. (2.3 kg.)



Outside sink dimensions 11 1/4" FB x 13 5/8" LR
Single bowl dimensions 9 1/4" FB x 11 5/8" LR x 6" DP
Center drain wastehole location
FUN# 113.0045.193
18" cabinet - recommended minimum for Kindred install method


SUGGESTED KINDRED FITTINGS



QS1614/6
\$272.00




Topmount model
Shipping Weight 6.9 lbs. (3.1 kg.)



Outside sink dimensions 16 1/8" FB x 14 1/8" LR
Single bowl dimensions 14" FB x 12" LR x 6" DP
Rear drain wastehole location
FUN# 113.0045.195
18" cabinet - recommended minimum for Kindred install method

SUGGESTED KINDRED FITTINGS





Kindred faucet model KFPOS100.



KINDRED FAUCETS AND FITTINGS

A beautiful addition

We all agree a sink is an essential fixture in every home. In the kitchen it is the nerve center, an integral part of almost every task you do here. Make clean up a breeze with sink accessories such as Kindred Faucet and Soap Dispensers and Kindred Waste Disposers. Simple, sensible solutions.

Kindred offers Chrome, Satin Nickel and beautiful Color Matched Granite faucets, and soap dispensers in the same finishes for a completely coordinated looks. Beauty and function – superb!

Why choose a Kindred Waste Disposer?

Just ask a plumber, and they will tell you that Kindred is one of the most trusted names in the industry for kitchen sinks, faucets, fittings, and accessories. For more than 60 years plumbing professionals have relied on Kindred for products with legendary performance. And you can too.

Kindred waste disposers continue that fine tradition of Kindred products that offer you superior performance in terms of reliability, quality, and durability. Every product that bears the Kindred name will give years of trouble free service, and simplify your life in the kitchen.

Kindred Waste Disposers range from apartment sized 1/3 H.P. models, right up to 1 1/4 H.P. models for big kitchen clean ups. Kindred Bio-Shield waste disposers feature a unique antimicrobial agent, permanently molded in the disposer to eliminate bacteria-caused odors, and Torque Master® balanced turntables and armatures in grinding system for less vibration.

Why choose a Kindred Waste Disposer? Because you can be sure that your life just became simpler.

KINDRED STYLE • PULL-OUT AND PULL-DOWN SPRAY FAUCETS


KFPOS100

\$419.00



cUPC® Chrome Finish

Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction
Ceramic disc cartridge
Backflow prevention
Spray head extends to 24" long
Dual spray mode (spray or stream)
Requires 1 3/8" diameter hole
Rated at 2.2 USGPM, 8.3 L/min.
Lifetime mechanical warranty
Lifetime warranty on chrome finish

FUN# 115.0152.623

SUGGESTED KINDRED FITTINGS



KSD100

Speak to a showroom
associate to determine
correct hole drillings


KFPOS150

\$560.00



cUPC® Satin Nickel Finish

Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction
Ceramic disc cartridge
Backflow prevention
Spray head extends to 24" long
Dual spray mode (spray or stream)
Requires 1 3/8" diameter hole
Rated at 2.2 USGPM, 8.3 L/min.
Lifetime mechanical warranty
2 year warranty of decorative finish

FUN# 115.0152.624

SUGGESTED KINDRED FITTINGS



KSD150

Speak to a showroom
associate to determine
correct hole drillings


NEW! KFPD2100

\$316.00



cUPC® Chrome Finish

Shipping Weight 7.9 lbs (3.6 kg)



Chrome finish
Brass and polymer construction
Backflow prevention
Spray head extends to 16" long
Dual spray mode (spray or stream)
Requires 1 3/8" diameter hole
Rated at 2.2 USGPM, 8.3 L/min.
Lifetime mechanical warranty
Lifetime warranty on chrome finish

FUN# 115.0342.366

SUGGESTED KINDRED FITTINGS



KSD1100

Speak to a showroom
associate to determine
correct hole drillings


NEW! KFPD3100

\$316.00



cUPC® Chrome Finish

Shipping Weight 7.9 lbs (3.6 kg)



Chrome finish
Brass and polymer construction
Backflow prevention
Spray head extends to 16" long
Dual spray mode (spray or stream)
Requires 1 3/8" diameter hole
Rated at 2.2 USGPM, 8.3 L/min.
Lifetime mechanical warranty
Lifetime warranty on chrome finish

FUN# 115.0342.367

SUGGESTED KINDRED FITTINGS



KSD1100

Speak to a showroom
associate to determine
correct hole drillings

KINDRED STYLE ■ PULL-DOWN SPRAY FAUCETS

KFPD1100


\$500.00



UPC®

Chrome Finish

Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction
Ceramic disc cartridge
Backflow prevention
Spray head extends to 24" long
Dual spray mode (spray or stream)
Requires 1 3/8" diameter hole
Rated at 2.2 USGPM, 8.3 L/min.
Lifetime mechanical warranty
2 year warranty of decorative finish

FUN# 115.0293.701

SUGGESTED KINDRED FITTINGS



KSD100

KFPD1150


\$637.00



UPC®

Satin Nickel Finish

Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction
Ceramic disc cartridge
Backflow prevention
Spray head extends to 24" long
Dual spray mode (spray or stream)
Requires 1 3/8" diameter hole
Rated at 2.2 USGPM, 8.3 L/min.
Lifetime mechanical warranty
2 year warranty of decorative finish

FUN# 115.0293.702

SUGGESTED KINDRED FITTINGS



KSD150

KFPD1200


\$583.00



UPC®

Champagne Finish

Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction
Ceramic disc cartridge
Backflow prevention
Spray head extends to 24" long
Dual spray mode (spray or stream)
Requires 1 3/8" diameter hole
Rated at 2.2 USGPM, 8.3 L/min.
Lifetime mechanical warranty
2 year warranty of decorative finish

FUN# 115.0293.703

SUGGESTED KINDRED FITTINGS



KSD1200

KFPD1400


\$583.00



UPC®

Oyster Finish

Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction
Ceramic disc cartridge
Backflow prevention
Spray head extends to 24" long
Dual spray mode (spray or stream)
Requires 1 3/8" diameter hole
Rated at 2.2 USGPM, 8.3 L/min.
Lifetime mechanical warranty
2 year warranty of decorative finish

FUN# 115.0293.705

SUGGESTED KINDRED FITTINGS




KSD1400

KINDRED STYLE • PULL-DOWN SPRAY FAUCETS

KFPD1700
\$583.00



Onyx Finish
cUPC® Shipping Weight 7.9 lbs. (3.6 kg.)



Solid brass construction
Ceramic disc cartridge
Backflow prevention
Spray head extends to 24" long
Dual spray mode (spray or stream)
Requires 1 3/8" diameter hole
Rated at 2.2 USGPM, 8.3 L/min.
Lifetime mechanical warranty
2 year warranty of decorative finish
FUN# 115.0293.706

SUGGESTED KINDRED FITTINGS




Speak to a showroom
associate to determine
correct hole drillings

KFPD1800
\$583.00



Espresso Finish
cUPC® Shipping Weight 7.9 lbs. (3.6 kg.)




Solid brass construction
Ceramic disc cartridge
Backflow prevention
Spray head extends to 24" long
Dual spray mode (spray or stream)
Requires 1 3/8" diameter hole
Rated at 2.2 USGPM, 8.3 L/min.
Lifetime mechanical warranty
2 year warranty of decorative finish
FUN# 115.0293.707


SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings

KINDRED STYLE ■ FAUCET REPLACEMENT PARTS

KFPD REPLACEMENT PARTS	PART #	COMPONENT #	DESCRIPTION	PRICE
	SPKHA100	05	Cartridge	\$ 17.00
	SPKHA110	14/16	Spray Hose Set, including fiber washer	\$ 49.00
	SPKHA121	15	Check Valve Set	\$ 49.00
	SPKHA120	20	Flow Regulator	\$ 49.00
	SPKHA130	20/21/22	Pull Down Spray Set - Chrome	\$ 76.00
	SPKHA131	20/21/22	Pull Down Spray Set - Satin Nickel	\$ 104.00
	SPKHA132	20/21/22	Pull Down Spray Set - Champagne	\$ 104.00
	SPKHA134	20/21/22	Pull Down Spray Set - Oyster	\$ 104.00
	SPKHA135	20/21/22	Pull Down Spray Set - Onyx	\$ 104.00
	SPKHA136	20/21/22	Pull Down Spray Set - Espresso	\$ 104.00


KFPOS REPLACEMENT PARTS	PART #	COMPONENT #	DESCRIPTION	PRICE
	SPKHA1	6	Cartridge	\$ 17.00
	SPKHA2	21, 24, 27, 23	Spray House Set	\$ 49.00
	SPKHA3	1, 2, 3	Handle Set - Chrome	\$ 27.00
	SPKHA4	1, 2, 3	Handle Set - Satin Nickel	\$ 33.00
	SPKHA5	3, 2	Two Color Screw Cap	\$ 3.00
	SPKHA6	27, 21, 23	Washer Set	\$ 3.00
	SPKHA7	31	Aerator	\$ 7.00
	SPKHA8	30	Tool	\$ 3.00
	SPKHA20	28, 29, 30	Pull-Out Spray Head - Chrome	\$ 55.00
	SPKHA21	28, 29, 30	Pull-Out Spray Head - Satin Nickel	\$ 76.00
	SPKHA40	4	Decorative Cap - Chrome	\$ 15.00
	SPKHA41	4	Decorative Cap - Satin Nickel	\$ 19.00

KINDRED STYLE • SOAP DISPENSERS

KSD100
\$106.00



Chrome Finish
Shipping Weight 1.3 lbs. (0.6 kg.)



Solid brass construction
Teflon spout line is clog and corrosion resistant
Patented positive prime pump
500ml capacity polypropylene bottle
Requires 1 3/8" diameter hole
Soap dispenser can accommodate a countertop thickness up to 1 1/2"
Lifetime mechanical warranty
2 year warranty of decorative finish
FUN# 112.0061.155

SUGGESTED KINDRED FITTINGS




Speak to a showroom
associate to determine
correct hole drillings

KSD150
\$141.00



Satin Nickel Finish
Shipping Weight 1.3 lbs. (0.6 kg.)



Solid brass construction
Teflon spout line is clog and corrosion resistant
Patented positive prime pump
500ml capacity polypropylene bottle
Requires 1 3/8" diameter hole
Soap dispenser can accommodate a countertop thickness up to 1 1/2"
Lifetime mechanical warranty
2 year warranty of decorative finish
FUN# 112.0061.156

SUGGESTED KINDRED FITTINGS




Speak to a showroom
associate to determine
correct hole drillings

KSD1100
\$126.00



Chrome Finish
Shipping Weight 1.4 lbs. (0.6 kg.)



Solid brass construction
Teflon spout line is clog and corrosion resistant
Patented positive prime pump
500ml capacity polypropylene bottle
Requires 1 3/8" diameter hole
Soap dispenser can accommodate a countertop thickness up to 1 1/2"
Lifetime mechanical warranty
2 year warranty of decorative finish
FUN# 112.0293.708

SUGGESTED KINDRED FITTINGS




Speak to a showroom
associate to determine
correct hole drillings

KSD1150
\$163.00



Satin Nickel Finish
Shipping Weight 1.4 lbs. (0.6 kg.)



Solid brass construction
Teflon spout line is clog and corrosion resistant
Patented positive prime pump
500ml capacity polypropylene bottle
Requires 1 3/8" diameter hole
Soap dispenser can accommodate a countertop thickness up to 1 1/2"
Lifetime mechanical warranty
2 year warranty of decorative finish
FUN# 112.0293.709

SUGGESTED KINDRED FITTINGS



Speak to a showroom
associate to determine
correct hole drillings

KINDRED • SOAP DISPENSERS


KSD1200

\$140.00



Champagne Finish

Shipping Weight 1.4 lbs. (0.6 kg.)



Solid brass construction
Teflon spout line is clog and corrosion resistant
Patented positive prime pump
500ml capacity polypropylene bottle
Requires 1 3/8" diameter hole
Soap dispenser can accommodate a countertop thickness up to 1 1/2"
Lifetime mechanical warranty
2 year warranty of decorative finish

FUN# 112.0293.710

SUGGESTED KINDRED FITTINGS




KFPD1200

Speak to a showroom
associate to determine
correct hole drillings

KSD1400

\$140.00



Solid brass construction
Teflon spout line is clog and corrosion resistant
Patented positive prime pump
500ml capacity polypropylene bottle
Requires 1 3/8" diameter hole
Soap dispenser can accommodate a countertop thickness up to 1 1/2"
Lifetime mechanical warranty
2 year warranty of decorative finish

FUN# 112.0293.722

SUGGESTED KINDRED FITTINGS



KFPD1400

Speak to a showroom
associate to determine
correct hole drillings


KSD1700

\$140.00



Onyx Finish

Shipping Weight 1.4 lbs. (0.6 kg.)



Solid brass construction
Teflon spout line is clog and corrosion resistant
Patented positive prime pump
500ml capacity polypropylene bottle
Requires 1 3/8" diameter hole
Soap dispenser can accommodate a countertop thickness up to 1 1/2"
Lifetime mechanical warranty
2 year warranty of decorative finish

FUN# 112.0293.723

SUGGESTED KINDRED FITTINGS



KFPD1700

Speak to a showroom
associate to determine
correct hole drillings


KSD1800

\$140.00



Espresso Finish

Shipping Weight 1.4 lbs. (0.6 kg.)



Solid brass construction
Teflon spout line is clog and corrosion resistant
Patented positive prime pump
500ml capacity polypropylene bottle
Requires 1 3/8" diameter hole
Soap dispenser can accommodate a countertop thickness up to 1 1/2"
Lifetime mechanical warranty
2 year warranty of decorative finish

FUN# 112.0293.724

SUGGESTED KINDRED FITTINGS



KFPD1800

Speak to a showroom
associate to determine
correct hole drillings

KINDRED • WASTE DISPOSERS

KWD33C1/EZ
\$126.00




OPTIONAL ACCESSORIES



AS200



CONTINUOUS FEED
Shipping Weight 8.7 lbs. (3.9 kg.)



1/3 H.P. motor
High-speed 1925 r.p.m. permanent magnet motor
EZ mount installation system
Stainless steel grinding components
Includes factory installed power cord
Safe for properly sized septic tanks
For use with 110-120 volts/60hz current only
Includes strainer stopper

2 year in-home service warranty



Antimicrobial treatment to inhibit odour



Balanced grinding system to provide long service life & quiet operation

FUN# 134.0255.892

KWD50C1/EZ
\$173.00




OPTIONAL ACCESSORIES



AS200



CONTINUOUS FEED
Shipping Weight 10.6 lbs. (4.8 kg.)



1/2 H.P. motor
High-speed 2700 r.p.m. permanent magnet motor
EZ mount installation system
Stainless steel grinding components
Sound insulated shell
Includes factory installed power cord
Safe for properly sized septic tanks
For use with 110-120 volts/60hz current only
Includes strainer stopper

5 year in-home service warranty



Antimicrobial treatment to inhibit odour



Balanced grinding system to provide long service life & quiet operation

FUN# 134.0255.890

KWD50C2/EZ
\$145.00




OPTIONAL ACCESSORIES



AS200



CONTINUOUS FEED
Shipping Weight 10.6 lbs. (4.8 kg.)



1/2 H.P. motor
High-speed 2700 r.p.m. permanent magnet motor
EZ mount installation system
Stainless steel grinding components
Sound insulated shell
Includes factory installed power cord
Safe for properly sized septic tanks
For use with 110-120 volts/60hz current only
Includes strainer stopper

2 year in-home service warranty



Antimicrobial treatment to inhibit odour



Balanced grinding system to provide long service life & quiet operation

FUN# 134.0262.596

KWD75C1/EZ
\$280.00




OPTIONAL ACCESSORIES



AS200



CONTINUOUS FEED
Shipping Weight 14.0 lbs. (6.3 kg.)



3/4 H.P. motor
High-speed 2700 r.p.m. permanent magnet motor
EZ mount installation system
Stainless steel grinding components
Sound insulated shell
Includes factory installed power cord
Safe for properly sized septic tanks
For use with 110-120 volts/60hz current only
Includes strainer stopper

8 year in-home service warranty



Antimicrobial treatment to inhibit odour



Balanced grinding system to provide long service life & quiet operation

FUN# 134.0255.898

KINDRED • WASTE DISPOSERS


KWD75B1/EZ

\$389.00



BATCH FEED

Shipping Weight 14.0 lbs. (6.3 kg.)



3/4 H.P. motor
High-speed 2700 r.p.m. permanent magnet motor
EZ mount installation system
Stainless steel grinding components
Sound insulated shell
Includes factory installed power cord
Safe for properly sized septic tanks
For use with 110-120 volts/60hz current only
Includes strainer stopper

8 year in-home service warranty



Antimicrobial treatment to inhibit odour



Balanced grinding system to provide long service life & quiet operation

FUN# 134.0275.324


KWD125C1/EZ

\$379.00



CONTINUOUS FEED

Shipping Weight 15.0 lbs. (6.8 kg.)



1 1/4 H.P. motor
High-speed 2800 r.p.m. permanent magnet motor
EZ mount installation system
Stainless steel grinding components
Sound insulated shell
Includes factory installed power cord
Safe for properly sized septic tanks
For use with 110-120 volts/60hz current only
Includes strainer stopper

10 year in-home service warranty



Antimicrobial treatment to inhibit odour



Balanced grinding system to provide long service life & quiet operation

FUN# 134.0255.899

OPTIONAL ACCESSORIES



AS200


KWD125B1/EZ

\$509.00



1 1/4 hp - 2800 rpm - BATCH FEED

Shipping Weight 15.0 lbs. (6.8 kg.)



1 1/4 H.P. motor
High-speed 2800 r.p.m. permanent magnet motor
EZ mount installation system
Stainless steel grinding components
Sound insulated shell
Includes factory installed power cord
Safe for properly sized septic tanks
For use with 110-120 volts/60hz current only
Includes strainer stopper

10 year in-home service warranty



Antimicrobial treatment to inhibit odour



Balanced grinding system to provide long service life & quiet operation

FUN# 134.0315.656


AS200

\$128.00



Air actuated on/off control

Shipping Weight 1.5 lbs. (0.7 kg.)



Includes separate chrome and satin nickel finished air switch control buttons
For use with continuous feed waste disposers
Can be used with waste disposers up to 1 H.P., 120 V
Eliminates need for an electrical wall switch
Installs into existing sink hole drilling, or countertop

FUN# 112.0312.211























KINDRED ACCESSORIES





















... they just make sense!

Sink accessories such as laminated maple cutting boards, ABS colanders, and stainless wire drainer baskets, and grids simplify the art of preparing a meal. Slice and dice, mince and rinse, drain and strain ... a big sink with room to move, and sink accessories that are truly functional, will please even the most temperamental chef. We like to think of Kindred accessories as kitchen helpers. And who couldn't use a little extra help in the kitchen?



















KINDRED • ACCESSORIES

DR1614 \$69.00  Polished stainless steel drain rack Dimensions 10 1/2" FB x 6 1/2" LR x 3 3/4" HIGH FUN#112.0044.802	GB50 \$221.00  Frosted glass board Dimensions 11" FB x 16" LR x 3/4" HIGH FUN#112.0061.448	GB1712M \$140.00  Glass board and color mat set Dimensions 16 7/8" FB x 12" LR x 1/2" HIGH FUN#112.0193.152	FPB1814 \$212.00  Reversible man-made composite cutting board Dimensions 18 3/8" FB x 14" LR x 1/2" HIGH FUN#112.0183.344
MB1809 \$83.00  Laminated maple cutting board Dimensions 18" FB x 9" LR x 1" HIGH FUN# 112.0183.343	MB1610 \$78.00  Laminated maple cutting board Dimensions 16 3/4" FB x 10 1/2" LR x 1" HIGH FUN#112.0061.317	MB1612 \$86.00  Laminated maple cutting board Dimensions 16 7/16" FB x 11 11/16" LR x 1" HIGH FUN#112.0061.142	MB1710 \$95.00  Laminated maple cutting board Dimensions 18" FB x 11" LR x 1" HIGH FUN#112.0061.144
MB20 \$125.00  Laminated maple cutting board Dimensions 19 3/4" FB x 16 1/4" LR x 1" HIGH FUN#112.0061.318	MB50 \$95.00  Laminated maple cutting board Dimensions 16 1/16" FB x 12" LR x 3/4" HIGH FUN#112.0061.146	MB55 \$95.00  Laminated maple cutting board Dimensions 17 9/32" FB x 10" LR x 3/4" HIGH FUN#112.0061.147	MB100 \$188.00  Laminated maple cutting board Dimensions 24 11/16" FB x 11 15/16" LR x 1" HIGH FUN#112.0061.143
MBZ16 \$140.00  Laminated maple cutting board Dimensions 16 3/4" FB x 10 1/2" LR x 1" HIGH FUN#112.0202.530	MBZ17 \$140.00  Laminated maple cutting board Dimensions 17 3/4" FB x 11 1/2" LR x 1" HIGH FUN#112.0202.531	CM100 \$51.00  Color mats Dimensions 11" FB x 8" LR x .06" HIGH FUN#113.0193.751	CA1W \$48.00  White ABS colander Dimensions 13" FB x 9" LR x 4 1/2" DEEP FUN# 112.0202.209
C20S \$97.00  Polished stainless steel mesh colander Dimensions 13 1/4" FB x 6" LR x 2 1/2" DEEP FUN#112.0044.809	C30S \$108.00  Polished stainless steel mesh colander Dimensions 15" FB x 9 1/2" LR x 2 1/2" DEEP FUN#112.0044.810	C50S \$135.00  Brushed stainless steel colander Dimensions 15 11/16" FB x 6 3/16" LR x 2 1/4" DEEP FUN#112.0054.960	CB1714MB \$140.00  Stainless steel mixing bowl Dimensions 9 7/8" DIAMETER x 3 1/4" HIGH FUN#112.0196.687




















KINDRED • ACCESSORIES

CB1714SB \$143.00  Stainless steel strainer bowl Dimensions 9 7/8" DIAMETER x 3 1/4" HIGH FUN#112.0196.688	NEW! C09S \$146.00  Stainless steel colander Dimensions 10 1/8" DIAMETER x 4 1/8" HIGH FUN#112.0352.874	DBR10S \$122.00  Polished stainless steel drainer basket Dimensions 14 5/8" FB x 12" LR x 3" HIGH FUN#112.0044.784	DB14S \$209.00  Polished stainless steel drainer basket Dimensions 14" DIAMETER x 5" HIGH FUN# 112.0018.954
RM50S \$152.00  Polished flexible stainless steel roll mat Dimensions 15 7/8" FB x 13 3/4" LR x 3/8" HIGH FUN# 112.0058.825	RM55S \$152.00  Polished flexible stainless steel roll mat Dimensions 17 1/4" FB x 14 3/8" LR x 3/8" HIGH FUN# 112.0058.824	BGDS10S \$139.00  Polished stainless steel bottom grid Dimensions 15" FB x 9" LR x 1" HIGH FUN#112.0040.602	BGDS11S \$152.00  Polished stainless steel bottom grid Dimensions 15" FB x 10" LR x 1" HIGH FUN#112.0040.601
BGDS13S \$171.00  Polished stainless steel bottom grid Dimensions 15" FB x 12" LR x 1" HIGH FUN#112.0040.599	BGDS14S \$183.00  Polished stainless steel bottom grid Dimensions 15 1/4" FB x 13 1/4" LR x 1" HIGH FUN# 112.0078.322	BGDS15S \$182.00  Polished stainless steel bottom grid Dimensions 14 1/4" FB x 14 1/4" LR x 1" HIGH FUN# 112.0054.949	BGDS16S \$196.00  Polished stainless steel bottom grid Dimensions 15" FB x 15" LR x 1" HIGH FUN#112.0040.600
BGDS18S \$216.00  Polished stainless steel bottom grid Dimensions 15" FB x 17" LR x 1" HIGH FUN#112.0040.596	BGDS21S \$249.00  Polished stainless steel bottom grid Dimensions 15" FB x 20" LR x 1" HIGH FUN#112.0040.598	BGDS27S \$299.00  Polished stainless steel bottom grid Dimensions 15" FB x 26" LR x 1" HIGH FUN#112.0040.597	BGDS30S \$321.00  Polished stainless steel bottom grid Dimensions 15" FB x 29" LR x 1" HIGH FUN#112.0040.595
BGDS33S \$292.00  Polished stainless steel bottom grid Dimensions 15" FB x 32" LR x 1" HIGH FUN#112.0040.594	BGDS22S \$152.00  Polished stainless steel bottom grid Dimensions 7 1/2" FB x 21 3/16" LR x 1" HIGH FUN#112.0275.243	BGDS0817S \$131.00  Polished stainless steel bottom grid Dimensions 16 1/2" FB x 7 1/2" LR x 1" HIGH FUN#112.0275.244	BG10S \$110.00  Polished stainless steel bottom grid Dimensions 14 1/4" FB x 11 7/8" LR x 1" HIGH FUN#112.0044.785





KINDRED • ACCESSORIES

BG11S \$107.00  Polished stainless steel bottom grid Dimensions 14 1/4" FB x 15 1/4" LR x 1" HIGH FUN#112.0044.786	BG13S \$100.00  Polished stainless steel bottom grid Dimensions 14 1/4" FB x 8 1/4" LR x 1" HIGH FUN#112.0055.507	BG20S \$114.00  Polished stainless steel bottom grid Dimensions 17 1/8" FB x 19 9/16" LR x 1" HIGH FUN#112.0055.434	BG30S \$140.00  Polished stainless steel bottom grid Dimensions 16 7/8" FB x 16 3/16" LR x 1" HIGH FUN#112.0055.435
BG35S \$114.00  Polished stainless steel bottom grid Dimensions 14 1/4" FB x 8 1/2" LR x 1" HIGH FUN#112.0044.796	BG65S \$124.00  Polished stainless steel bottom grid Dimensions 14 3/4" FB x 9 1/2" LR x 1" HIGH FUN#112.0044.791	BGA1217S \$83.00  Polished stainless steel bottom grid Dimensions 15" FB x 10 1/8" LR x 1" HIGH FUN#112.0174.874	BGA1517S \$111.00  Polished stainless steel bottom grid Dimensions 15" FB x 13" LR x 1" HIGH FUN# 112.0174.872
BGA1817S \$122.00  Polished stainless steel bottom grid Dimensions 15" FB x 16" LR x 1" HIGH FUN#112.0174.876	BGA1820S \$140.00  Polished stainless steel bottom grid Dimensions 17 5/8" FB x 16" LR x 1" HIGH FUN# 112.0174.877	BGA2317S \$140.00  Polished stainless steel bottom grid Dimensions 15" FB x 21" LR x 1" HIGH FUN# 112.0174.875	BGA3117S \$168.00  Polished stainless steel bottom grid Dimensions 15" FB x 29" LR x 1" HIGH FUN# 112.0174.878
BG90S \$140.00  Polished stainless steel bottom grid Dimensions 14 5/8" FB x 25 1/4" LR x 1" HIGH FUN#112.0044.794	BG110S \$140.00  Polished stainless steel bottom grid Dimensions 13 7/8" FB x 15 7/8" LR x 1" HIGH FUN#112.0040.526	BG160S \$135.00  Polished stainless steel bottom grid Dimensions 13 5/8" FB x 12 5/16" LR x 1" HIGH FUN#112.0054.981	BG170S \$122.00  Polished stainless steel bottom grid Dimensions 14" FB x 7 3/4" LR x 1" HIGH FUN#112.0054.979
BG180S \$129.00  Polished stainless steel bottom grid Dimensions 13 5/8" FB x 11 7/8" LR x 1" HIGH FUN#112.0055.046	BG190S \$187.00  Polished stainless steel bottom grid Dimensions 13 5/8" FB x 15 3/8" LR x 1" HIGH FUN#112.0055.044	BG200S \$200.00  Polished stainless steel bottom grid Dimensions 13 5/8" FB x 18 1/8" LR x 1" HIGH FUN#112.0055.043	BG210S \$257.00  Polished stainless steel bottom grid Dimensions 13 5/8" FB x 26 11/16" LR x 1" HIGH FUN#112.0055.042

KINDRED • ACCESSORIES

BG220S \$152.00  Polished stainless steel bottom grid Dimensions 14 3/4" FB x 12 5/16" LR x 1" HIGH FUN#112.0055.045	BG240S \$265.00  Polished stainless steel bottom grid Dimensions 14 1/4" FB x 27 1/4" LR x 1" HIGH FUN#112.0204.314	BGZ10S \$122.00  Polished stainless steel bottom grid Dimensions 14 7/8" FB x 8 7/8" LR x 1" HIGH FUN#112.0194.732	BGZ14S \$128.00  Polished stainless steel bottom grid Dimensions 14 7/8" FB x 12 3/4" LR x 1" HIGH FUN#112.0194.703
BGZ15S \$134.00  Polished stainless steel bottom grid Dimensions 16" FB x 13 7/8" LR x 1" HIGH FUN#112.0194.710	BGZ1512S \$125.00  Polished stainless steel bottom grid Dimensions 11 1/8" FB x 13 1/2" LR x 1" HIGH FUN#112.0300.990	BGZ18S \$140.00  Polished stainless steel bottom grid Dimensions 14 7/8" FB x 16 7/8" LR x 1" HIGH FUN#112.0194.709	BGZ23S \$145.00  Polished stainless steel bottom grid Dimensions 16" FB x 21 7/8" LR x 1" HIGH FUN#112.0194.731
61621 \$26.00  Stainless steel cleaner FUN# 112.0061.299	61622 \$281.00  Stainless steel cleaner (12 pcs) FUN# 112.0061.300	61411 \$12.00  Sink maintenance kit FUN# 113.0061.298	1130 \$22.50  Stainless strainer assembly FUN# 112.0040.556
1130/60 \$1,215.00  Stainless strainer assembly FUN# 112.0061.321	1135 \$21.00  Stainless strainer assembly FUN# 112.0040.565	1135/60 \$1,124.00  Stainless strainer assembly FUN# 112.0061.322	1130B \$8.00  Stainless strainer basket FUN# 133.0054.947
1135T \$7.00  Polypropylene tailpiece with rubber gasket FUN # 112.0357.197	1135B \$8.00  Stainless strainer basket FUN# 112.0156.395	125GOWK \$54.00  1 1/4" Grid waste drain FUN# 112.0040.553	100 \$17.00  1 1/2" Stainless steel waste fitting with brass tailpiece & rubber stopper FUN# 991.0055.439

KINDRED • ACCESSORIES

1047	\$22.00	315-9	\$7.00	31548	\$3.00	20102	\$7.00
							
Integral Waste Assembly		1 1/2" Brass tailpiece FUN# 991.0055.439		8 pc. bolt & claw assembly in poly bag FUN# 992.0040.525		Undermount Installation Hardware Kit	

Stainless Steel Finishes by Kindred

We recognize that the appearance and durability of a stainless steel sink is an important part of the sink selection process and overall purchase decision. And this decision will no doubt be influenced by the finish that we apply to the product.

While there are no industry-wide standards, there are some common product finishes offered by sink manufacturers today.

For example:

- We know that a smooth and bright finish will shed water, resist water spotting, and add sparkle to the kitchen. This is a good choice for a sink deck where appearance is important and “wear and tear” is minimal.
- We also know that a grain line or brush finish is a good choice for the sink bowl. This is where the work is done in the kitchen and where a sink must prove it’s mettle ... the sink bowl finish must be durable enough to stand up to whatever you can throw at it.

Kindred has polished and finished stainless steel sinks for over 60 years. That’s a lot of experience and a lot of satisfied customers. This ongoing, never-ending discussion with customers, has led to the development of the following Kindred product finishes:



#4 COMMERCIAL FINISH

A uniform grain line finish applied to the entire surface of the product.

RADIANT SILK FINISHED BOWL

A smooth and polished surface created with polishing brushes and polishing compounds.

SATIN (LUSTRE) FINISHED BOWL

A linear grain line finish applied to the bottom and sides of the sink bowl by using abrasive belts and wheels.

MIRROR FINISHED RIM

A highly reflective and bright surface created with buffing wheels and compounds.

SILK FINISHED RIM

A mirror finished rim that has been treated with a light linear finish to soften the reflectivity.



Kindred faucet models PF10A and KF10E

The Kindred Warranty

RESIDENTIAL SINKS

Kindred brand Stainless Steel and Granite Sinks are guaranteed against defects in material or workmanship, for any normal domestic purpose for which they are intended, for as long as you own your sink.

ACCESSORIES

Kindred brand accessories including hardwood cutting boards, and stainless steel colanders and trays, and baskets and grids are guaranteed against defects in material, and to be suitable for any normal domestic purpose for which they are intended for a period of one year from date of purchase.

FAUCETS

Every Kindred brand (chrome plate or solid stainless) faucet is guaranteed to be suitable for any normal domestic purpose for which it is intended and without defects in material or workmanship for as long as the original purchaser owns their home, provided it has been installed and maintained according to Franke Kindred Canada Limited instructions. The only exception to this warranty shall be decorative faucet finish which shall be warranted for a period of two years from date of purchase.

WASTE DISPOSERS (See pages 80-81)

For more detailed information regarding all Kindred warranties please review the information at www.kindred-sinkware.com

[illegible]



QUICK FIND GUIDE

SINKS

Model	Price	Page	Model	Price	Page	Model	Price	Page
CCLA2027R/8S.....	\$ 697.00	55	KSCM1RUA/9D.....	\$ 1,545.00	25	QDL2031/7.....	\$ 409.00	45
CDC2031L/8.....	\$ 686.00	55	KSCM3RUA/9D.....	\$ 1,080.00	24	QDL2031/8.....	\$ 499.00	45
CDC2031R/8.....	\$ 686.00	55	KSCM4RUA/9D.....	\$ 990.00	24	QDLA2233/8.....	\$ 665.00	45
CDLA2031/8S.....	\$ 652.00	55	KSD1UA/9D.....	\$ 1,146.00	23	QDLF2031/8.....	\$ 731.00	50
CSLA2020/8S.....	\$ 381.00	56	KSD2UA/9D.....	\$ 1,001.00	23	QDLF2233/8.....	\$ 938.00	50
CSX2123/8S.....	\$ 461.00	56	KSDC1LUA/9D.....	\$ 1,177.00	24	QDUA1831/8.....	\$ 475.00	58
KCAC36R/10.....	\$ 1,468.00	5	KSDC1RUA/9D.....	\$ 1,177.00	24	QDUA1933/8.....	\$ 541.00	58
KCAD36/10.....	\$ 1,520.00	5	KSDCLU/9.....	\$ 1,177.00	23	QS1113/6.....	\$ 212.00	71
KCAS33/10.....	\$ 1,391.00	5	KSDCRU/9.....	\$ 1,177.00	23	QS1315/6.....	\$ 250.00	70
KCC30R/9-10A.....	\$ 2,186.00	15	KSOV1317U/7.....	\$ 443.00	30	QS1614/6.....	\$ 272.00	71
KCC33R/9-10A.....	\$ 2,247.00	15	KSOV1318U/7.....	\$ 381.00	31	QS1820/10.....	\$ 478.00	69
KCD33/9-10A.....	\$ 2,408.00	15	KSOV1418/7.....	\$ 308.00	33	QS1925/12.....	\$ 810.00	69
KCD36/9-10A.....	\$ 2,531.00	15	KSOV1420U/7.....	\$ 545.00	30	QSA1816/8.....	\$ 269.00	67
KCFD36A/9-10BG.....	\$ 3,111.00	8	KSOV1619/7.....	\$ 323.00	33	QSA1820/8.....	\$ 277.00	66
KCFD36B/9-10BG.....	\$ 3,111.00	8	KSOV16U/7.....	\$ 375.00	31	QSA1925/8.....	\$ 437.00	67
KCFS30A/10-10BG.....	\$ 2,012.00	7	KSOV17/7.....	\$ 300.00	33	QSFS31B.....	\$ 1,024.00	52
KCFS30B/10-10BG.....	\$ 2,012.00	7	KSOV1821/7.....	\$ 364.00	32	QSL1313/6.....	\$ 220.00	70
KCFS33A/10-10BG.....	\$ 2,245.00	7	KSOV18U/7.....	\$ 398.00	31	QSL1515/6.....	\$ 261.00	70
KCFS33B/10-10BG.....	\$ 2,245.00	7	KSOV19/7.....	\$ 313.00	33	QSL1719/8.....	\$ 318.00	70
KCFS36A/10-10BG.....	\$ 2,398.00	8	KSOWB1119U/5.....	\$ 341.00	30	QSL2020/10.....	\$ 512.00	69
KCFS36B/10-10BG.....	\$ 2,398.00	8	KSOWB1420/5.....	\$ 467.00	30	QSL2020/7.....	\$ 233.00	47
KCS21SR/8-10BG.....	\$ 1,154.00	16	KSR1UA/9.....	\$ 740.00	28	QSL2020/8.....	\$ 293.00	47
KCS30/10-10A.....	\$ 1,541.00	16	KSS1UA/5D.....	\$ 383.00	28	QSL2225/10.....	\$ 690.00	68
KCS33/10-10A.....	\$ 1,639.00	16	KSS2UA/9D.....	\$ 645.00	27	QSL2225/12.....	\$ 833.00	69
KCUC27R/9-10BG.....	\$ 1,778.00	11	KSS3UA/7D.....	\$ 426.00	28	QSLA2031/8.....	\$ 524.00	48
KCUC30R/9-10BG.....	\$ 2,082.00	12	KSS4UA/9D.....	\$ 674.00	27	QSLA2217/8.....	\$ 366.00	66
KCUC33R/9-10BG.....	\$ 2,140.00	12	KSS5UA/9D.....	\$ 818.00	26	QSLA2225/8.....	\$ 463.00	48
KCUC36R/9-10BG.....	\$ 2,573.00	12	KSS6UA/9D.....	\$ 776.00	26	QSLA2233/8.....	\$ 529.00	48
KCUD30/9-10BG.....	\$ 2,082.00	11	KSS7UA/9D.....	\$ 831.00	26	QSLF1717/7.....	\$ 492.00	51
KCUD33/9-10BG.....	\$ 2,293.00	11	KSS8UA/8D.....	\$ 653.00	27	QSLF2016/8.....	\$ 591.00	52
KCUD36/9-10BG.....	\$ 2,410.00	12	KSSXUA/9D.....	\$ 682.00	27	QSLF2016/8/2.....	\$ 591.00	52
KCUS21A/8-10BG.....	\$ 971.00	11	KST1UA/9D.....	\$ 1,653.00	26	QSLF2020/10.....	\$ 797.00	53 & 66
KCUS22A/8-10BG.....	\$ 778.00	13	QC1942/12.....	\$ 1,156.00	68	QSLF2020/12.....	\$ 935.00	53 & 66
KCUS24A/10-10BG.....	\$ 1,415.00	10	QCLA2027L/8.....	\$ 643.00	47	QSLF2020/8.....	\$ 539.00	51
KCUS30A/10-10BG.....	\$ 1,468.00	10	QCLA2027R/8.....	\$ 643.00	46	QSLF2225/8.....	\$ 605.00	51
KCUS33A/10-10BG.....	\$ 1,561.00	10	QCLA2031L/8.....	\$ 669.00	46	QSR18/8.....	\$ 537.00	67
KCUS36A/10-10BG.....	\$ 1,684.00	10	QCLA2031R/8.....	\$ 669.00	46	QSU1113/6.....	\$ 204.00	63
KCUS8A/8-10BG.....	\$ 644.00	13	QCLF2027R/8.....	\$ 852.00	50	QSU1315/6.....	\$ 243.00	63
KGD1U/8.....	\$ 726.00	38	QCLF2031R/8.....	\$ 732.00	50	QSU1614/6.....	\$ 264.00	63
KGD2U/9.....	\$ 881.00	40	QCLF2039DBR/8.....	\$ 974.00	51	QSU1812/7.....	\$ 251.00	63
KGDC2027R/8.....	\$ 681.00	37	QCM2033/8.....	\$ 630.00	47	QSU1820/10.....	\$ 492.00	64
KGDC2031R/8.....	\$ 719.00	37	QCM1A1826/7.....	\$ 456.00	46	QSUA1816/8.....	\$ 269.00	61
KGDC2RU/8.....	\$ 735.00	39	QCMU2029R/8.....	\$ 638.00	62	QSUA1820/8.....	\$ 277.00	60
KGDCR1U/8.....	\$ 794.00	39	QCMUA2233R/8.....	\$ 782.00	62	QSUA1831/8.....	\$ 448.00	59
KGDL2031/8.....	\$ 676.00	37	QCR/8.....	\$ 1,057.00	67	QSUA1914/7.....	\$ 319.00	61
KGDL2233/9.....	\$ 822.00	38	QCUA1827L/8.....	\$ 586.00	59	QSUA1917/8.....	\$ 362.00	60
KGS1U/8.....	\$ 769.00	39	QCUA1827R/8.....	\$ 586.00	59	QSUA1925/8.....	\$ 437.00	60
KGS2U/8.....	\$ 700.00	39	QCUA1831L/8.....	\$ 650.00	59	QSUA1933/8.....	\$ 487.00	60
KGS3U/8.....	\$ 599.00	40	QCUA1831R/8.....	\$ 650.00	58	QSXU2123/8.....	\$ 383.00	62
KGSL2017/8.....	\$ 573.00	38	QCUA1933R/8.....	\$ 704.00	58	QTCM1841/8.....	\$ 1,122.00	68
KGSL2023/8.....	\$ 662.00	38	QD1831/8.....	\$ 443.00	45	QTU1842/8.....	\$ 936.00	62
KGSL2031/8.....	\$ 730.00	37	QD2035/10.....	\$ 987.00	68			
KSC1LUA/9D.....	\$ 1,282.00	25	QDCU2031L/8.....	\$ 687.00	61			
KSC1RUA/9D.....	\$ 1,282.00	25	QDCU2031R/8.....	\$ 687.00	61			
KSC2RUA/9D.....	\$ 1,003.00	25	QDFS31B.....	\$ 1,066.00	52			

FAUCETS & FITTINGS

Model	Price	Page
KF10A	\$ 446.00	18
KF10B	\$ 632.00	18
KF10C	\$ 506.00	18
KF10D	\$ 457.00	18
KF10E	\$ 509.00	19
KFPOS Replacement Parts List		77
KFPOS100	\$ 419.00	74
KFPOS150	\$ 560.00	74
KFPD Replacement Parts List		77
KFPD1100	\$ 500.00	75
KFPD1150	\$ 637.00	75
KFPD1200	\$ 583.00	75
KFPD1400	\$ 583.00	75
KFPD1700	\$ 583.00	76
KFPD1800	\$ 583.00	76
KFPD2100	\$ 316.00	74
KFPD3100	\$ 316.00	74
KSD10A	\$ 118.00	19
KSD10C	\$ 165.00	19
KSD100	\$ 106.00	78
KSD150	\$ 141.00	78
KSD1100	\$ 126.00	78
KSD1150	\$ 163.00	78
KSD1200	\$ 140.00	79
KSD1400	\$ 140.00	79
KSD1700	\$ 140.00	79
KSD1800	\$ 140.00	79
PF10A	\$ 552.00	19

WASTE DISPOSERS

Model	Price	Page
AS200	\$ 128.00	81
KWD125B1/EZ	\$ 509.00	81
KWD125C1/EZ	\$ 379.00	81
KWD33C1/EZ	\$ 126.00	80
KWD50C1/EZ	\$ 173.00	80
KWD50C2/EZ	\$ 145.00	80
KWD75B1/EZ	\$ 389.00	81
KWD75C1/EZ	\$ 280.00	80

ACCESSORIES

Model	Price	Page
100	\$ 17.00	87
125GOWK	\$ 54.00	87
315-9	\$ 7.00	88
1047	\$ 22.00	88
1130	\$ 22.50	87
1130/60	\$ 1,215.00	87
1130B	\$ 8.00	87
1135	\$ 21.00	87
1135/60	\$ 1,124.00	87
1135B	\$ 8.00	87
1135T	\$ 7.00	87
20102	\$ 7.00	88
31548	\$ 3.00	88
61411	\$ 12.00	87
61621	\$ 26.00	87
61622	\$ 281.00	87
BG10S	\$ 110.00	85
BG110S	\$ 140.00	86
BG11S	\$ 107.00	86
BG13S	\$ 100.00	86
BG160S	\$ 135.00	86
BG170S	\$ 122.00	86
BG180S	\$ 129.00	86
BG190S	\$ 187.00	86
BG200S	\$ 200.00	86
BG20S	\$ 114.00	86
BG210S	\$ 257.00	86
BG220S	\$ 152.00	87
BG240S	\$ 265.00	87
BG30S	\$ 140.00	86
BG35S	\$ 114.00	86
BG65S	\$ 124.00	86
BG90S	\$ 140.00	86
BGA1217S	\$ 83.00	86
BGA1517S	\$ 111.00	86
BGA1817S	\$ 122.00	86
BGA1820S	\$ 140.00	86
BGA2317S	\$ 140.00	86
BGA3117S	\$ 168.00	86
BGDS0817S	\$ 131.00	85
BGDS10S	\$ 139.00	85
BGDS11S	\$ 152.00	85
BGDS13S	\$ 171.00	85
BGDS14S	\$ 183.00	85
BGDS15S	\$ 182.00	85
BGDS16S	\$ 196.00	85
BGDS18S	\$ 216.00	85
BGDS21S	\$ 249.00	85
BGDS22S	\$ 152.00	85
BGDS27S	\$ 299.00	85
BGDS30S	\$ 321.00	85
BGDS33S	\$ 292.00	85
BGZ10S	\$ 122.00	85

Model	Price	Page
BGZ14S	\$ 128.00	85
BGZ15S	\$ 134.00	85
BGZ1512S	\$ 125.00	87
BGZ18S	\$ 140.00	87
BGZ23S	\$ 145.00	87
C09S	\$ 146.00	85
C20S	\$ 97.00	84
C30S	\$ 108.00	84
C50S	\$ 135.00	84
CA1W	\$ 48.00	84
CB1714MB	\$ 140.00	84
CB1714SB	\$ 143.00	85
CM100	\$ 51.00	84
DB14S	\$ 209.00	85
DBR10S	\$ 122.00	85
DR1614	\$ 69.00	84
FPB1814	\$ 212.00	84
GB50	\$ 221.00	84
GB1712M	\$ 140.00	84
MB100	\$ 188.00	84
MB1610	\$ 78.00	84
MB1612	\$ 86.00	84
MB1710	\$ 95.00	84
MB1809	\$ 83.00	84
MB20	\$ 125.00	84
MB50	\$ 95.00	84
MB55	\$ 95.00	84
MBZ16	\$ 140.00	84
MBZ17	\$ 140.00	84
RM50S	\$ 152.00	85
RM55S	\$ 152.00	85



KINDRED ... MAKING YOUR BUSY LIFE SIMPLER.



Thanks for perusing our product pages. We look forward to being an integral part of your new home, renovation or building project. When you want to know more about our products ... or find the dealer nearest you ... please contact us, or visit our website ... we want to hear from you.

www.kindred-sinkware.com

Franke Kindred Canada

Customer Service Department
P.O. Box 190, 1000 Franke Kindred Road
Midland, Ontario Canada L4R 4K9

Telephone: 1-866-687-7465
Fax: 1-800-361-8408
Email: info@kindred-sinkware.com
www.kindred-sinkware.com

Monday to Thursday - 8:00 am to 5:00 pm
Friday - 8:00 am to 3:30 pm
(Eastern Standard Time)

Quality System Registration to ISO 9001
Environmental Management System ISO 14001