



we are the
— MALAYSIA NO.1
BATHROOM & KITCHEN
SPECIALIST

**BIG
BATH**
BATHROOM & KITCHEN SPECIALIST
BIG BATH SDN. BHD.
(922895-P)

Kuala Lumpur 📍 BIG BATH KL
16, Jalan Metro Pudu, Fraser Business Park,
Off Jalan Yew, 55200 Kuala Lumpur.

Kepong 📍 BIG BATH KEPONG
73-G-1, Jalan Kepong, Jinjang Selatan,
52000 Kuala Lumpur.

Ipoh 📍 BIG BATH IPOH
No. 1, Medan Ipoh 1A, Medan Ipoh Bestari,
31400 Ipoh, Perak.

Penang 📍 BIG BATH PENANG
No.3, Signature Avenue, Jalan Lestari,
13700 Perai, Penang.

Puchong 📍 BIG BATH PUCHONG
No. 12, Jalan Puteri 1/2, Bandar Puteri,
47100 Puchong Selangor.

Balakong 📍 BIG BATH BALAKONG
No. 9-G, Jalan C180/1, Dataran C180,
Cheras 43200, Selangor.

Johor 📍 BIG BATH JOHOR
85, Jalan Mutiara Emas 2A, Taman Mount Austin,
81100 Johor Bahru, Johor.

Sabah 📍 BIG BATH SABAH
Lot 23B, Sedco Kolombong Industrial Estate, Jalan Kilang,
Kolombong, 88450, Kota Kinabalu, Sabah.


Product Brochure

The Hansgrohe company

Hansgrohe. The original - since 1901.

Future-oriented from the beginning

Never satisfied with anything less than ground-breaking, Hans Grohe was a genuine pioneer, constantly striving for innovation. At a time when the idea of a bathroom in a family home was barely imaginable and a daily shower a flight of fantasy, he was already working on the first showerheads, setting new standards in bathrooms across Europe. Today with thirty-four companies and twenty-one sales offices supplying one and hundred and forty-two countries world-wide, the hansgrohe brand is readily recognised as one of the few global players in the sanitary industry. Now as then, hansgrohe production remains mainly in the Black Forest region, endorsing its 'Made in Germany' maxim and continuing its founder's original values. The Hansgrohe Group is also an indus try pioneer in fostering sustainability and environmental protection. This is reflected in its water and energy-saving products as well as in eco-friendly production technologies, global environmental protection projects and particularly the sustainable handling of water as one of our planet's most valuable resources.




1900
Hans Grohe starts his own business. In a small metal workshop in the Black Forest, producing intricate clockwork parts.



1901
He expands into making brass pans, stovepipes and metal pots. Swiftly followed by his first sanitary goods.



1935
First pop-up drainage fittings for washbasins and bathtubs.



1933
Inventiveness. To protect the trendy bubble-perm hairstyle, the closed shoulder shower is invented.

1953
The UNICA shower bar as a wall mounted shower set is launched.



1965
SELECTA. The first adjustable hand shower. It becomes the highest selling and most copied shower.



1977
Design finds it a way into the company a strategy. The SIXTY shower set, engineered with 'Zimmermann-Design' brings drive and colour into the sanitary world.



1974
TRIBEL. The first hand shower with an adjustable jet head for three different modes.



1981
ALLEGROH. A new era for Hansgrohe begins. The single lever faucet with a ball cartridge system.



2001
IBOX UNIVERSAL. The new big innovation, introduced at the beginning of the millennium.

1985
UNO. The first full coloured mixer range.



2003
RAINDANCE. The first time water and air are mixed to create a soft water experience and economical water jet.



2010
RAINBRAIN. Hansgrohe goes digital. The first digital control panel adjust the temperature, jet type and water flow rate at the touch of a button.



2015
SELECT. With intuitive control technology, Hansgrohe sets the new standard for waterflow systems.



2019
RAINFINITY. Digital and smart home solutions for the bathroom will pave the way to the future for hansgrohe.



2020
RAINTUNES. The smart living application for individual shower scenarios.



Hansgrohe.
119 years of innovation from Black Forest.

Excellence in innovation, design, quality and service

hansgrohe: our name is your guarantee bathroom



1 Innovation

- Revolutionary innovations
- Pioneers in the sanitation industry
- Ground-breaking technologies

At hansgrohe, we don't just innovate, we revolutionise. Some of our product developments have made history in the industry and changed how people all over the world encounter water, every day. We care deeply about you and your enjoyment of our products, in both aesthetics and performance. We have our own dedicated research and development laboratory in the centre of the German Black Forest. Here, our industry experts have worked to produce more than 16,000 active patents, ensuring that hansgrohe remains an industry leader and achieving a TOP 100 award for Top Innovator 2018.



2 Design

- More than 600 awards
- A design for every style
- International reference projects

Design can be defined in a number of ways: shape, aesthetic, style. But, at hansgrohe, good design means more than just good looks. As well as world-class appearance, our influential designers also focus on quality and maximum customer benefit. It's our unwavering attention to detail that has earned more than 500 internationally renowned awards. From the big picture to the small details, we take every opportunity to make your bathroom experience the best it can be with our technical innovations. Whether it's Modern, Classic or Avantgarde, we have the perfect solution to suit any need and, most importantly, our timeless designs will outlive fastpaced fashion trends.



3 Quality

- Experts since 1901
- German Engineering
- 5 years* guarantee

Since 1901, people all over the world have put their trust in hansgrohe's durable products from the heart of the German Black Forest. hansgrohe is synonymous with high-quality products of exceptional design, ease of use and intelligent functions. Since our foundation, 'Engineered in Germany' has been a recipe for success and remains an integral part of our philosophy. This level of German expertise is recognised as a guarantee of excellence and every one of our facilities work to the high standards that we set. As testament to this, we offer 5-year* guarantee and hold spare parts for discontinued products for a further 15 years*.



*This guarantee applies to all hansgrohe products, except for products listed under II b at www.hansgrohe.com/guarantee.

4 Service

- Contactable and reliable
- Informative and involved
- Plan and enjoy

Customer satisfaction has, and always will be, our primary concern. At hansgrohe, we want to work in partnership with you to ensure the best possible solution. Being able to deliver top-quality, personal service to our customers at all times is a key part of how we operate as a company. No matter the question, problem or special request, we are here to help.



International project references

At home all over the world

All over the world, developers and investors work hand in hand with architects and planners on sophisticated projects. They are constantly in need of intelligent and aesthetically appealing solutions for handling the essential element water. The mixers, showers and bathroom collections from the Black Forest lend top addresses that definite extra design and comfort: in impressive hotels and public buildings, in private residences and royal palaces, in exclusive sports clubs and in cruise ships and luxury yachts.



Purple Haze, Nairobi, Kenya:
Focus single lever basin tap
Crometta S 240 1jet showerpipe
Copyright: Purple Haze



Signiel Seoul, Seoul, South Korea:
PuraVida 3-hole basin tap
Croma 100 Multi hand shower
Copyright: Signiel Seoul



Hotel Excelsior, Dubrovnik, Croatia:
Talis S single lever basin tap
Copyright: Hotel Excelsior



Ocean Estates, Da Nang, Vietnam:
Logis single lever basin tap
Croma Select S Vario shower set
Copyright: Ocean Estates



Privé at Island Estates, Aventura, USA:
Metris single lever basin tap
Raindance Select E 120 3jet hand shower
Copyright: Privé at Island Estates



Quantum of the Seas:
Metris single lever basin tap
Crometta 85 Vario shower set
Copyright: Quantum of the Seas

Vernis Blend

Modern, elegant design that blends into any bathroom




Benefits and Traits

- The design of hansgrohe Blend comes from the German Phoenix Design studio, which has won a series of awards.
- hansgrohe has stood for the “most beautiful moments with water” for over 100 years. This brand promise is the essence of the new hansgrohe Vernis product range.
- Vernis Blend incorporates modern elegance, and impresses with gentle curves and flowing shapes. The timeless interaction of precise lines and rounded corners adds a significant touch of sophistication to the modern bathroom.
- hansgrohe is a German premium brand with high design and quality standards since 1901.

Vernis Blend

Fully enjoy the pleasure of a shower



Benefits and Traits

- The design of hansgrohe Vernis showers comes from the German Phoenix Design studio, which has won a series of awards.
- Vernis showers create full shower pleasure.
- Made in Germany
- With an universal design Vernis showers fit every bathroom ambience.
- Even at a low pressure, vernis showers offer a good performance. They are attractive, robust and reliable.

Vernis Shape

Geometric design for a reduced, striking bathroom ambience



➔



Benefits and Traits

- The design of hansgrohe Blend comes from the German Phoenix Design studio, which has won a series of awards.
- hansgrohe has stood for the “most beautiful moments with water” for over 100 years. This brand promise is the essence of the new hansgrohe Vernis product range.

- Vernis Shape impresses with its clear, geometric design. Its edge-oriented shapes, flat surfaces and slim look exudes distinction and special value.
- Quality: hansgrohe is a German premium brand with high design and quality standards since 1901.

Vernis Shape

Fully enjoy the pleasure of a shower




➔

Benefits and Traits

- The design of hansgrohe Vernis showers comes from the German Phoenix Design studio, which has won a series of awards.
- Vernis showers create full shower pleasure.
- Made in Germany

- With an universal design Vernis showers fit every bathroom ambience.
- Even at a low pressure, vernis showers offer a good performance. They are attractive, robust and reliable.




Single lever basin mixer 100 with pop-up waste set and isolated water conduction

- ComfortZone 100
- normal spray
- flow rate at 3 bar: 5 l/min
- ceramic cartridge
- consists of:
 - single lever basin mixer, waste set
- with isolated water conduction
- suitable for continuous flow water heaters
- pop-up waste set G 1¼
- material waste set: synthetic
- connection type: G ½ connection
- connection dimension: DN15

finish
Chrome

code no.
71571007



Single lever basin mixer 230 with pop-up waste set and isolated water conduction

- ComfortZone 230
- normal spray
- flow rate at 3 bar: 5 l/min
- ceramic cartridge
- consists of:
 - single lever basin mixer, waste set
- with isolated water conduction
- suitable for continuous flow water heaters
- pop-up waste set G 1¼
- material waste set: synthetic
- connection type: G ½ connections
- connection dimension: DN15

finish
Chrome

code no.
71572007



Single lever kitchen mixer 260 with swivel spout

- ComfortZone 260
- flow rate at 3 bar: 8 l/min
- ceramic cartridge
- connection dimension: DN15
- connection type: G ½ connections
- suitable for continuous flow water heaters

finish
Chrome

code no.
71857007



Basin mixer set for concealed installation wall-mounted with spout 20,4 cm

- projection 204 mm
- normal spray
- flow rate at 3 bar: 12.4 l/min
- ceramic cartridge
- consists of:
 - single lever basin mixer for concealed installation wall-mounted, waste set, basic set
- suitable for continuous flow water heaters
- non-closing waste set
- connection type: basic set
- connection dimension: DN15

finish
Chrome

code no.
71555007



Consisting of:


- Single lever basin mixer for concealed installation wall-mounted with spout 20,4 cm (#71576007)
- Basic set for single lever basin mixer for concealed installation wall-mounted (#71577187)

Optional parts:

- Extension set

finish
Chrome

code no.
71556007




Single lever bath mixer for exposed installation

- projection 171 mm
- connection type: s-shaped connections
- spray type mixer: normal spray
- ceramic cartridge
- flow rate of hand shower at 3 bar: 23.1 l/min
- flow rate of hand shower at 3 bar: 7.4 l/min
- temperature limitation adjustable
- with automatic resetting
- non-return valve
- suitable for continuous flow water heaters
- connection dimension: DN15

finish
Chrome

code no.
71440007






	finish	code no.
Bath mixer set for concealed installation <ul style="list-style-type: none">· temperature limitation adjustable· with automatic resetting· flow rate at 3 bar: 12.4 l/min· ceramic cartridge· consists of:<ul style="list-style-type: none">single lever basin mixer for concealed installation wall-mounted, waste set, basic set· connection type: basic set· flow rate of hand shower at 3 bar: 10 l/min· flow rate of hand shower at 3 bar: 14.5 l/min	Chrome	71445007
Consisting of: <ul style="list-style-type: none">· Single lever basin mixer for concealed installation (#71449007)· Basic set for single lever basin mixer for concealed installation (#71465787)		
Optional parts: <ul style="list-style-type: none">· Extension set	Chrome	71962007




Shower mixer set for concealed installation <ul style="list-style-type: none">· temperature limitation adjustable· flow rate at 3 bar: 10 l/min· ceramic cartridge· consists of:<ul style="list-style-type: none">single lever basin mixer, basic set· connection type: basic set	Chrome	71645007
Consisting of: <ul style="list-style-type: none">· Single lever basin mixer for concealed installation (#71649007)· Basic set for single lever basin mixer for concealed installation (#71651187)		
Optional parts: <ul style="list-style-type: none">· Extension set	Chrome	71963007




Vernis Blend Hand Shower Vario Wall Bar Set 650mm <ul style="list-style-type: none">· shower head size: 100 mm· spray type: Rain, IntenseRain· maximum flow rate at 3 bar: 10.5 l/min· bar width: 22mm· consists of: hand shower, shower bar, shower hose, slider· spray type adjustment by turning spray disc	Chrome	26275007
Consisting of: <ul style="list-style-type: none">· Unica Shower bar Crometta 65 cm with shower hose (#27615007)· Vernis Blend Hand shower Vario (#26270007)· Metaflex Shower hose 160 cm (#28266007)		



	finish	code no.
Vernis Blend Overhead Shower 200 1 Jet <ul style="list-style-type: none">· shower head size: 205 mm· spray type: Rain· maximum flow rate at 3 bar: 11.2 l/min· material spray disc: plastic· overhead shower removable for cleaning· installation: ceiling or wall· connection thread G 1/2· connection dimension: DN15· ball-joint: overhead shower angle adjustable	Chrome	26271007
Optional parts: <ul style="list-style-type: none">· Shower arm 24 cm· Ceiling connector 10 cm· Ceiling connector 30 cm	Chrome Chrome Chrome	27809007 27804007 27805007




Vernis Shape



finish	code no.
Chrome	71561007
<ul style="list-style-type: none">consists of:single lever basin mixer, waste setComfortZone 100normal sprayflow rate at 3 bar: 5 l/minceramic cartridgewith isolated water conductionsuitable for continuous flow water heaterspop-up waste set G 1¼material waste set: syntheticconnection type: G ½ connectionsconnection dimension: DN15	
<div><div>Air Power</div><div>Eco Smart</div><div>Comfort Zone</div></div>	




finish	code no.
Chrome	71562007
<ul style="list-style-type: none">ComfortZone 230ceramic cartridgenormal sprayflow rate at 3 bar: 5 l/minconnection type: G ½ connectionswith isolated water conductionsuitable for continuous flow water heaterspop-up waste set G 1¼material waste set: syntheticconnection dimension: DN15consists of:single lever basin mixer, waste setconnection type: G ½ connections	
<div><div>Air Power</div><div>Eco Smart</div><div>Comfort Zone</div></div>	




finish	code no.
Chrome	71857007
<ul style="list-style-type: none">ComfortZone 260flow rate at 3 bar: 8 l/minceramic cartridgeconnection dimension: DN15connection type: G ½ connectionssuitable for continuous flow water heaters	
<div><div>Air Power</div><div>Comfort Zone</div></div>	


Vernis Shape



finish	code no.
Chrome	71565007
<ul style="list-style-type: none">Basin mixer set for concealed installation wall-mounted with spout 20,4 cmprojection 204 mmnormal sprayflow rate at 3 bar: 12.4 l/minceramic cartridgeconsists of:single lever basin mixer for concealed installation wall-mounted, waste set, basic setsuitable for continuous flow water heatersnon-closing waste setconnection type: basic setconnection dimension: DN15	
<div><div>Air Power</div><div>Eco Smart</div></div>	
Consisting of: <ul style="list-style-type: none">Single lever basin mixer for concealed installation wall-mounted with spout 20,4 cm (#71578007)Basic set for single lever basin mixer for concealed installation wall-mounted (#71577187)	
Optional parts: <ul style="list-style-type: none">Extension set	




finish	code no.
Chrome	71450007
<ul style="list-style-type: none">Single lever bath mixer for exposed installationprojection 166 mmconnection type: s-shaped connectionsspray type mixer: normal sprayceramic cartridgeflow rate of hand shower at 3 bar: 23.1 l/minflow rate of hand shower at 3 bar: 7.4 l/mintemperature limitation adjustablewith automatic resettingnon-return valvesuitable for continous flow water heatersconnection dimension: DN15	
<div><div>Air Power</div></div>	



finish	code no.
Chrome	71455007
<ul style="list-style-type: none">Bath mixer set for concealed installationtemperature limitation adjustablewith automatic resettingflow rate at 3 bar: 12.4 l/minceramic cartridgeconsists of:single lever basin mixer, basic setflow rate for bath spout at 3 bar: 14.5 l/minflow rate for bath spout at 3 bar: 10 l/minconnection type: basic set	
Consisting of: <ul style="list-style-type: none">Single lever basin mixer for concealed installation (#71458007)Basic set for single lever basin mixer for concealed installation (#71465187)	
Optional parts: <ul style="list-style-type: none">Extension set	

Vernis Shape



Shower mixer set for concealed installation

- temperature limitation adjustable
- flow rate at 3 bar: 10 l/min
- ceramic cartridge
- consists of:
 - single lever basin mixer, basic set
 - connection type: basic set

Consisting of:

- Single lever basin mixer for concealed installation (#71658007)
- Basic set for single lever basin mixer for concealed installation (#71651187)

Optional parts:

- Extension set

finish
code no.

Chrome 71655007

Vernis Shape Overhead Shower 230 1 Jet

- shower head size: 230 x 170 mm
- spray type: Rain
- maximum flow rate at 3 bar: 11.2 l/min
- material spray disc: plastic
- overhead shower removable for cleaning
- installation: ceiling or wall
- connection thread G 1/2
- connection dimension: DN15
- ball-joint: overhead shower angle adjustable

Alternative products:

- Shower arm 24 cm
- Ceiling connector 10 cm
- Ceiling connector 30 cm

Chrome 26281007



HGH-SH-RS-13159

Talis Select E / Talis E



HGH-TP-BTM-13065-CH

Single lever basin mixer 80 with pop-up waste set

- consists of: single lever basin mixer, waste set
- ComfortZone 80
- projection 96 mm
- normal spray
- flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1 1/4
- material waste set: metal
- connection dimension: DN15

Alternative products:

- Single lever basin mixer 80 with push-open waste set
- Single lever basin mixer 80 without waste set
- Single lever basin mixer 80 LowFlow with pop-up waste set
- Single lever basin mixer 80 for vented hot water cylinders with pop-up waste set

finish
code no.

Chrome 71700000/ 71700009



Single lever basin mixer 110 with pop-up waste set

- consists of: single lever basin mixer, waste set
- ComfortZone 110
- projection 112 mm
- normal spray
- flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1 1/4
- material waste set: metal
- connection dimension: DN15

Alternative products:

- Single lever basin mixer 110 with push-open waste set
- Single lever basin mixer 110 without waste set

- Single lever basin mixer 110 LowFlow with pop-up waste set

Chrome 71710000/ 71710009

Brushed Bronze 71710140

Brushed Black 71710340

Chrome 71710670


Matt Black 71710700

Matt White 71710990

Polished Gold Optic 71710990



HGH-TP-BTM-13066-CH



HGH-TP-BTM-13067-CH

- Single lever basin mixer 240 with pop-up waste set**
- consists of: single lever basin mixer, waste set
 - ComfortZone 240
 - projection 183 mm
 - normal spray
 - flow rate at 3 bar: 5 l/ min
 - ceramic cartridge
 - temperature limitation adjustable
 - suitable for continuous flow water heaters
 - pop-up waste set G 1 1/4
 - material waste set: metal
 - connection dimension: DN15

finish code no.

- | | |
|---------------------|--------------------|
| Chrome | 71716000/ 71716009 |
| Brushed Bronze | 71716140 |
| Brushed Black | 71716340 |
| Chrome | |
| Matt Black | 71716670 |
| Matt White | 71716700 |
| Polished Gold Optic | 71716990 |



- Alternative products:**
- Single lever basin mixer 240 without waste set

- | | |
|----------------------|----------|
| Chrome | 71717000 |
| Brushed Bronze* | 71717140 |
| Brushed Black | 71717340 |
| Chrome* | |
| Matt Black* | 71717670 |
| Matt White* | 71717700 |
| Polished Gold Optic* | 71717990 |

* available from April 2020

Single lever shower mixer for exposed installation

- connection type: s-shaped connections
- centre distance: 150 ± 12 mm
- flow rate of hand shower at 3 bar: 17 l/min
- ceramic cartridge
- temperature limitation adjustable
- non-return valve
- with silencer
- hose connection DN15
- connection dimension: DN15

Alternative products:


- Single lever shower mixer for exposed installation with centre distance 15.3 cm

- | | |
|--------|----------|
| Chrome | 71760000 |
|--------|----------|


- | | |
|--------|----------|
| Chrome | 71761000 |
|--------|----------|

* available from April 2020

Pre-Order



HGH-TP-SM-13072-CH



HGH-TP-CBM-13135-CH

Single lever shower mixer for concealed installation

- 1 outlet
- connection type: basic set
- ceramic cartridge
- temperature limitation adjustable

Alternative products:

- Single lever shower mixer HighFlow for concealed installation

Required parts:

- Basic set iBox universa

finish code no.

- | | |
|---------------------|----------|
| Chrome | 71765000 |
| Brushed Bronze | 71765140 |
| Brushed Black | 71765340 |
| Chrome | |
| Matt Black | 71765670 |
| Matt White | 71765700 |
| Polished Gold Optic | 71765990 |

- | | |
|--------|----------|
| Chrome | 71768000 |
|--------|----------|

01800180

Single lever bath mixer for concealed installation

- connection type: basic set
- ceramic cartridge
- temperature limitation adjustable
- with automatic resetting
- with silencer

Alternative products:

- Single lever bath mixer for concealed installation with integrated security combination according to EN1717


Required parts:

- Basic set iBox universal

- | | |
|---------------------|----------|
| Chrome | 71745000 |
| Brushed Bronze | 71745140 |
| Brushed Black | 71745340 |
| Chrome | |
| Matt Black | 71745670 |
| Matt White | 71745700 |
| Polished Gold Optic | 71745990 |

- | | |
|---------------------|----------|
| Chrome | 71474000 |
| Brushed Bronze* | 71474140 |
| Brushed Black | 71474340 |
| Chrome* | |
| Matt Black* | 71474670 |
| Matt White* | 71474700 |
| Polished Gold Optic | 71474990 |

01800180



HGH-TP-BTM-13074-CH

Single lever basin mixer 100 with pop-up waste set 1 Tick

- Aerated spray
- Ceramic cartridge
- pop-up waste set G 1 ¼
- Material waste set: Metal

finish
Chrome

code no.
72020009



Alternative products:

- Single lever basin mixer 100 LowFlow with pop-up waste set
- Single lever basin mixer 100 LowFlow without waste set

Chrome 72024000

Chrome 72025000

*available from
April 2020

Single lever basin mixer 250 with pop-up waste set 1 Tick

- Aerated spray
- Ceramic cartridge
- pop-up waste set G 1 ¼
- Material waste set: Metal
- ComfortZone 250
- projection 201 mm
- flow rate at 3 bar: 5 l/min
- temperature limitation adjustable
- suitable for continuous flow water heaters


Chrome 72115009




Alternative products:

- Single lever basin mixer 250 without waste set

Chrome 72116000



HGH-TP-BTM-13078-CH



HGH-TP-PM-13038-CH

Sink Mixer Talis S2 Variarc Chrome

- Swivel range adjustable in 3 steps 110°, 150° or 360°.
- normal spray
- connection dimension: DN15
- flow rate 10 l/ min
- ceramic cartridge
- connection type: G³/₈ connections
- suitable for continuous flow water heaters

finish
Chrome


code no.
14870009






Single lever kitchen mixer 260 with pull-out spout

- Swivel range 150°
- installation in front of the window, can be laid flat, base height 70 mm
- normal spray
- MagFit magnetic shower support
- quick connect shower hose
- flow rate 9 l/ min
- ceramic cartridge
- connection type: G ³/₈ connections
- integrated non-return valve
- suitable for continuous flow water heaters

Chrome 14872009



HGH-TP-PM-13039-CH



Single lever kitchen mixer 220 with pull-out spray



- Swivel range 150°
- installation in front of the window, can be laid flat, base height 70 mm
- normal and spray jet
- non-lockable shower spray
- MagFit magnetic shower support
- quick connect shower hose
- connection dimension: DN15
- flow rate 11 l/ min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters

finish

Chrome




code no.

14877009



HGH-TP-PM-13040-CH

Croma Select Hand Showers



Croma Select S Hand shower Vario




- shower head size: 110 mm
- convenient diversion via Select button
- spray type: Rain, IntenseRain, TurboRain
- flow rate at 3 bar: 15 l/ min
- with internal water conduction
- rinseable dirt filter
- connection thread G 1/2
- connection dimension: DN15
- suitable for continous flow water heaters

finish

White/Chrome

code no.

26802400






Water saving EcoSmart version:

- Croma Select S Hand shower Vario EcoSmart 9 l/ min

White/Chrome

26803400

Croma Hand Showers





Croma 100 Hand shower Mono

- shower head size: 100 mm
- spray type: Rain
- flow rate at 3 bar: 16 l/ min
- with internal water conduction
- rinseable dirt filter
- connection thread G 1/2
- connection dimension: DN15
- suitable for continous flow water heaters

Chrome

28580000






Water saving EcoSmart version:

- Croma 100 Hand shower Mono EcoSmart 9 l/ min

Chrome

28583000





Crometta Shower holder set Vario with shower hose 125 cm

- consists of: hand shower, shower holder, shower hose
- spray type: Rain, IntenseRain
- spray type adjustment by turning spray disc
- shower head size: 100 mm
- pivot connectors prevent hose from tangling
- maximum flow rate at 0.3 MPa: 14 l/ min
- chrome-plated wall supports of plastic

White/Chrome

26691400



Consisting of:

- Crometta Hand shower Vario (# 26330400)
- Shower holder Porter S (# 28331XXX)
- Comfortflex Shower hose 125 cm (# 28167000)

Alternative sizes:

- Crometta Shower holder set Vario with shower hose 160 cm

White/Chrome

26692400

Water saving EcoSmart version:

- Crometta Shower holder set Vario EcoSmart 9 l/ min with shower hose 125cm
- Crometta Shower holder set Vario EcoSmart 9 l/ min with shower hose 160cm


White/Chrome

26693400

White/Chrome

26694400

Croma Select Hand Showers



Croma Select E Shower set Multi with shower bar 65 cm

- consists of: hand shower, shower bar, shower hose, slider
- spray type: SoftRain, IntenseRain, Massage spray
- convenient diversion via Select button
- shower head size: 110 mm
- pivot connectors prevent hose from tangling
- slide inclination angle can be adjusted by 45°
- maximum flow rate at 0.3 MPa: 16 l/ min
- chrome-plated wall supports of plastic

finish code no.
White/Chrome 26580400



Consisting of:

- Croma Select E Hand shower Multi (# 26810400)
- Unica Shower bar Croma 65 cm (# 26505000)
- Isiflex Shower hose 160 cm (# 28276XXX)

Alternative sizes:

- Croma Select E Shower set Multi with shower bar 90 cm White/Chrome 26590400

Water saving EcoSmart version:

- Croma Select E Shower set Multi EcoSmart 9 l/ min with shower bar 65 cm White/Chrome 26581400

Optional parts:

- Wall bar spacer Chrome 97450000

Croma 100 Shower set Vario with shower bar 65 cm and soap dish Chrome 27772000

- consists of: hand shower, shower bar, shower hose, slider, soap dish
- spray type: Rain, Shampoo spray, normal spray, Massage spray
- spray type adjustment by turning spray disc
- shower head size: 100 mm
- pivot connectors prevent hose from tangling
- 90° position adjustable slider, pivots left and right, up and down
- maximum flow rate at 0.3 MPa: 18 l/ min
- chrome-plated wall supports of plastic



Consisting of:

- Croma 100 Hand shower Vario (# 28535000)
- Unica Shower bar C 65 cm with shower hose (# 27611000)
- Isiflex Shower hose 160 cm (# 28276XXX)
- Casetta Soap dish C (# 28678000)

Alternative sizes:


- Croma 100 Shower set Vario with shower bar 90 cm and soap dish Chrome 27771000

Water saving EcoSmart version:

- Croma 100 Shower set Vario EcoSmart 9 l/ min with shower bar 65 cm and soap dish Chrome 27776000

Optional parts:


- Wall bar spacer Chrome 97450000



HGH-SH-SBS-13173



HGH-SH-SBS-13174



Showerpipe 240 1jet EcoSmart with single lever bath thermostat Chrome 26185000

- consists of: overhead shower, hand shower, bath thermostat, shower hose, slider
- slide inclination angle can be adjusted by 45°
- overhead shower Crometta E 240
- shower head size: 240 x 240 mm
- spray type: Rain
- ball-joint: overhead shower angle adjustable
- shower arm length: 350 mm
- height-adjustable hand shower holder
- maximum flow rate at 3 bar: 20.5 l/min
- outlets controlled via turning handle
- installation type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm
- rising pipe can be shortened in height



Water saving EcoSmart version:

- flow rate bath filler: 20 l/min
- safety lock at 40° C
- adjustable hot water limitation



HGH-SH-EBS-13167



Showerpipe 240 1jet EcoSmart with single lever bath thermostat Chrome 26186000

- consists of: overhead shower, hand shower, bath thermostat, shower hose, slider
- slide inclination angle can be adjusted by 45°
- overhead shower Crometta S 240
- shower head size: 240 mm
- spray type: Rain
- ball-joint: overhead shower angle adjustable
- shower arm length: 350 mm
- height-adjustable hand shower holder
- maximum flow rate at 3 bar: 20.5 l/min
- outlets controlled via turning handle
- installation type: exposed installation
- connection dimension DN15
- connection thread G 1/2
- centre distance 150 ± 12 mm
- rising pipe can be shortened in heighta



Water saving EcoSmart version:


- flow rate bath filler: 20 l/min
- safety lock at 40° C
- adjustable hot water limitation



HGH-SH-EBS-13168



HGH-TP-BTM-13041-CH



Single lever basin mixer 240 for washbowls with push-open waste set

- ComfortZone 240
- projection 178 mm
- laminar spray
- swiveling spray former
- flow rate at 3 bar: 5 l/min
- joystick ceramic cartridge
- suitable for continuous flow water heaters
- push-open waste set G 1¼
- material waste set: metal
- flow rate at 3 bar: 5 l/min
- connection dimension: DN15

finish

Chrome

code no.


15072009



Pre-Order



HGH-TP-BM-13043-CH



Single lever bath mixer for exposed installation

- projection 164 mm
- connection type: s-shaped connections
- centre distance: 150 ± 12 mm
- spray type mixer: normal spray
- joystick ceramic cartridge
- min. operating pressure: 1 bar
- with automatic resetting
- non-return valve
- with silencer
- suitable for continous flow water heaters
- connection dimension: DN15
- flow rate for bath spout at 3 bar: 19 l/min
- flow rate of hand shower at 3 bar: 23 l/min

finish


Chrome

code no.

15472009



HGH-TP-BTM-13042-WW




Single lever basin mixer 240 for washbowls with push-open waste set

- ComfortZone 240
- projection 178 mm
- laminar spray
- swiveling spray former
- flow rate at 3 bar: 5 l/min
- joystick ceramic cartridge
- suitable for continuous flow water heaters
- push-open waste set G 1¼
- material waste set: metal
- flow rate at 3 bar: 5 l/min
- connection dimension: DN15

Chrome/White

15072409





HGH-TP-BTM-13081-CH

Single lever basin mixer 100 with loop handle and push-open waste set


- ComfortZone 100
- projection 157 mm
- normal spray
- flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1/4
- material waste set: metal
- connection dimension: DN15

finish

Chrome

code no.

74502009



HGH-TP-BTM-13083-CH

Single lever basin mixer 260 with loop handle for washbowls with push-open waste set


- ComfortZone 260
- projection 204 mm
- normal spray
- flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1/4
- material waste set: metal
- connection dimension: DN15

finish

Chrome

code no.

74512009



HGH-TP-BTM-13082-CH

Single lever basin mixer 110 with loop handle and pop-up waste set


- ComfortZone 110
- projection 135 mm
- normal spray
- flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1/4
- material waste set: metal
- connection dimension: DN15

Chrome

74506009



Pre-Order



HGH-TP-BM-13084-CH



Single lever bath mixer for exposed installation with loop handle

- connection type: s-shaped connections
- centre distance: 150 ± 12 mm
- flow rate at 3 bar: 22 l/min
- ceramic cartridge
- min. operating pressure: 1 bar
- projection 180 mm
- temperature limitation adjustable
- non-return valve
- with silencer
- spray type mixer: normal spray
- connection dimension: DN15
- with automatic resetting
- suitable for continuous flow water heaters

Chrome

74540009





Single lever basin mixer 260 with lever handle for washbowls with push-open waste set





- ComfortZone 260
- projection 204 mm
- normal spray
- flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- push-open waste set G 1 ¼
- material waste set: metal
- connection dimension: DN15



finish

Chrome

code no.

32512009







Single lever bath mixer for exposed installation with lever handle



- projection 180 mm
- connection type: s-shaped connections
- centre distance: 150 ± 12 mm
- spray type mixer: normal spray
- flow rate at 3 bar: 22 l/min
- ceramic cartridge
- min. operating pressure: 1 bar
- temperature limitation adjustable
- with automatic resetting
- non-return valve
- with silencer
- suitable for continous flow water heaters
- connection dimension: DN15

Chrome

code no.

32540009







Single lever shower mixer for exposed installation with lever handle

- connection type: s-shaped connections
- centre distance: 150 ± 12 mm
- flow rate at 3 bar: 22 l/min
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- non-return valve
- with silencer
- hose connection DN15
- connection dimension: DN15

Chrome

code no.

32560009



Single lever basin mixer 110 with pop-up waste set





- ComfortZone 110
- projection 116 mm
- normal spray
- Ceramic cartridge
- flow rate at 3 bar: 3.5 l/min
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1 ¼
- connection dimension: DN15
- Material waste set: Metal

finish

Chrome



code no.

31080000



Alternative products:

- Single lever basin mixer 110 Chrome 31203000
- LowFlow with pop-up waste set Chrome 31204000
- Single lever basin mixer 110 LowFlow without waste set







HG Basin Mixer 260 Metris Highriser





- Consists of: Single-handle faucet, Pop-up assembly.
- Aerated spray
- pop-up waste set G 1 ¼
- Ceramic cartridge
- Material waste set: Metal

Chrome

code no.

31082009









Single lever basin mixer 230 with pop-up waste set

- ComfortZone 230
- projection 155 mm
- swivel range 120°
- normal spray
- flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1¼
- material waste set: metal
- connection dimension: DN15
- handle position on the side: bottom-side at the base body (not suitable for wash bowls)





finish	code no.
Chrome	31087009



Alternative products:

· Single lever basin mixer 230 with pushopen waste set	Chrome	31187000
· Single lever basin mixer 230 without waste set	Chrome	31081000





HGH-TP-BTM-13055-CH



Single lever basin mixer 70 with pop-up waste set

- comfortZone 70
- projection 101 mm
- ceramic cartridge
- material waste set: Metal
- normal spray
- flow rate at 3 bar: 5 l/min
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1¼
- connection dimension: DN15

finish	code no.
Chrome	31730009



Alternative products:

· Single lever basin mixer 70 with push-open waste set	Chrome	31604000
· Single lever basin mixer 70 with chain	Chrome	31732000
· Single lever basin mixer 70 without waste set	Chrome	31733000
· Single lever basin mixer 70 for vented hot water cylinders with pop-up waste set	Chrome	31132000
· Single lever basin mixer 70 LowFlow with pop-up waste set	Chrome	31951000
· Single lever basin mixer 70 LowFlow without waste set	Chrome	31952000

HGH-TP-BTM-11392-CH



Single lever basin mixer 190 with pop-up waste set

- ComfortZone 190
- projection 159 mm
- normal spray
- flow rate at 3 bar: 5 l/min
- ceramic cartridge
- temperature limitation adjustable
- suitable for continuous flow water heaters
- pop-up waste set G 1¼
- material waste set: metal
- connection dimension: DN15

finish	code no.
Chrome	31608000/31608009



Alternative products:

· Single lever basin mixer 190 with without waste set	Chrome	31518000
---	--------	----------

HGH-TP-BTM-13056-CH

Pre-Order



Single lever shower mixer for exposed installation

- 1 outlet
- connection type: s-shaped connections
- centre distance: 150 ± 12 mm
- flow rate of hand shower at 3 bar: 15 l/min
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- non-return valve
- with silencer
- hose connection DN15
- connection dimension: DN15


finish	code no.
Chrome	31960009

Alternative products:

· Single lever shower mixer for exposed installation with 2 flow rates	Chrome	31968000
--	--------	----------

HGH-TP-SM-13057-CH

Pre-Order



HGH-TP-BM-12994-CH

Single lever bath mixer for exposed installation

- projection 172 - 179.5 mm
- connection type: s-shaped connections
- centre distance: 150 ± 12 mm
- spray type mixer: normal spray
- ceramic cartridge
- min. operating pressure: 1 bar
- temperature limitation adjustable
- with automatic resetting
- non-return valve
- with silencer
- suitable for continuous flow water heaters
- connection dimension: DN15
- flow rate for bath spout at 3 bar: 22 l/min
- flow rate of hand shower at 3 bar: 26 l/min

Alternative products:

- Single lever bath mixer for exposed installation with 2 flow rates

finish


Chrome

code no.

31940000




* available from April 2020



HGH-TP-BM-13064-CH

Logis Universal Accessories




HGH-BA-AKS-13145-CH



HGH-BA-RH-13141-CH



HGH-BA-TLB-13142-CH



finish

Chrome

code no.

71400000



Single lever bath mixer for exposed installation

- projection 194 mm
- connection type: s-shaped connections
- centre distance: 150 ± 12 mm
- flow rate of hand shower at 3 bar: 20 l/min
- flow rate of hand shower at 3 bar: 17 l/min
- ceramic cartridge
- temperature limitation adjustable
- with automatic resetting
- non-return valve
- with silencer
- suitable for continuous flow water heaters
- connection dimension: DN15

Alternative products:

- Single lever bath mixer for exposed installation with centre distance 15.3 cm
- Single lever bath mixer for exposed installation with 2 flow rates

Chrome

71430000

Chrome

71401000

Corner basket

- can be used additional as a shelf
- material: brass
- wall-mounted
- material holder: metal

Chrome

41710000

Single hook

- material: brass
- wall-mounted
- material holder: metal

Chrome

41711000











Double bath towel rail

- drilling distance 600 mm
- material: brass
- wall-mounted
- material holder: metal
- length 644 mm








Chrome


41712000

Logis Universal Accessories

  HGH-BA-TR-13146-CH	Towel rack with towel holder <ul style="list-style-type: none">material holder: metalmaterial: brasswall-mountedlength 600 mm	finish Chrome	code no. 41720000
  HGH-BA-PH-13143-CH	Roll holder with cover <ul style="list-style-type: none">material: brasswall-mountedmaterial holder: metal	Chrome	41723000
  HGH-BA-TRG-13147-CH	Towel ring <ul style="list-style-type: none">material holder: metalmaterial: brasswall-mounted	Chrome	41724000
  HGH-BA-RH-13148-CH	Double hook <ul style="list-style-type: none">material: brasswall-mountedmaterial holder: metal	Chrome	41725000
  HGH-BA-PH-13144-CH	Roll holder without cover <ul style="list-style-type: none">material: brasswall-mountedmaterial holder: metal	Chrome	41726000

Concealed Parts, Fixed Fit, Spout

  HGH-TP-SPP-13136		finish	code no.
  HGH-SH-SE-13137			
  HGH-BS-HB-13140-CH			
Basic set iBox universal <ul style="list-style-type: none">connection thread Rp 3/4suitable for all shower, bath tub and thermostat finish sets for concealed installationrotationally-symmetric installationsound-decoupled installationconnection dimension: DN20			01800180
Alternative products: <ul style="list-style-type: none">Basic set iBox universal with shut-off unit			01850180
Optional parts: <ul style="list-style-type: none">Extension iBox universal basic set 2.5 cmFastening rail set for iBox universalAssembly aid for iBox universal			13595000 96615000 93500000
FixFit Wall outlet E without non-return valve <ul style="list-style-type: none">metal connection angle		Chrome Brushed Bronze* Brushed Black Chrome* Matt Black* Matt White* Polished Gold Optic*	27454000 27454140 27454340 27454670
Alternative products: <ul style="list-style-type: none">FixFit Wall outlet E with non-return valve		Chrome	
			* available from April 2019
Bidette hand shower 1jet with shower holder and pressure shower hose 125 cm <ul style="list-style-type: none">consists of: bidette hand shower, shower holder, shower hoseflow rate hand shower connection at 0.3 MPa: 6.6 l/ minwith non-return valvemaximum flow rate at 0.3 MPa: 6 l/ minadditional comment: Surface shower hose chrome		Chrome	32129000
Consisting of: <ul style="list-style-type: none">Shower holder Porter S			
			
Alternative sizes: <ul style="list-style-type: none">Bidette hand shower 1jet with shower holder and pressure shower hose 160 cm		Chrome	32128000



- Isiflex Shower hose 160 cm**
- pivot connectors prevent hose from tangling
 - high-quality shower hose with metal effect
 - with plastic coating, easy to clean
 - kink-protected

finish	code no.
Chrome	28276000
Chrome/Blue	28276030
Chrome/Black	28276060
Chrome/Gold Optic	28276090
Red	28276430
White	28276450
Grey	28276460
Yellow	28276480
Black	28276610
Aranja	28276650
Aranja/Goldoptic	28276680
Stainless Steel Optic	28276800
Satinax	28276810
Satin Chrome	28276880



HGH-FH-SHS-13177-160

Vernis

The right fit for your bathroom



Quality

you can rely on

PREMIUM
GERMAN
BRAND

QUALITY
INNOVATION
DESIGN

At hansgrohe, we build on German expertise for the highest quality in form and function. We see, and have always seen, “Made in Germany” as a recipe for success: almost all our products are made in our home. Our own claim is to offer our customers long-lasting solutions that set standards in functionality and quality - and we do everything to ensure that. So hansgrohe offers you quality that you can pass straight on to your customers. And that assures you their permanent satisfaction.