



I WISH

UNEXPECTED FRIENDS AT HOME AND QUICK MEALS

by
TEKA MICROWAVES

MICROWAVE

WISHES COME TRUE

Teka microwaves ovens are your best ally in the kitchen when you WISH to save time without forsaking flavour.



RANGE OVERVIEW



Maestro



Total



Easy

TEKA MICROWAVE OVENS

For when you need to cook quickly and easily

TODAY'S FAST-PACED LIFESTYLE SOMETIMES MEANS WE HAVE NO TIME TO SPEND ON COOKING. WITH THE NEW **WISH** MICROWAVES, YOU WILL NEVER HAVE TO GIVE UP DELICIOUS RESULTS.



ALL COMPLETELY ALIGNED

Teka microwave ovens neat and stylish design with an anti-fingerprint stainless steel finishing, combined perfectly in a trendy column with our **WISH** ovens, an interesting solution in any kitchen environment! Shapes, colours and sizes are carefully designed to achieve what we call the "Teka look".



LEFT-HANDED OR RIGHT-HANDED?

Our Electronic Door Opening System is available in left and right-hinged versions depending on your side opening requirements. L versions are left-hinged allowing them to open towards the left, while R models open from left to right.



EXQUISITE COOKING

Teka microwave ovens enhance cooking results and reduce compartment condensation. A tangential fan located at the top creates a Forced Ventilation System that extracts the fumes and hot air generated during cooking, improving the final appearance of your meals.



EASY TO INSTALL

All Teka 20 litre integrated microwaves include a frontal trim kit that is easy to install and uninstall. The frame is fixed to the microwave oven instead of the cabinet, so the assembly process is really fast and easy, taking just 5 to 10 minutes and using only 4 screws!



DOUBLE MICROWAVE INPUT

The heat waves are spread more evenly thanks to this system, even inside the food. They emit the microwaves from two different points, above and below the magnetron gun. It complements the action of the integrated rotary turntable and minimizes cold zones.



MEMORIZE YOUR FAVOURITE RECIPES

Teka microwave ovens allow you to select different power memories and heating times, so you can repeat your favourite recipes as many times as you desire with the same result.



CRUNCH FUNCTION

Brown all sorts of food with only a spoonful of oil! The ferrite steel browning plate guarantees crisp and even cooking results in a healthier way.



CERAMIC BASES, EXQUISITE COOKING

Ceramic bases let you cook faster while reducing energy consumption. The cooking area is also more spacious and the compartment is easier to clean. Replacing the traditional rotary turntable, a ceramic base also offers consistent wave distribution that provides the best cooking results.



EASY-TO-CLEAN DROP-DOWN GRILL

Cleaning a microwave oven has never been so easy!. The drop-down grill provides easy access to the top of the cavity, making it easier to keep the inside of your microwave spic-and-span.



DRINKS, PIZZA OR CHICKEN?

Your recipes will be ready in a flash. Teka microwave ovens feature direct access menus for drinks, pizza and chicken. Thanks to these options your microwave adapts to any kind of food. Up to 9 direct access menus.



WISH MICROWAVES

Minimum consumption, highly accurate and very easy to use

INTEGRATED

MICROWAVE + GRILL

MICROWAVE


RUSTIC


MAESTRO


ELECTRONIC CONTROL
DISPLAY LED


TOUCH CONTROL TFT WHITE
DISPLAY


MECHANICAL


ML 822 BIS L


ML 820 BIS


ML 822 BIS R


ML 822 BIS L WHITE


ML 820 BI

MAESTRO

Domestic appliances for those who like going one one step further. For those who will not settle for being like the rest

TOTAL

Designed for those who demand everything of their appliances, for everyone in the house. Maximum effectiveness in any situation.

EASY

For those who prefer no complications in the kitchen without denying themselves an appliance that gives so much while asking for so little in return.

TOTAL

TOUCH CONTROL
PROGRAMMER

TFT DISPLAY

ELECTRONIC CONTROLS
WITH DISPLAY

MECHANICAL


MS 622 BIS L


MS 620 BIS


MS 622 BIS R


MS 620 BIH


MS 622 BI


MWR 22 BI AB


MWR 22 BI BB


MWR 22 BI VB

EASY

MECHANICAL


MB 620 BI


MB 620 BI WHITE



WISH ML 822 BIS L

— _MAESTRO



Microwave + Grill

- Capacity: 22 litres
- Electronic Control panel with LED display
- Electronic door opening
- 5 power levels, 850 W
- 9 direct access menus
- 3 cooking functions
- Quick start 30"
- Drop down grill, 1200 W
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Ceramic base
- Browning plate & Reinforced grid
- Tangential ventilation
- Left door opening



WISH ML 822 BIS R

— _MAESTRO



Microwave + Grill

- Capacity: 22 litres
- Electronic Control panel with LED display
- Electronic door opening
- 5 power levels, 850 W
- 9 direct access menus
- 3 cooking functions
- Quick start 30"
- Drop down grill, 1200 W
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Ceramic base
- Browning plate & Reinforced grid
- Tangential ventilation
- Right door opening



WISH ML 822 BIS L

— _MAESTRO



Microwave + Grill

- Capacity: 22 litres
- Electronic Control panel with LED display
- Electronic door opening
- 5 power levels, 850 W
- 9 direct access menus
- 3 cooking functions
- Quick start 30"
- Drop down grill, 1200 W
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Ceramic base
- Browning plate & Reinforced grid
- Tangential ventilation
- Left door opening



WISH MS 622 BIS L

— _TOTAL



Microwave + Grill

- Capacity: 22 litres
- Touch Control panel with LED display
- Electronic door opening
- 5 power levels, 850 W
- 2 direct access menus
- 3 cooking functions
- Quick start 30"
- Drop down grill, 1200 W
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Ceramic base
- Reinforced grid
- Tangential ventilation
- Left door opening



WISH MS 622 BIS R

— _TOTAL



Microwave + Grill

- Capacity: 22 litres
- Touch Control panel with LED display
- Electronic door opening
- 5 power levels, 850 W
- 2 direct access menus
- 3 cooking functions
- Quick start 30"
- Drop down grill, 1200 W
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Ceramic base
- Reinforced grid
- Tangential ventilation
- Right door opening



WISH MS 622 BI

— _TOTAL



Microwave

- Capacity: 22 litres
- Electromechanical controls
- Electronic door opening
- 5 power levels, 850 W
- 1 cooking function
- 0-60 min. Timer
- Automatic defrosting by time
- Double glazed door
- Stainless steel inner cavity
- Ceramic base
- Tangential ventilation
- Left door opening

COLOR
Fingerprint proof stainless steel / Black

EXTERNAL DIMENSIONS
⬆ 390 mm ➡ 595 mm ↻ 334 mm

COLOR
Fingerprint proof stainless steel / Black

EXTERNAL DIMENSIONS
⬆ 390 mm ➡ 595 mm ↻ 334 mm

COLOR
White

EXTERNAL DIMENSIONS
⬆ 390 mm ➡ 595 mm ↻ 334 mm

COLOR
Fingerprint proof stainless steel

EXTERNAL DIMENSIONS
⬆ 390 mm ➡ 595 mm ↻ 334 mm

COLOR
Fingerprint proof stainless steel

EXTERNAL DIMENSIONS
⬆ 390 mm ➡ 595 mm ↻ 334 mm

COLOR
Fingerprint proof stainless steel

EXTERNAL DIMENSIONS
⬆ 390 mm ➡ 595 mm ↻ 334 mm



NEW

WISH ML 820 BIS

— _MAESTRO



Microwave + Grill

- Capacity: 20 litres
- Touch Control panel with TFT white display
- 5 power levels, 700 W
- 3 direct access menus
- 1 memory
- 3 cooking functions
- Quick start 30"
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Quartz Grill, 1000 W
- 1 round grid
- Left door opening



NEW

WISH MS 620 BIS

— _TOTAL



Microwave + Grill

- Capacity: 20 litres
- Touch Control panel with TFT white display
- 5 power levels, 700 W
- 3 direct access menus
- 1 memory
- 3 cooking functions
- Quick start 30"
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Children safety block
- Double glazed door
- Stainless steel inner cavity
- Quartz Grill, 1000 W
- 1 round grid
- Left door opening



NEW

WISH ML 820 BI

— _MAESTRO



Microwave

- Capacity: 20 litres
- Electromechanical controls
- 5 power levels, 700 W
- 1 cooking function
- 0-60 min. Timer
- Automatic defrosting by time
- Double glazed door
- Stainless steel inner cavity
- Left door opening



NEW

WISH MS 620 BIH

— _TOTAL



Microwave

- Capacity: 20 litres
- Electromechanical controls
- 5 power levels, 700 W
- 3 direct access menus
- 1 memory
- 1 cooking function
- Quick start 30"
- 0-90 min. Timer
- Automatic defrosting by time and weight
- Double glazed door
- Stainless steel inner cavity
- Left door opening



NEW

WISH MB 620 BI

— _EASY



Microwave

- Capacity: 20 litres
- Electromechanical controls
- 5 power levels, 700 W
- 1 cooking function
- 0-60 min. Timer
- Automatic defrosting by time
- Double glazed door
- Stainless steel inner cavity
- Left door opening



NEW

WISH MWR 22 BI AB / BB / VB

— _EASY



Rustic Microwave

- Capacity: 22 litres
- Electromechanical controls
- Electronic door opening
- 5 power levels, 850 W
- 1 cooking function
- 0-60 min. Timer
- Automatic defrosting by time
- Double glazed door
- Stainless steel inner cavity
- Ceramic base
- Tangential ventilation
- Left door opening

COLOR
Fingerprint proof stainless steel / Black

EXTERNAL DIMENSIONS
⬆ 390 mm ➡ 595 mm ↗ 325 mm

COLOR
Fingerprint proof stainless steel

EXTERNAL DIMENSIONS
⬆ 390 mm ➡ 595 mm ↗ 325 mm

COLOR
Fingerprint proof stainless steel / Black

EXTERNAL DIMENSIONS
⬆ 390 mm ➡ 595 mm ↗ 325 mm

COLOR
Fingerprint proof stainless steel

EXTERNAL DIMENSIONS
⬆ 390 mm ➡ 595 mm ↗ 325 mm

COLOR
Fingerprint proof stainless steel / White

EXTERNAL DIMENSIONS
⬆ 390 mm ➡ 595 mm ↗ 325 mm

COLOR
Anthracite/Beige / Bright Cream- Brass

EXTERNAL DIMENSIONS
⬆ 390 mm ➡ 595 mm ↗ 334 mm



TECHNICAL FEATURES

MODEL	ML 822 BIS L	ML 822 BIS R	ML 822 BIS L WHITE	MS 622 BIS L	MS 622 BIS R	MS 622 BI
Type	Microwave + Grill	Microwave + Grill	Microwave + Grill	Microwave + Grill	Microwave + Grill	Microwave
Volume,l	22	22	22	22	22	22
DIMENSIONS						
Height, mm	390	390	390	390	390	390
Width, mm	595	595	595	595	595	595
Depth, mm	334	334	334	334	334	334
Inner height, mm	280	280	280	280	280	280
Inner width, mm	350	350	350	350	350	350
Inner depth, mm	220	220	220	220	220	220
FEATURES						
Stainless steel (fingerprint proof)	• / Black	• / Black	• / White	•	•	•
Control	Electronic Control panel with LED display	Electronic Control panel with LED display	Electronic Control panel with LED display	Touch Control panel with LED display	Touch Control panel with LED display	Electromechanical controls
Electronic door opening	•	•	•	•	•	•
Cooking functions	3	3	3	3	3	1
Grill	Grill	Grill	Grill	Grill	Grill	-
Microwave	Microwave	Microwave	Microwave	Microwave	Microwave	Microwave
Microwave+Grill	Microwave+Grill	Microwave+Grill	Microwave+Grill	Microwave+Grill	Microwave+Grill	-
Microwave power levels	5	5	5	5	5	5
Direct access menu	9	9	9	2	2	-
Memories	-	-	-	-	-	-
Defrosting by weight	•	•	•	•	•	-
Defrosting by time	•	•	•	•	•	•
Quick start	+30"	+30"	+30"	+30"	+30"	-
Minute minder	0-90'	0-90'	0-90'	0-90'	0-90'	0-60'
Drop-down grill	•	•	•	•	•	-
Stainless steel cavity	•	•	•	•	•	•
Ceramic base	•	•	•	•	•	•
Turntable	-	-	-	-	-	-
Tangential ventilation	•	•	•	•	•	•
Door opening	Left	Right	Left	Left	Right	Left
SAFETY SYSTEMS						
Glazed door	Double	Double	Double	Double	Double	Double
Automatic disconnection security system	•	•	•	•	•	•
Children safety block, timer and door	•	•	•	•	•	-
Grill protection	•	•	•	•	•	-
Safety thermostat	•	•	•	•	•	•
ACCESORIES						
Grid with feet	1	1	1	1	1	-
Browning plate	•	•	•	-	-	-
POWER CONSUMPTION						
Grill / Maxi grill, W	1200	1200	1200	1200	1200	-
Microwave power	850	850	850	850	850	850
ELECTRICAL FEATURES						
Voltage, V	220-240	220-240	220-240	220-240	220-240	220-240
Frequency, HZ	50	50	50	50	50	50
Maximum connection rating, W	2500	2500	2500	2500	2500	1400
Cable connection lenght, cm	110cm + schuko	110cm + schuko	110cm + schuko	110cm + schuko	110cm + schuko	110cm + schuko



TECHNICAL FEATURES

MODEL	ML 820 BIS	MS 620 BIS	ML 820 BI	MS 620 BIH	MB 620 BI	MWR 22 BI AB/BB/VB MWR 22 BI AB/BB/VB
Type	Microwave + Grill	Microwave + Grill	Microwave	Microwave	Microwave	Rustic
Volume,l	20	20	20	20	20	22
DIMENSIONS						
Height, mm	390	390	390	390	390	390
Width, mm	595	595	595	595	595	595
Depth, mm	325	325	325	325	325	334
Inner height, mm	210	210	210	210	210	220
Inner width, mm	305	305	305	305	305	350
Inner depth, mm	280	280	280	280	280	280
FEATURES						
Stainless steel (fingerprint proof)	• / Black	•	• / Black	•	• / White	Anthracite / Beige / Bright Cream-Brass
Control	Touch Control panel with TFT white display	Touch Control panel with TFT white display	Electromechanical controls	Electronic controls with white display	Electromechanical controls	Electromechanical controls
Electronic door opening	-	-	-	-	-	•
Cooking functions	3	3	1	1	1	1
Grill	Grill (Quartz)	Grill (Quartz)	-	-	-	-
Microwave	Microwave	Microwave	Microwave	Microwave	Microwave	Microwave
Microwave+Grill	Microwave+Grill	Microwave+Grill	-	-	-	-
Microwave power levels	5	5	5	5	5	5
Direct access menu	3	3	-	3	-	-
Memories	1	1	-	1	-	-
Defrosting by weight	•	•	-	•	-	-
Defrosting by time	•	•	•	•	•	•
Quick start	+30"	+30"	-	+30"	-	-
Minute minder	0-90'	0-90'	0-60'	0-90'	0-60'	0-60'
Drop-down grill	-	-	-	-	-	-
Stainless steel cavity	•	•	•	•	•	•
Ceramic base	-	-	-	-	-	•
Turntable	24 cm	24 cm	24 cm	24 cm	24 cm	
Tangential ventilation	-	-	-	-	-	•
Door opening	Left	Left	Left	Left	Left	Left
SAFETY SYSTEMS						
Glazed door	Double	Double	Double	Double	Double	2
Automatic disconnection security system	•	•	•	•	•	•
Children safety block, timer and door	•	•	-	-	-	-
Grill protection	-	-	-	-	-	-
Safety thermostat	•	•	•	•	•	•
ACCESORIES						
Grid with feet	1 Round	1 Round	-	-	-	-
Browning plate	-	-	-	-	-	-
POWER CONSUMPTION						
Grill / Maxi grill, W	1000	1000	-	-	-	-
Microwave power	700	700	700	700	700	850
ELECTRICAL FEATURES						
Voltage, V	220 - 240	220 - 240	220 - 240	220 - 240	220 - 240	220-240
Frequency, HZ	50	50	50	50	50	50
Maximum connection rating, W	1100	1100	1100	1100	1100	1400
Cable connection lenght, cm	110cm + schuko	110cm + schuko	110cm + schuko	110cm + schuko	110cm + schuko	150

